

Index

Note: page numbers in *italics* refer to figures; those in **bold** to tables or boxes. Prefixes are ignored in the alphabetical sequence – thus *S*-adenosylhomocysteine will be found below adenosine triphosphate.

- A-B-C model of behavior 1057–8
abdominal (visceral) fat
 alcohol consumption and 917
 cardiovascular risk 715
 diabetes risk 817–18
 insulin resistance and 733
 interpopulation differences 1160
 measurement 710
acarbose 739, **820**
accelerometers 1063, 1099
acceptable macronutrient distribution range (AMDR) **1112**, **1114**, 1116, **1119**
ACCORD (Action to Control Cardiovascular Risk in Diabetes) study 821
acetylcholinesterase 541
acetaldehyde 913, 914, *914*
acetaldehyde dehydrogenase (ALDH) 913
 genotypes 914
acetaminophen, pharmaco-metabonomics 52
acetate
 alcohol-derived 913, 916
 dietary fiber intake and 105
acetoacetate, metabolomic studies 50
acetylcholine (ACh) 406, *406*
acetyl-CoA 135, 137
 control of CoA synthesis 379
acetyl-CoA carboxylases (ACC) 361, *362*, 365
 biotin deficiency 366, 367
N-acetylcysteine (NAC), liver disease 897–8
acetyl-L-carnitine 392, 394, 396
 supplements 397–9
acetyl transferase **381**
acidosis, chronic kidney disease 876
acitretin 150, 151
acne vulgaris 172
acrodermatitis enteropathica (AE) 523, 526, 530, 699
activity energy expenditure (AEE) *see* physical activity energy expenditure
- acute-phase response 694
acylcarnitine esters 391, 394
 metabolomics 50, 53
acyl carrier protein (ACP) 386–7
 chemistry 376, *377*
 selected functions **380**, 380–1, **381**
 synthesis 379–80
acyl coenzyme A cholesterol acyltransferase (ACAT) 121, 125
added sugars 85, *86*
 cardiovascular health and 822
 current intakes 92
 global availability 1153
 human health and 92–3
addiction, food 1035–6, 1052
additives, food, idiosyncratic reactions 1231
adenosine thiamin triphosphate (AThTP) 262, *262*, 268
adenosine triphosphate *see* ATP
S-adenosylhomocysteine (SAH)
 liver disease 898
 methylation reactions *325*, 327, 345–6, *346*
 regulation of methylation 329
S-adenosylhomocysteine (SAH) hydrolase 16, *327*
S-adenosylmethionine (SAM)
 boron interactions 591
 choline synthesis 406
 dietary influences 20
 methionine synthesis 346
 regulation of methylation 327–9, *347*
 supplements, liver disease 898–9
 transmethylation reactions *16*, 327, 345, *346*
adenylate kinase 1 (AK1) 268
adequate intake (AI) 625, **1112**, **1114**, 1116
adipose tissue
 abdominal distribution *see* abdominal fat
 imaging 1006–7
 immune function 695–6
- adolescents 637–53
 calcium intake 638, **639**, 641
 developmental epigenetics 20
 dietary habits/intakes 639
 eating disorders 646
 growth 638
 hyperlipidemia **645**, 645–6
 nutritional assessment 643, 1186
 nutritional needs 638–43
 obesity 638, **643**, 643–5, **644**
 physical activity/sports 647–8
 pregnancy 646–7
 unhealthy eating 646
 vegetarianism 647
ADP cyclases 299–300
adult respiratory distress syndrome (ARDS), enteral feeding 987, **988**
aerobic exercise performance
 effect of hypohydration 496–7, *497*
 iron deficiency 515
Afghanistan **1184**
age
 diet and cancer risk 845
 energy requirements and 63, 63–5, **64**
 hypertension prevalence and 722
Age-Related Eye Disease Study (AREDS) 955, **965**, 966, 967
Age-Related Eye Disease Study 2 (AREDS2) 194, 966
age-related macular degeneration (AMD) *941*, 955–66
 B vitamins and 960, **963**
 carotenoids and 192–4, 959–60, **961–2**, 966
 dietary patterns and 966–7
 intervention studies 966
 omega-3 fatty acids and 964–6, **965**
 vitamin C and 956, **957**, 959, 966
 vitamin E and 223–4, 956–9, **958**, 966
 zinc and 960–4

- aging 654–68
 carnitine supplements 399
 energy requirements and 64–5
 nutritional epigenetics 20
 nutritional status and 654–61
 osteoporosis pathophysiology 835–7
 taste and food choices 1033
see also older adults
- agouti* gene, *A^y* locus 16, 20
- agouti viable yellow (*A^y*) mouse 16, 20
- agricultural biotechnology *see* biotechnology, agricultural
- aguage fruit 167
- AIDS *see* HIV infection/AIDS
- air-displacement plethysmography (ADP) 1000, 1003, 1003–4, **1008**
- alactasia 86
- alanine
 metabolomic studies 50, 51–2
 synthesis 72
- beta-alanine supplements 681
- albumin, serum 658
 chronic kidney disease 878, **879**
 liver disease 890, **891**
- alcohol (ethanol) 912–38
 energy content 913
 metabolism **59**, 913–14, 914
 nutritional status and 915, **916**
 teratogenic effects 616–17, 929
- alcohol abuse
 biochemical markers 915
 magnesium deficiency 469
 malnutrition 914–15, **916**
 nutritional assessment 914–15
 vitamin deficiencies 919–22
 Wernicke–Korsakoff syndrome 271, 272, 920–1
 zinc deficiency and 531
see also alcoholic liver disease
- alcohol consumption
 assessment 1019
 biochemical markers 915
 blood pressure and 725–6, **727**, 926
 cancer risk 927–8
 carbohydrate metabolism and 918–19
 cardiovascular disease risk 919, 924–5, **925**
 carotenoid levels and 189–90
 cognitive effects 927
 diabetes mellitus 814
 disease risks 913
 energy intake and 1046
 energy metabolism and 915–17, 917
 fat-soluble vitamins and 919–20
 folate deficiency and 330, 333
 lipid metabolism and 917–18
 metabolic effects 913–14, 914
 mineral/trace element metabolism and 922–3
 mortality effects 923–4
 musculoskeletal effects 928
 outstanding issues and questions 929, 1129
 pregnancy 616–17, 929
 stroke risk 926–7
- type 2 diabetes risk 925–6
 water-soluble vitamins and 920–2
- alcohol dehydrogenase (ADH) 913
 genotypes 914
- alcoholic liver disease (ALD) 927
 S-adenosylmethionine (SAM)/betaine therapy 898–9
 cytokine–nutrient interactions 893–4, **894**
 malnutrition 890–2, **891**, 892, 915
 methionine metabolism 898, 898
 mortality risk 891, 892, 924
 nutritional assessment 890, 891
 nutritional support 895
 zinc deficiency 899, 923
- alcoholic myopathy 928
- aldehyde dehydrogenase 2*2 allele (ALDH 2*2) 928
- allergens, food *see* food allergens
- allithiamin 272, 273
- iso-alloxazines 281
- Alpha-Tocopherol Beta-Carotene (ATBC) study 955, 1257–8
- aluminum
 beneficial bioactivity **602**
 silicon interaction 599
- Alzheimer's disease 662–3
 folate status and 332
 niacin and 302
 subclinical thiamin deficiency 271
 vitamin E intake and 224
see also dementia
- AMDR *see* acceptable macronutrient distribution range
- American Diabetes Association (ADA)
 gestational diabetes diagnosis 814–15
 nutrition guidelines **809**, 812, 813
- American Dietetic Association (ADA)
 classification of functional foods 783
 rating of health claims 783, **784**
 type 1 diabetes management 811
- American Heart Association (AHA)
 2020 impact goals 776, **779**
 diet and lifestyle recommendations 776
 Therapeutic Lifestyle Changes (TLC) diet 777
- American Time Use Survey (ATUS) **1091**, 1102
- amiloride 273
- amine oxidases, copper-dependent 541
- 2-amino-3-carboxymuconate-6-semialdehyde (ACMS) 298
- amino acids 69–82
 branched chain *see* branched-chain amino acids
 conditionally indispensable 72, **72**
 dispensable (non-essential) 71–2, **72**
 excessive intake 78
 functions 69–71, **70**, **72**
 glucose metabolites involved in synthesis 90
 immune function and 701–2
 indispensable (essential) 71, **72**
 infant nutrition 626
 requirements 77–8, **78**
 setting international standards 1141
- intestinal synthesis 53, 76
 nutritional corollaries 71–3
 parenteral nutrition solutions 993, **993**
 peritoneal dialysis fluids 883
 postprandial utilization 73–6, 74, **75**
 requirements 76, 76–7, 79
 hospitalized patients 984–5
 setting international standards 1141
 splanchnic/gut utilization 75, 75–6
 vitamin B₆-dependent reactions 311, 311–12
- para-aminobenzoic acid (PABA) 1239
- aminodeoxychorismate (ADCS) transgene 1239, **1240**
- aminoimidazole carboxamide ribonucleotide (AICARFT) 325
- δ-aminolevulinatase synthase 313–14
- α-amino nitrogen, need for preformed 72–3
- Amish lethal microcephaly 267, 272
- amprolium 273
- α-amylase 86
- amyloid precursor protein (APP) 545
- amylopectin 84
- amylose 84
- anabolic interventions, chronic kidney disease 883
- anabolic steroids, liver disease 895
- anaphylactic shock, food allergy 1224–5
- anaphylactoid reactions, food 1230
- androgens
 lycopene interactions 192
 osteoporosis and 835
- anemia
 of chronic disease (ACD) 511–12
 copper deficiency 547
 hemoglobin thresholds **512**
 iron deficiency 515–17
 megaloblastic *see* megaloblastic anemia
 microcytic 314
 pernicious *see* pernicious anemia
- aneurin 263
- angina pectoris, carnitine therapy **400**
- angiogenesis 1261
- angiotensin-converting enzyme (ACE) 532
- animal models, studying cancer risk 851–2
- animal protein, vs plant protein 727, 765
- animal source food changes 1153, 1155–6
- anorexia
 chronic kidney disease 876–7, 883
 infection-related 693
 liver disease 894
 physiological, of aging 658–9
 zinc deficiency 528
see also appetite
- anorexia nervosa 646
- ANTI* gene 1243, **1243**
- anthocyanidins 1242
- anthocyanidin synthase (ANS) 1242
- anthocyanins 420
 absorption and metabolism 421, 423, 423
 biofortification of crops 1242–3, **1243**
 biosynthesis 1242
 health benefits 1237

- anthocyanosides, visual function and 970
anthropometry 1000, 1001–2, **1008**
 chronic kidney disease 880
 estimating prevalence of undernutrition 1174
antibodies 691
anticoagulants, coumarin 230, 233–4, 241
 see also warfarin
anticonvulsants 333, 369, 714
antidepressants, effects on weight 713–14
antiepileptics *see* anticonvulsants
antifolate drugs 332–3
antihistamines 1228
anti-intrinsic factor (IF) antibodies 353
antimalarial drugs, pantothenic acid inhibitors as 386
antioxidants
 age-related macular degeneration and 956–60, 966
 assays 424
 athletes 684
 cardiovascular disease and 769–70
 carnitine 397
 carotenoids 195
 cataracts and 942–52, 955
 chronic pancreatitis 869, 870
 cognitive decline/dementia and 662
 diabetes 822
 flavonoids 424
 insulin sensitivity and 739
 liver disease 897–8, 901
 utilization in infection 695
 vitamin C 252
 vitamin E 215–17, 218, 1240
Antioxidants in the Prevention of Cataracts (APC) study 955
antipsychotic agents 714
antithiamins 273–4
APOA1 gene polymorphism 30
APOA2 gene polymorphism 30
apochromodulin 593
apolipoprotein(s) 125–6, 127
 apolipoprotein(a) (apo(a)) 127
 apolipoprotein A-I (apoA-I) 127
 niacin interaction 301
 apolipoprotein A-IV (apoA-IV) 126
 apolipoprotein B-48 (apoB-48) 125–6
 apolipoprotein B-100 (apoB-100) 125, 126
 apolipoprotein C (apoC) 126
 apolipoprotein C-II (apoC-II) 126
 apolipoprotein E (apoE) 126
 ε4 genotype, dietary fat interaction 30–1
 niacin interaction 301
 phyloquinone transport 232
apoptosis 1260–1
 cancer cells 851
 zinc deficiency 528, 529
appetite
 biomarkers 1051–2
 chronic kidney disease 876–7, 883
 defined 1044
 neurobiology 1034–6
 see also anorexia
Arabidopsis
 calcium exchanger (CAX) genes 1241–2, **1242**
 folate biosynthetic genes 1239, **1240**
 glucosinolate biosynthetic genes 1245
 tocopherol biosynthetic genes 1240–1, **1241**
 tocopherol over-expressing transgenic 1241
arachidonic acid (ARA) **119**, 121, 133
 biosynthesis 136, 754, 755
 cardiovascular disease and 758–9
 dietary requirements 140
 eicosanoid synthesis 138–9, 700
 infant nutrition 632, **1143**
 maternal nutrition 612
 visual function and 971–2
arginine 72, **72**, 73
 blood pressure and 727
 cardiovascular disease and 765
 immune function 701
ArrayExpress **8**
arsenic 595–6
arthritis, fatty acid intake and 143
ascorbic acid *see* vitamin C
monodehydro-L-ascorbic acid free radical (AFR) 249, 249, 250
asparagine 72
aspartame 1231
aspartic acid 72, 76
aspiration pneumonia, enterally-fed patients 990, **991**
assessment, nutritional *see* nutritional assessment
assisted reproductive technologies (ART), epigenetic changes 19, 21
Association of Official Analytical Chemists (AOAC) method, total dietary fiber 101
associative conditioning 1044
astaxanthin 186, **186**, 187
asthma
 food additives inducing 1231
 magnesium supplements 469
 selenium status and 573
 vitamin C and 253
ataxia with vitamin E deficiency (AVED) 223
atherosclerosis 745–6
 adolescent origins 645
 choline status and 413
 obesity and 715
 pathophysiology 746–8, 747
 preventive effects of carotenoids 193, 195
 risk factors 749, 749–70
 benefits of changes to 750, **751**
 grading the evidence 750–1, **752**
 macronutrient intakes 751–65
 micronutrient and antioxidant intakes 765–70
 see also cardiovascular disease
 atherosclerotic plaque
 development 746, 747, 748
 rupture 747, 748
athletes 669–87
 adolescent 649
 antioxidants 684
 carbohydrate intake 501, 673–7, **675–7**, 679
 eating before/during events 673–9
 energy intake 669–70
 fluid guidelines 678, 678, 679–80, **680**, 684
 optimizing physique 670–2
 physiological limitations 673–9, **674–5**
 recovery period 679–80, **680**
 sports foods and supplements 681–3, 681, **682–3**
 staying healthy/injury free 672–3
 training low 683–4
 vitamin C supplements 698
athletic performance *see* exercise, performance
Atkins diet 762, 764, 1061
ATOX1 protein 543, 543, 544
ATP (adenosine triphosphate) 58–60
 biotinylation of carboxylases 361
 generation pathways 58
 production from alcohol 916
ATPases, copper-translocating (ATP7A, ATP7B) 543, 544–5
ATP-binding cassette (ABC) transporters
 AI (ABCAI), vitamin E efflux 222
 G5 and G8, cholesterol transport 125, 127–8
attitudes, nutrition, US surveys 1099–100
Australia
 dietary guidelines 1125, **1126**
 nutrient reference values **1112**, 1121
Australian Institute of Sport (AIS) sports supplement guidance 681, **682–3**
autoimmune disease
 niacin and 300, 301–2
 vitamin D status and 698
auto-inducer AI-2 591
automated multiple-pass method (AMPM) 1097
average nutrient requirement (ANR) **1112**, **1114**, 1117, 1145
average requirement (AR) **1112**, **1114**
avidin-binding assays, biotin 363
avoidance diets, food allergies 1228
Axin^{Fused} locus 20–1

Bacillus cereus 1208, 1210, **1212**
bacterial foodborne disease 1208
 epidemiology **1212**
 pathogenic mechanisms **1210**, 1210–11
bariatric surgery
 adolescents 645
 high alcohol intake after 915
 non-alcoholic steatohepatitis 903
 taste preferences after 1034
 type 2 diabetes 819
basal ganglia disease, biotin-responsive 267, 272
basal metabolic rate (BMR) 60, 61
 energy requirements and 1137
 factors affecting 61
 prediction from weight or height 61, **61**
basal requirements 1118
basophils, food allergy 1223–4
Bayesian statistics 11–12
BCAA *see* branched-chain amino acids
Bcl-2-associated death promoter protein (BAD) 528, 529
Bcl-2-associated X protein (BAX) 528, 529

- Beaver Dam Eye Study (BDES)
 age-related macular degeneration 959–60, **961–2**, 964
 cataracts **943–4**, **947–8**, **950–1**, **953–4**
- behavior
 functional analysis (A-B-C model) 1057–8
 nutrition-related, US surveys 1099–100
see also eating behavior
- behavioral development, iron deficiency and 516
- Behavioral Risk Factor Surveillance System (BRFSS) **1089**, 1099, 1102
 uses of data 1087
- behavioral weight-loss programs 1057–70
 adolescents 644–5
 changing eating behavior 1060–1
 changing exercise 1061–3
 history 1057–8, *1058*
 maintenance of initial weight loss 1065–6
 media-based interventions 1064–5
 strategies used 1058–60
 support for healthy behavior 1064
- benfotiamine 272, 273
- benzoic acid, metabolomic studies 50, 51
- berberine bridge enzyme 282
- beriberi 261, 262–3, 270–1, 272
 treatment 264–5
 wet 261, 270–1
- beta-glucans 102, 104, 108
- betaine 327, *406*
 dietary sources 408
 functions 405
 liver disease 898–9
- betaine aldehyde dehydrogenase *407*
- betaine-homocysteine methyltransferase (BHMT) 16, 327, 346, *407*
 gene polymorphisms 412
- beta-linked oligosaccharides 100
- beverages
 energy-containing 1046–7
 sports 501
see also soft drinks; sugar-sweetened beverages
- bicarbonate 681
- biguanides **820**
- bilberries 970
- bile 123
 biotin excretion 365
 vitamin A excretion 156
 vitamin E excretion 222
- bile salts 123, 124
 absorption, short bowel syndrome 861
- binge eating, neurobiology 1035–6
- bioactive food components
 assessment of intake 1018
 health-promoting effects *see* health effects of bioactive components
 influencing cancer processes 844–52, 852
 molecular targets 1259–61, *1260*
 plant-derived 1237–8
 biofortification of crops 1242–7
 blood pressure and 726
 trace elements 591–601
see also specific components
- Bioconductor **11**
- biocytin 361
- bioelectrical impedance analysis (BIA) 1000, 1002, **1008**
 chronic kidney disease 879–80
 in disease states 1007
- biofortification, food 1236–54
 essential nutrients 1239–42
 phytonutrients 1242–7
 provitamin A 168–9
 strategies *1238*, 1238–9
see also transgenic plants
- bioinformatics 9–10
- biological mismatch concept 1155
- biomarkers
 alcohol abuse 915
 appetite 1051–2
 chronic kidney disease 878–9, **879**
 dietary assessment 48–50
 long-term intervention studies 1261–2
 omics tools for identifying 2–3
 predictive, of response to bioactive compounds 1259, *1260*
 US surveys 1102
- Biomarkers Consortium 1261–2
- Biomarkers of Nutrition for Development (BOND) 163–4, 166, 174
- biotechnology, agricultural
 effects on food allergenicity 1229
 food biofortification 1236–54, *1238*
see also transgenic plants
- bioterrorism 1214
- biotin 359–74
 absorption, transport and storage 364–5
 analogs 364
 analytical methods 363–4
 biological functions 361–2
 biosynthesis 360
 catabolism 360–1
 deficiency 366–8
 disorders of metabolism 368–9
 drug interactions 369
 excess and toxicity 370
 food sources 370
 history 359–60
 infant nutrition **625**
 pharmacokinetics 365
 recommended intakes **369**, 369–70
 pregnancy and lactation **611**
 serum 365, **366**
 status assessment 365–6
 urinary excretion 365, **366**
- biotin-*d,l*-sulfoxides 360, *360*
 serum and urine 365, **366**
- biotinidase 361, 364
 deficiency 368
- biotin-responsive basal ganglia disease 267, 272
- biotin sulfone 360, *360*, **366**
- biotin transporter 364
 deficiency 369
- biotinyl peptides 361, 364
- birth defects
 choline status and 411–12
 folate status and 311, 614
see also neural tube defects; teratogenic effects
- bisnorbiotin 360, *360*, 365
- bisnorbiotin methyl ketone (BNBMK) 360, **366**
- bisphenol-A, epigenetic effects 21
- bisulfite modification 22, 23
- bitter taste 1028, 1030
 aversion by children 1029, 1033
- blackcurrants 970
- bleeding, vitamin K deficiency 241
- blindness
 cataracts 941
 causes *940*
 night *see* night blindness
- blood coagulation proteins, vitamin K-dependent 234–6, 235, **238**
- blood pressure
 alcohol intake and 725–6, **727**, 926
 classification 721, **722**
 dietary and lifestyle influences 723–7, **727**
 epidemiological metabolomics 51–2
 flavonoids and 425, 726
 magnesium status and 466–7
 measurement 722
 potassium intake and 486, 726
 protein intake and 765
 sodium/salt intake and 51, 477, 725, **727**
 target **749**
see also hypertension
- bloodstream infections, parenterally-fed patients 994–5
- Blue Mountain Eye Study (BMES)
 age-related macular degeneration 956, **957**, 959, 960, **962–3**, 963, **965**
 cataracts **944**, 952, **954**, 955
- B-lymphocytes 689, 691
- Bod Pod plethysmograph 1003–4
- body circumference 1001, **1008**
see also waist circumference
- body composition
 assessment 1000–11
 chronic kidney disease 879–80
 in disease states 1007
 methods 1001–7, **1008**
 obesity 710
 older adults 655
 older adults 659
 plasma carotenoid levels and 189
 total body water and 494
- body mass *see* weight, body
- body mass index (BMI) **59**, 709–10
 adolescents 643
 body composition analysis 1001, **1008**
 children 711
 dietary fiber intake and 108–9
 hypertension and 723–4, **727**
 magnesium status and 468
 as malnutrition indicator 658, 1186
 older adults 655

- pre-pregnancy 647, **647**
 visceral fat development and 1160
 body weight *see* weight, body
 Bohr effect 507
 bone 435
 age-related changes 836, 836
 bone Gla protein *see* osteocalcin
 bone health
 alcohol consumption and 928
 athletes 672–3
 boron status and 592
 calcium intake and 440–1, 443, **835**, 838–40
 copper status and 548–9
 experimental studies 837–8
 fluoride status and 596–7, **835**
 human studies 838–40
 silicon status and 598–9
 vitamin C status and 254
 vitamin D receptor genotype and 1258
 vitamin D status and 207–8, 835, **835**, 838, 839
 vitamin K status and 237–9
 see also osteoporosis
 bone mass
 accrual during adolescence 638, 641
 age-related loss 836
 bone mineral density (BMD), defining osteoporosis 834, **834**
 bone mineralization
 phosphate status and 451
 vitamin A intake and 174
 bone morphogenetic protein 6 (BMP6) 511
 bone proteins, Gla 236, **238**
 Bonferroni correction 9
 boron 591–3
 deficiency 592–3
 dietary guidance **589**, 593
 essentiality status 586–7, 591
 magnesium interaction 463
 botulism 1210
 bovine milk *see* cow's milk
 bovine spongiform encephalopathy (BSE) 1208, 1216
 Boyle's law 1003
 brain
 biology of taste and appetite 1034–6
 boron status and 592
 thiamin uptake 265–6
 brain development
 choline and 17–18, 411
 copper and 548
 essential fatty acids and 140–1, 142, 632
 iodine deficiency 559–60
 Brainerd diarrhea 1210, 1216
 bran, cereal 98
 adverse effects 112
 disease risk and 107
 irritable bowel syndrome 110–11
 laxative effect 105, **106**
 small intestinal effects 103
 branched-chain 2-oxo acid dehydrogenase 268, 269
 branched-chain amino acids (BCAA)
 chronic kidney disease 877
 liver disease 891, 895, 896, 904
 branched-chain ketoaciduria 269
Brassica juncea 169
Brassica plants
 bitter taste 1030
 glucoraphanin biofortification 1245–7
 glucosinolate biosynthesis 1245
 selenium availability 569
 see also broccoli
Brassica villosa 1247
 Brazil nuts 1229
 BRCA1 mutation, selenium and 575
 breakfast, skipping 1049
 breast cancer
 alcohol consumption and 928
 boron status and 592
 calcium intake and 442
 choline status and 412
 fat intake and 143, 845
 gene–caffeine interaction 34
 timing of dietary interventions and 845
 vitamin D receptor genotype and 1258
 breastfeeding 617, 628–9, 633
 in emergency settings 1192, 1197
 food allergy and 1226
 immune function and 702–3
 US national surveys 1100
 see also lactation
 breast milk 617–18
 choline content 409
 composition 617–18
 immune-enhancing components 702–3
 infant formula vs 628–30
 vitamin A 156, 618
 vitamins and minerals 618, **619**
 breast-milk substitutes (BMS) *see* infant formula
 Broad Institute Software Page **29**
 broccoli 1237–8, 1247
 epigenetic effects 847
 glucoraphanin content 844
 glucoraphanin-enriched 1238, 1247
 metabolomics study 49
 tocopherol content 1240
 bromine **602**
 Brussels sprouts 849
 buckwheat allergy 1226
 bulimia 646
 buriti fruit 167
 butyrate/butyric acid **119**
 anticarcinogenic effects 106, 111, 112
 colorectal production 105
 epigenetic regulation 19
 γ -butyrobetaine 392, 393, 394
 B vitamins
 age-related macular degeneration and 960, **963**
 alcohol-related deficiencies 920–2
 cardiovascular disease and 768–9
 cataracts and 952, **953–4**
 diabetes 823
 immune function and 697–8
 see also specific B vitamins
 C₁-tetrahydrofolate synthase (C₁-THF synthase) 325, 329
 Ca *see* calcium
 cabbage, anthocyanin biosynthesis 1243
Cabp^{JAP} locus 20–1
 cadmium
 beneficial bioactivity **602**
 zinc interaction 524, 531
 caffeic acid 273
 caffeine
 blood pressure and 726, **727**
 consumption in pregnancy 617
 as ergogenic aid 681
 gene interactions 33–4
 calbindin-D_{9k} 461
 calciferol *see* vitamin D
 calcification, metastatic 455–6
 calcitonin 435
 calcitriol *see* 1 α ,25-dihydroxyvitamin D₃
 calcium 434–46
 absorption 436, 437, 439
 age-related decline 836
 adolescent nutrition 638, **639**, 641
 balance, kidney disease 875, 875
 biofortification of crops 1237, 1241–2, **1242**
 chemistry 435
 colorectal cancer and 441, 846
 deficiency 439, 439–42, 440
 dietary sources **438**, 438–9
 distribution 434
 excessive intake 442–3
 extracellular fluid (ECF) 435, 449–50
 female athlete needs 673
 function 435–6
 homeostasis 204, 435–6, 436
 hypertension and 441, 727
 infant nutrition **625**
 intracellular 435
 magnesium interactions 461, 462
 maternal nutrition **611**, 614, **619**, 620
 osteoporosis and 440–1, **835**, 838–40
 phosphorus interactions 449–50, 452, 453
 requirements **437**, 437–8
 supplementation 442–3, 664
 liver disease 901–2
 sweat 500
 zinc interaction 524
 calcium alkali syndrome 442
 calcium citrate malate 439
 calcium/H⁺ antiporters (CAX), plant 1241–2, **1242**
 calcium hopantenate 383–4
 calcium hydrogen phosphate (CaHPO₄) 449–50
 calcium pantothenate 376
 health benefits 385, 386
 calcium (Ca²⁺)-sensing receptor (CaR) 435–6, 436
 calorie **59**
 calorie intake *see* energy intake

- Campylobacter (jejuni)* 1209, 1210, **1212**
 pathogenesis of disease 1211
 temporal trends 1213, *1213*
- Canada
 Guidelines for Healthy Eating 1124–5, **1125**
 nutrient reference values **1112**, 1115–17, **1119**
- cancer 843–56
 alcohol consumption and 927–8
 boron status and 592
 calcium intake and 441–2
 carbohydrate intake and 94
 carotenoid intake and 190–2
 chemotherapy, carnitine therapy with **400**
 choline status and 412
 developing countries 1159–60
 dietary fiber intake and 111–12
 fatty acid intake and 143
 flavonoid intake and 427
 folate status and 332, 847
 gene–diet interactions 31, 34, 1258
 niacin and 301
 obesity and 716
 prevention recommendations **846**, 852–3
 retinoid therapy 172
 selenium status and 574–5
 selenoprotein genotypes and 579
 stem cells 848
 studying dietary influences 844–52, *853*
 assessing exposure 844–5
 diversity of foods and constituents 844
 interindividual variability 845–50
 physiological vs pathological 850–1
 sites of action 851–2, *852*
 timing of exposure 845
 vitamin B₆ status and 316
 vitamin C status and 253
 vitamin K status and 240–1
see also specific types
- Cancer Biomedical Informatics Grid (caBIG) **8**
- candidate gene approach 28–9
- cannabinoids 1035
- canthaxanthin **186**
 chemistry *187*
 high-dose supplements 194
- Ca × P ion product, serum 449–50
- capric acid **119**
- caproic acid **119**
- caprylic acid **119**
- carbohydrate-deficient transferrin (CDT) 915
- carbohydrates (CHO) 83–96
 absorption 87
 classification 83–6
 definition **1138**
 digestion 86–7
 disease risk and intake 92–4
 age-related macular degeneration 967
 cardiovascular disease 93, 761–4
 energy value 63, 88, 105
 fermentation in colon 105
 glyceic 85–6
 infant formulas 628, **629**, **630**
 loading 673–7, **676**
 low-availability, sports training 680–3
 metabolism 88–90
 alcohol-related changes 918–19
 effects of dietary fiber 103–4
 inborn errors 90
 net or impact values 813–14
 non-glyceic 85–6
 oxidation parameters **59**, 60
 requirements and recommendations 90–2
 athletes 501, 673–8, **675–7**, 679
 chronic kidney disease 881
 Crohn's disease 860
 current intakes 92, 92
 diabetes mellitus 812–14, 822
 establishing international **1138**, 1138–9
 gestational diabetes 815
 infants **625**, 626
 metabolic syndrome 739–40
 weight loss programs 762, 1061
 resistant and available 764
 satiety effects 93, 1045–6
 substitutions, in diabetes 813
- carbon dioxide production (VCO₂) **59**, 60
 doubly labeled water method 63
- α-carboxyethyl hydroxychroman (α-CEHC) 222
- γ-carboxyethyl hydroxychroman (γ-CEHC) 222, 223
- γ-carboxyglutamic acid (Gla) 230–1, 233, *234*
 containing bone proteins 236
 containing coagulation proteins 234–5
- carboxylase activation index 366
- carboxylases, biotin-dependent 361, *362*
 deficiencies 368–9
- carboxylester lipase (CEL) *152*
- carcinogens, metabolism 851
- cardiovascular disease (CVD) 745–805
 adolescent origins 645
 alcohol consumption and 919, 924–5, **925**
 calcium intake and 441, 443
 carbohydrate intake and 94, 761–4
 carnitine therapy **400**
 carotenoid intake and 194–5
 choline status and 412–13
 chromium status and 594
 copper deficiency 547
 definition 748–9
 developing countries 1159–60
 dietary prevention and treatment 770–89
 diabetic patients 821–2
 dietary patterns 777–82
 drug therapy and 787–9
 functional foods 783
 guidelines 770–7, **771–80**
 health claims 783, **784**
 healthy lifestyle behaviors 786–7
 omega-3 fatty acids 141–2, 755–8, 1263
 population-based approaches 789
 targeting major co-morbidities 783–5
 WHO/FAO summary of evidence 783, **785**
 fatty acid intake and 141–2, 751–61, 1263
 fiber intake and 109–10, 763–4
- flavonoid intake and 425–6
 gene–diet interactions 31, 33–4, 1258
 homocysteine hypothesis 331–2, 768
 hypertension and 721–2
 insulin resistance and *736*, 736–7
 magnesium status and 465–6, 767
 niacin therapy and 301, 768–9
 pathophysiology 746–8, *747*
 risk factors **749**, 749–70
 benefits of changes to 750, **751**
 grading the evidence 750–1, **752**
 macronutrient intakes 751–65
 micronutrient and antioxidant intakes 765–70
 obesity-related 714–16, 783–5
 vitamin B₆ status and 315–16, 768
 vitamin C and 253, 769–70
 vitamin E intake and 224, 769–70
 vitamin K status and 239–40
see also coronary heart disease; peripheral vascular disease; stroke
- L-carnitine 391–404
 biosynthesis 251, *392*, 392–3
 chemistry 391, *392*
 deficiency 395
 dietary intake and absorption 391–2
 mechanisms of action/biological activity 379, *395*, 395–7
 metabolism 393, 393–4
 requirements 394
 supplements 397–9
 therapeutic use 399, **400**
 transport 394
- carnitine-acylcarnitine translocase (CACT) 395, *395*
- carnitine palmitoyltransferase I (CPT I) 395, *395*, 396
- carnitine palmitoyltransferase II (CPT II) 395, *395–6*
- carnitine transporter-2 (CT-2) 394
- carnityl-3-hydroxyisovaleric acid 366
- carotene(s) 185, **186**
 bioavailability and bioconversion 151, 187–8
- α-carotene **186**, *187*
- β-carotene **186**
 alcohol interactions 919
 analytical methods 151
 cataracts and 949, **950–1**
 chemistry *150*, 151, *187*
 cleavage enzymes 190
 genetically engineered plants 169, 195
 high intakes 190
 intestinal absorption 152–3
 lung cancer and 190–2, *193*, 1076
 protection against sunburn 194
 vitamin A equivalence 188
see also provitamin A
- beta-carotene 15,15'-dioxygenase 153–4
- carotene monooxygenase 1 (CMO1) 152, 190, 195
 gene polymorphisms 153, 190
 tissue expression **191**

- carotene monooxygenase 2 (CMO2) 153, 190, 195
 tissue expression **191**
- carotenoderma 190
- carotenoids 185–98, **186**
 age-related macular degeneration and 192–4, 959–60, **961–2**, 966
 analysis 151
 bioavailability and bioconversion 187–8
 biofortification of crops 169, 195, 1244–5, **1246**
 biosynthesis 1244, *1244*
 cataracts and 194, 946–52, **950–1**
 chemistry 150, 151, 186, *187*
 classification 185
 cleavage enzymes 190, **191**, 195
 color 186, **186**
 deficiency 190
 factors affecting plasma levels 189–90
 in health and disease 190–5, *193*
 milk secretion 156
 provitamin A *see* provitamin A
 toxicity 190
 transport and accumulation 189, **189**, 195
 units of measurement 160
 vitamin A equivalence *see* retinol activity equivalents; retinol equivalents
see also specific carotenoids
- Carotenoids in Age-related Eye Disease Study (CAREDS) 959
- carrots
 calcium biofortification 1242, **1242**
 carotenoid biofortification **1246**
 carotenoid biosynthesis genes 1245
 provitamin A 153, 162, 169
- case-control studies 1073–4
 nested 1075
- cash transfers, humanitarian crises 1191–2, 1194
- cataracts 941, 941–55
 B vitamins and 952, **953–4**
 carotenoids and 194, 946–52, **950–1**
 dietary patterns and 966–7
 intervention studies 955
 omega-3 fatty acids and 952–5
 vitamin C and 942–6, **943–5**
 vitamin E and 946, **947–8**
 zinc and 952
- CCS protein 542–3, *543*, 544, 550
- CCS:SOD1 ratio 550
- CD38 299–300
- CD157 299–300
- celery allergy 1226
- celiac disease 858–9, 870, 1229–30
- cell adhesion molecules, atherogenesis 746–8, *747*
- cell cycle 851
- cell death 1260–1
- cell-mediated immunity 691–2
- cell membranes, role of choline 410
- cells, levels of regulation within 6
- cellular proliferation 1260–1
- cellular retinoic acid binding proteins (CRABP I and II) 154
- cellular retinol binding protein I (CRBPI) 154, *155*
- cellular retinol binding protein II (CRBPII) 152, 154, *155*
- cellulose 98
- Centers for Disease Control and Prevention (CDC)
 Division of Diabetes Translation 824–5
 expert support 1103
 surveillance systems 1099–100, 1101, 1213–14
- Centre for Applied Genomics **29**
- cereal bran *see* bran, cereal
- cereal grains
 cardiovascular disease and 763–4
 enriched 91
 humanitarian crises 1190, 1194
 hypersensitivity in celiac disease 1230
 non-starch polysaccharides 98, **99**, *99*
 refined 91, *92*
 whole *see* whole grains
- cereal products
 dietary fiber **101**
 iron sources 513
- ceruloplasmin (Cp) 541, 548
 copper binding 543, *543*
 iron oxidation *508*
 plasma 549
- cervical cancer, boron status and 592
- chalcone isomerase (CHI) 1242, 1243, **1243**
- chalcone synthase (CHS) 1242
- chemotherapy, carnitine therapy with **400**
- chewing, fiber-rich foods 102
- Child and Adult Care Food Program (CACFP) **1091**
- children
 body composition analysis 1005
 dietary intake assessment 1023
 energy requirements 64, **64**
 fat and fatty acid intake recommendations **1143**
 food insecurity and hunger 1167–9
 growth charts 643, 1086
 in humanitarian crises
 assessing nutritional status 1185–6
 impact of livestock interventions **1189**
 micronutrient supplements 1195
 prevalence of malnutrition 1183–5, **1184**
 supplementary feeding programs 1195–6
 targeted interventions 1192, 1193
 therapeutic feeding programs 1196–7
- indispensable amino acid requirements 77–8
- iron deficiency 516
- liver transplantation 904
- obesity 711, 785
 behavioral interventions 1062–3
 developing countries 1157
- physical activity guidelines 786, **787**
- protein requirements 77, **1140**
- taste and food choices 1029, 1033
- undernutrition 1174, **1175**
- vitamin A intakes 162, 163
- vitamin A requirements **161**
- vitamin A supplements **170**
- vitamin C requirements **255**, 255–6
- vitamin D requirements 208–9
- vitamin E intake values **218**
- vitamin K requirements 242
see also infants; neonates
- China
 dietary changes 1155–6
 nutrition-related chronic diseases 1159–60
- chloride
 ancient seas 476, **476**
 body fluid compartments 480–1
 dietary intake 476–7
 distribution in body 478–9
 homeostasis 476–7
 importance of 483
 infant nutrition **625**
 sweat 500
see also salt
- chlorpropamide **820**
- chocolate 52, *420*, 425
- cholecalciferol *see* vitamin D₃
- cholecystokinin (CCK) 123, 1051
- cholera 1217
- cholesterol
 absorption 124–5
 biosynthesis 136–7, *137*
 cardiovascular disease and intake 761
 cellular roles 135
 chemistry 121
 dietary sources 133–5
 digestion 123
 lipoprotein particles 125, **125**
 reverse transport 127–8, 748
 serum total (TC)
 adolescents 645, **645**
 cardiovascular disease risk 749–50
 dietary fat intake and 30–1, 137, 141–2
 dietary fiber effects 104
 goals **749**
 pantothenic acid effects 384–5
see also high-density lipoprotein-cholesterol; low-density lipoprotein-cholesterol
- cholesterol ester transfer protein (CETP) 128
- cholesteryl ester 121
 absorption 124–5
 formation in HDL particles 128
 hydrolysis 123
- cholestyramine 646
- choline 405–18, *406*
 brain development and 17–18, 411
 catabolism 327
 containing molecules 405, *406*
 deficiency 409, 412–13
 metabolomic profiling 52, 409
 dietary requirements 408–10
 pregnancy and lactation 408, **611**
 dietary sources 408
 digestion, absorption and transport 407–8
 epigenetic effects 17–18, 410–11
 function 405–6, 410–11
 genetic variation and 32, 409–10
 in human health 411–13
 infant nutrition 408–9, **625**

- metabolism 406–8
 as methyl donor 16, 17, 406–7, 407
 overnutrition 412–13
 status assessment 409
 synthesis 406
 toxicity 409, 413
- choline acetyltransferase (ChAT) 407
 choline dehydrogenase (CHDH) 407, 410
 choline kinase 407
 choline phosphotransferase (CPT) 407
 chromatin 15, 361
 chromatin immunoprecipitation (ChIP) assay 4, 22
- chromium 593–5
 diabetes and 594, 823
 dietary guidance 589, 595
 essentiality status 586–7, 593
 infant nutrition 625
 insulin sensitivity and 739
- chromodulin 593–4
- chronic disease
 anemia of (ACD) 511–12
 carbohydrate intake and 92–4
 developing countries 1159–61
 fatty acid intake and 141–3, 144
 fiber hypothesis 98, 106–12
 interventions in humanitarian crises 1193
 taste perception/food choices and 1028, 1028
 vitamin E intake and 223–4
- chronic kidney disease (CKD) 874–88
 anabolic interventions 883
 dietary composition 880–2
 improving appetite 883
 intradialytic nutritional support 883
 nutritional aberrations 876–8
 nutritional assessment 878–80, 880
 nutritional interventions 880–3, 884
 nutrition counseling 882–3
 pathophysiology 874–6
 protein-energy wasting 876, 877
 stages 875
- chronic myelogenous leukemia 172
- Chumlea's formula, BMI estimation 655
- CHY-B* gene 1246
- chylomicrons 125, 125–6
 retinyl esters 152, 155
 vitamin E 220, 221
- ciguatera poisoning 1210, 1212
- Citicoline (cytidine diphosphocholine) 406, 413
- citric acid cycle 89
- citrulline 76
- CKD *see* chronic kidney disease
- clinical trials 1075–6, 1078–9
- Clostridium botulinum* 1212
- Clostridium perfringens* 1212
- clustering methods 9
- CoA *see* coenzyme A
- coagulation proteins, vitamin K-dependent 234–6, 235, 238
- cobalamin (Cbl) *see* vitamin B₁₂
- Coca-Cola 1154–5
- cocoa flavonoids, blood pressure and 726
- Codex Alimentarius Commission (CAC) 1136, 1145, 1147–8
- coenzyme A (CoA) 376, 386–7
 carnitine-mediated regulation 379, 396
 chemical structure 376, 377
 dietary sources 381–2
 selected functions 380, 380–1
 synthesis 378, 378–9
- coenzyme A (CoA)/4'-phosphopantotheine cycle 378, 379
- coenzyme F₄₂₀ 281
- coffee
 cardiovascular disease risk and 33–4
see also caffeine
- cognitive function
 age-related decline 662–3
 alcohol and 927
 boron status and 592
 carnitine supplements and 399
 early-life iron deficiency and 516
 folate status and 332, 336
 hypohydration and 497
 iodine and 560
see also dementia
- cognitive restructuring, weight loss programs 1060
- cohort studies 1074–5
- cold, common *see* common cold
- colipase 123
- collagen synthesis 251
- colorants, food
 allergic reactions 1227
 idiosyncratic reactions 1231
- colorectal adenomatous polyps 112
 folic acid supplements and 1077
 selenium status and 574–5
- colorectal cancer
 calcium intake and 441, 846
 dietary fiber intake and 94, 111–12
 dietary risk factors 853
 folate status and 332, 1077–8
 selenium status and 574–5
 vitamin B₆/alcohol intake and 922
 vitamin D receptor genotype and 846, 1258
- colorectal effects, dietary fiber 104–6
- colostrum 617
- COMMD1 protein 542–3, 543, 545
- common cold
 vitamin C supplements 252–3, 698
 zinc supplements 529–30, 534
- community-based management of severe acute malnutrition (CMAM) 1193, 1196, 1197
- complementary and alternative medicine (CAM), liver disease 896–900
- complementary feeding, infants 630–1
- computer-based methods
 behavioral weight loss programs 1065
 dietary intake assessment 1023, 1024
 nutrition monitoring 1102
- computer infrastructure, systems biology projects 10
- congenital abnormalities *see* birth defects
- congenital heart defects, folate status and 331
- Congo, Democratic Republic of 1184
- conjugated linoleic acid (CLA) 760–1
- connexin-36 157
- constipation
 dietary fiber intake and 110
 enterally-fed patients 991
- consumer behaviors, US surveys 1099
- Consumer Expenditure Survey (CES) 1092, 1097
- Continuing Survey of Food Intakes by Individuals (CSFII) 1085, 1097
- cool environments, fluid imbalances 496
- COPILIKE* gene 1246
- copper 540–53
 bioavailability 545
 biological functions 541, 541–3, 542
 deficiency 546–9
 factors affecting status 545–6
 homeostasis 543, 543–5
 infant nutrition 625
 intake 545
 maternal nutrition 619
 metabolism 543, 543–4
 plasma 549
 requirements 546
 status assessment 549–50
 toxicity 549, 902
 zinc interaction 524, 534, 545
- copper-binding proteins 542, 542–3
- copy number variants (CNVs) 28, 847
- Cori cycle 89
- corn syrups 84
- coronary heart disease (CHD) 748
 alcohol consumption and 924–5, 925
 antioxidant vitamins and 769–70
 carbohydrate intake and 94
 choline status and 412–13
 dietary fiber intake and 109–10
 fatty acid intake and 141–2, 753–4, 756–8, 759
 hypertension and 722
 magnesium status and 465, 466
 prevention *see under* cardiovascular disease
 vitamin B₆ status and 315–16
 vitamin C and 253, 769
 vitamin K status and 239–40
see also cardiovascular disease; myocardial infarction
- costs *see* economics
- coumarins 230, 233–4, 241
see also warfarin
- counseling, nutrition, chronic kidney disease 882–3
- counter-regulatory hormones 90
- cow's milk 617
 allergens 1227
 allergy 1225, 1226
 -based infant formulas 628–30, 629
 infant formula vs 631–2
 production, humanitarian crises 1189
 type 1 diabetes and 808
- Cox17 543, 544
- CpG islands
 gene promoter studies 21
 methylation 5, 15

- cravings, food 1034–5, 1050
C-reactive protein (CRP)
 dietary fiber intake and 107–8
 vitamin B₆ status and 316
creatine
 supplementation 681
 DNA methylation and 18
 synthesis, amino acid contribution 72
creatinine-height index, liver disease 890, **891**
cretinism 559–60, 560
Creutzfeldt–Jakob disease, new variant (nvCJD)
 1208, 1216
Crohn's disease 142–3, 860–1
Cronobacter sakazakii 1210
Crt genes **1246**
crustacean allergies 1226, 1228
CRY-2 gene **1246**
Cryptosporidium 1210, 1216
β-cryptoxanthin **186**, 187
 cataracts and 949, **950**
CTP:phosphocholine cytidyltransferase 407
Ctr1 protein 543, 543, 544
Ctr2 protein 545
cubam receptor 351
CUL4 gene **1246**
cuproenzymes **541**, 541–2
Current Population Survey (CPS)
 Eating and Health (EH) Module **1091**
 Food Security Supplement (FSS) **1091**, 1097,
 1167
Cushing's syndrome 713
CVD *see* cardiovascular disease
cyanidin 420, 1242
CYC-B gene **1246**
cyclic ADP ribose (ADPR) 591
cyclooxygenase (COX) 138
Cyclospora 1210, 1216
CYP1A2 genotype, caffeine metabolism and
 33–4
CYP2E1
 garlic interaction 847
 induction by alcohol 927
CYP2R1 gene, vitamin D metabolism and 33
CYP24A1 gene, vitamin D metabolism and 33
cystathionine 327–8, 345–6, 347
 plasma 313, 347, 348
cystathionine β-synthase (CBS) 16, 312, 312,
 327–8
 activation by SAM 329, 347
 haploinsufficiency 17
cystathionine γ-lyase (CGL) 312, 312
cysteine
 functions **72**, 701
 synthesis 72, 312
cystic fibrosis-related diabetes (CFRD) 824
cystine
 requirements **78**
 splanchnic uptake 75, **75**
cytidine diphosphocholine (Citicoline) 406, 413
cytochrome c oxidase (CCO) 541
cytochrome P450 508
 vitamin E metabolism 222–3
cytokine–nutrient interactions, liver disease 893–4,
 894
cytokines 691, 692
Cytoscape **11**
cytotoxic T-lymphocytes 691
D6 desaturase 135, 136, 140
DACH consortium recommendations 1120
daidzein 423
daily value (DV) 1117
dairy products
 blood pressure and 727
 calcium content 438, **438**
Da Quing Diabetes Prevention Study 816
DASH (Dietary Approaches to Stop Hypertension)
 727–8, 1124
 calcium intake 441
 cardiovascular disease and 766, 777–9
 dietary pattern 777–9
 eating plan **728**
 magnesium intake 466
 potassium intake 487, 766
 sodium/salt intake 477, 728, 766
Database of Genotype and Phenotype (dbGaP) **8**
databases
 human genetics **29**
 omics data **8**, 10
 supporting nutrition monitoring **1095–6**,
 1098–9
dbSNP **29**
deaf individuals, dietary assessment 1022
5-deazaflavin **282**
deep vein thrombosis 717
dehydration 494
 adolescent athletes 649
 assessment **499**
 athletes **674**
 fluid replacement 501–2
 older adults 660–1
 physiological effects 495–7, 497
 regulatory responses 495, 495
 see also hypovolemia
7-dehydrocholesterol 200, 201
dehydro-L-ascorbic acid (DHA) 249, 249
 analysis 250
 metabolism 250–1
delayed hypersensitivity reactions, food 1229–30
Del gene 1243, **1243**
delphinidin 420, 1242
dementia 662–3
 alcohol-related 927
 niacin and 302
 see also Alzheimer's disease; cognitive function
demographic transition 1152
denture cream, zinc-containing 534
desaturase enzymes 135, 136, 754, 755
DETI gene 1243, **1243**, **1246**
detoxification reactions, flavonoid intake and 427
developing countries 1151–64
 biofortification of foods 169, 195
 biological mismatch concept 1155
 diabetes mellitus 825, 1159–60
 dietary and eating behavior shifts 1155–6
 diet-related chronic diseases 1159–61
 dual under- and overnutrition 1159
 food insecurity and hunger 1169–72
 consequences 1172
 measurement 1171–2
 prevalence 1172, **1172**
 global forces underlying dietary shifts 1152–5
 maternal nutrition 613, 615, 618
 nutrition monitoring 1102
 obesity 65, 710–11, 1156–9, *1157*, *1158*
 undernutrition 1173–6
 consequences 1174–5
 measurement 1174
 prevalence 1174
 recent policy developments 1176
 see also humanitarian crises
developmental periods, epigenetic reprogramming
 20
de Weir equation 60
dexapanthenol 386
dextrose
 parenteral nutrition solutions 993, **993**, 995
 see also glucose
Diabetes Control and Complications Trial (DCCT)
 809
diabetes mellitus 806–32
 chromium supplements 594, 823
 developing countries 825, 1159–60
 diagnostic criteria 808
 enteral feeding 987, **988**
 gestational *see* gestational diabetes mellitus
 global public health issues 824–5
 magnesium and 467, 469, 823
 micronutrients and supplements 822–3
 monogenic 823–4
 secondary **810**, 824
 type 1 (T1D) 807–14
 diagnosis 807–8
 etiology 807–8
 glycemic control 809–14
 medical nutrition therapy 809–11, **810**
 prevention 807
 reducing complications 821–2
 specific dietary aspects 811–14
 type 2 (T2D) 807, 815–21
 adolescents 644
 alcohol and 925–6
 carbohydrate intake and 93–4
 cardiovascular disease risk 785, **786**
 carnitine therapy **400**
 diagnosis 818–19
 dietary cholesterol intake 761
 etiology 817–18
 fatty acid intake and 143, 819–21, 1263
 fiber intake and 107–8, 817
 flavonoid intake and 424–5
 glycemic control 819–21, **820**
 insulin resistance and 736, 736–7, **737**,
 741
 medical nutrition therapy **810**, 819–21
 obesity and 714–15

- prevention 739–40, 815–17, 825
 reducing complications 821–2
 selenium status and 576
 zinc status 531
- Diabetes Prevention Program (DPP) 816–17
- Diabetic Resource™, liver disease 895
- dialysis 875, 880
 anabolic interventions 883
 dietary composition 880–3
 nutritional support during 883
- diamine oxidase 549–50
- diarrhea
 enterally-fed patients **991**
 fluid replacement 501–2
 foodborne illness 1208–9, **1209**, 1210
 vitamin A and 156, 159, 172
 zinc deficiency 527, 699
- dicoumarol 230
- Diet and Reinfarction Trial (DART) 110
- Dietary Approaches to Stop Hypertension *see*
 DASH
- dietary fiber *see* fiber, dietary
- dietary guidelines (food-based dietary guidelines;
 FBDGs) 1121–6
 cardiovascular disease 770–7, **771–80**
 definition 1121
 development 1122, **1122**, 1147
 differences between countries 1123
 disease-specific 1124
 examples 1123–6
 future directions 1128–9
 graphics 1146–7
 methods for using **1115**
 nutrient reference values vs 1121–2
 role of UN agencies 1145–7
 similarities between countries 1122, 1146–7
- Dietary Guidelines Advisory Committee (DGAC)
 carbohydrate intake guidelines 91–2, 93
 cardiovascular disease prevention 770–6, **777**,
778
- Dietary Guidelines for Americans 770–6, 1123
- dietary history 1015–16, **1017**
 fieldworker time required **1018**
- dietary intake assessment 1012–26
 cancer risk studies 844–5
 clinical settings 1021–2
 disabled individuals 1022–3
 elderly 657–8, 1023
 equipment for field use 1023–4
 food insecurity assessment 1171
 geographic and ethnic differences 1022
 methods 1013–18
 combined 1017–18
 computer software 1024
 dimensions **1013**
 measurement error 1020–1, **1021**
 metabolomics 48–50
 modes of administration 1023–4
 scales and models 1024
 sources of error **1017**
 sources of variation 1019–20, **1020**
 variation and error 1019–21
- specific food components and supplements
 1018–19
 young children 1023
- dietary records, weighed 1014
 chronic kidney disease 879
 fieldworker time required **1018**
 sources of error **1017**
- dietary reference intakes (DRI) **1112**, 1115–17
 alternative terminology **1114**
 definition 1110–11
 examples from different countries 1115–21
 future directions 1126–8
 infants **625**, 625–7
 sources of data 1086, 1087
- dietary reference values (DRV) **1112**, **1114**,
 1118–20
- dietary shifts, global 1155–6
 major forces underlying 1152–5
- dietary standards 1110–21
 future directions 1126–8
 role of UN agencies in establishing 1135–50
see also nutrient reference values
- Dietary Supplement Ingredient Database (DSID)
1096, 1099
- Dietary Supplement Labels Database **1096**,
 1098–9
- dietary supplements
 assessment of intake 1018–19
 composition databases **1096**, 1098–9
 diabetes 822–3
 health-promoting effects 1255–67
 liver disease 895, 896–900
 prevalence of use 1256
- dietary surveys, equipment for 1023–4
- diet composition, energy intake and 1044–6
- 3,4-dihydrocinnamic acid 273
- dihydroflavonol 4-reductase (DFR) 1242
- dihydrofolate (DHF) 322, 326
- dihydrofolate reductase (DHFR) 326
- 1 α ,25-dihydroxyvitamin D₃ (1 α ,25(OH)₂D₃)
 calcium homeostasis 202, 435–6
 conformational flexibility **201**
 functions 199–200
 mechanisms of action **203**, 204–6, **205**
 production 201–2, **202**
 reduced renal formation 837
 regulation of production **202**, **204**
see also vitamin D
- 24R,25-dihydroxyvitamin D₃ (24R,25(OH)₂D₃)
 199
 biological properties 206
 production **202**, **202**
 regulation of production **204**
- diiodotyrosine (DIT) 556, **558**
- dimethylarsinic acid 596
- dimethylarsinous acid 596
- N,N-dimethylglycine 50, 347
- dimethylglycine dehydrogenase 328
- dipeptidyl peptidase 4 inhibitors **820**
- disabled individuals
 dietary assessment 1022–3
 interventions in humanitarian crises 1193
- disaccharidases, intestinal 86
- disaccharides 84
- disaster risk reduction 1183
- disease-specific dietary guidelines 1124
- displaced populations 1183, **1194–5**
- diuretics 487, 495
- divalent metal transporter 1 (DMT1) 509, 510,
 511, 588
- diverticular disease, dietary fiber intake and 110
- Dixon water–fat separation 1005
- DNA
 damage/instability 1260
 protective effects of selenium 575
 zinc deficiency 528, 529
 uracil misincorporation 335–6
- DNA methylation 5, 15
 analytical methods 22–3
 cancer risk and 847
 choline status and 17, 410–11
 folate status and 16, 16–17, 335
 metabolic pathway 16
 nutritional influences 16, 16–22, 847, 1258–9
- DNA methyltransferase 1 (Dnmt1) 15
- docosahexaenoic acid (DHA) **119**, 133
 biosynthesis 136, 754, 755
 choline metabolism and 410
- dietary intake
 age-related macular degeneration and 964,
965
 cardiovascular disease and 141, 756–60
 disease risk and 141, 142, 143
 immune function and 701
 retinitis pigmentosa and 968–9
 visual function and 971–2
- dietary requirements 140
- infant nutrition 140–1, 142, 632, **1143**
- maternal nutrition 612
- resolvin and protectin production 143–4
- dopamine
 binge eating and 1036
 food reward and 1035
- dopamine β -hydroxylase 251–2
- dopamine- β -monoxygenase (DBM) 541
- double-blind studies 1075
- doubly labeled water method 63
- drinks *see* beverages
- drug interactions
 biotin 369
 folate 332–3
 vitamin B₆ 314
 vitamin K 241
- drusen 956
- dry eye syndrome (DES) 969–70
- dual burden, undernutrition and overnutrition
 1159, 1176
- dual-energy X-ray absorptiometry (DXA) 1000–1,
 1004–5, **1008**
 chronic kidney disease 880
 in disease states 1007
 osteoporosis 834, **834**
 sarcopenia 660
- duodenal cytochrome B reductase (DcytB) 510

- Dutch Eating Behavior Questionnaire (DEBQ) 1050
- DXA *see* dual-energy X-ray absorptiometry
- Dxs* gene 1246
- dyslipidemia
 adolescents 645, 645–6
 alcoholic 918
 chronic kidney disease 878
- Early Childhood Longitudinal Study Program (ECLS) 1090
- eating behavior
 adolescents 646
 changing 1057–70
 calorie intake 1060–1
 food provision 1061
 macronutrient composition 1061
 strategies used 1058–60
 structured meal plans 1061
 support for 1063
 emotional and external 1050–1
 factors influencing 1043–56
 non-nutritional 1047–50
 nutritional 1044–7
 physiological 1051–2
 psychological 1050–1
 global shifts 1155–6
 restrained 1050
- eating disorders 646, 648
- eating patterns 1048–9
- ecological studies 1072–3
- economics
 adherence to dietary guidelines 1129
 food choice behavior 1037
 omics technologies 7–8
- edema 481
- edible oils *see* vegetable oils
- EFSA *see* European Food Safety Authority
- eggs 761
 allergy 1226, 1228
Salmonella infection 1216
- eicosanoids 133
 biosynthesis 138–9, 139, 754, 755
 immune function 700
- eicosapentaenoic acid (EPA) 119, 133
 biosynthesis 136, 754, 755
 dietary intake
 age-related macular degeneration and 964, 965
 cardiovascular disease and 756–60
 disease risk and 141, 143
 immune function and 701
 dietary requirements 140
 eicosanoid synthesis 138–9, 700
 infant nutrition 1143
 maternal nutrition 612
 resolvin and protectin production 143–4
- elaidic acid 119, 120
- elderly *see* older adults
- electrolyte(s)
 balance 493–505
 disturbances 497–8
 kidney function 875, 875
 physiology 494–5
 infant nutrition 625, 626–7
 liver disease 901–2
 needs 500–1
 parenteral nutrition solutions 993, 993
 sweat 500–1
see also specific electrolytes
- embryos, nutritional epigenetics 16–17, 19, 20
- emergencies, complex *see* humanitarian crises
- emotionality theory, eating behavior 1050–1
- endocannabinoids 1035
- endorphins 1034–6
- endothelial (dys)function
 atherogenesis 746–8, 747
 carnitine and 400
 fatty acid intake and 142
 flavonoids and 425, 426
 vitamin C and 253
- endothelial injury, atherogenesis 746, 747
- endotoxin, liver disease 893, 893, 899
- end-stage renal disease (ESRD) 875
 fibroblast growth factor-23 levels 450
 hyperphosphatemia 451, 452, 456
 treating nutritional deficiencies 880–3
see also chronic kidney disease
- energy
 availability, athletes 670, 671
 generation pathways 58
 regulation, definition 59
- energy balance 63
 alcohol consumption and 915–17, 917
 carbohydrate intake and 92–3
 definition 59
 dietary fiber intake and 108–9
 gut–brain control across lifespan 1052–3
 during infections 694
 perturbations, energy expenditure during 65–6
- energy-dense foods
 choices in obesity 1034
 eating behavior 1046
 economic aspects 1037
 global shifts 1155
 satiating power 1036
- energy density (ED), eating behavior and 1046–7
- energy expenditure 58–60, 59
 alcohol consumption and 916
 de Weir equation 60
 fasting state 61
 fed state 61–2
 per gram of nutrient 59
 physical activity *see* physical activity energy expenditure
 pregnancy 611–12
 during refeeding and energy imbalance 65–6
 resting (REE), hospital patients 984
 total (TEE) *see* total energy expenditure
- energy intake (EI)
 athletes 669–70
 behavioral weight-loss programs 1060–1
 chronic kidney disease 881, 881
 control across lifespan 1052–3
 factors influencing 1043–56
 non-nutritional 1047–50
 nutritional 1044–7
 physiological 1051–2
 psychological 1050–1
 liver disease 891, 892, 895
 metabolizable 63
 social facilitation 1048
 energy metabolism 58–68
 alcohol and 915–17, 917
 definitions 59
 energy requirements 62–5
 adolescents 640, 640–1
 estimated (EER) 1117
 hospital patients 984
 infants 625, 625–6
 measurement 63–4
 pregnancy and lactation 611, 611–12, 647
 setting international recommendations 1137–8
 throughout life cycle 63, 63–5, 64
- energy restriction
 cholesterol biosynthesis 137
 prenatal, epigenetic effects 18–19
see also weight-losing diets
- enhancers, epigenetic regulation 21
- enoyl reductase 381
- Ensure Plus™, liver disease 895
- Entamoeba histolytica* 1209
- enteral feeding tubes 985
 obstruction 990–2, 991
- enteral infusion pump 989
- enteral nutrition (EN) 985–92
 access routes 985–7, 986
 acute pancreatitis 866–9, 867
 administration methods 989, 989–90
 complications 990–2, 991
 formulas 987–9, 988
 inflammatory bowel disease 859
 intestinal failure/short bowel syndrome 865
 liver disease 895–6
 liver transplant recipients 905
- enteric fever 1209
- enteric illness
 acute 1208–9, 1209
 chronic 1209, 1210
- Enterobacter sakazakii* 1210
- enteroglucagon 104
- environmental factors, US nutrition monitoring 1097
- eosinophilic esophagitis (EoE) 858
- epialleles, metastable 20–1, 22
- epicatechin 420
 absorption and metabolism 421, 422, 423
 endothelial effects 425
- epidemiological transition 1152
- epidemiologic studies 1071–81
 designs 1072–7
 diet–disease relationships 1077–8
 gene–nutrient interactions 29
 metabolomics 50–2

- epidemiology
 analytical 1072
 defined 1071
 descriptive 1072
 nutritional 1071–81
- epigallocatechin (EGC) 420, 423
- epigallocatechin gallate (EGCG) 420, 423, 847
- epigenetics 14–26
 cancer risk studies 847
 choline functions 410–11
 definition 15
 mechanisms 14–16
 nutritional 14, 16–23
 conceptual framework 14, 15
 future directions 23
 new technologies 22–3
 outstanding questions 19–23
 potential mechanisms 19–20
 responsive genomic regions 20–1
 review of data 16–19
 role in human disease 21–2
 susceptible developmental periods 20
- epigenomics 5
 dietary exposure and 1258–9
 NIH Mapping Consortium 21
- epinephrine 90, 1228
- equol 423
- ergogenic aids 680–1, 681, 682–3
- erythrocyte alanine aminotransferase (EALT) 313
- erythrocyte aspartic aminotransferase (EAST) 313
- erythrocyte glutathione reductase assay 287
- erythrocyte transketolase activity assay 270
- erythropoietin 516, 875
- erythrosine 555
- Escherichia coli* 1212
 enteropathogenic (EPEC) 1209, 1211
 enterotoxigenic (ETEC) 1209, 1210–11
 O157:H7 1209, 1211, 1215, 1217
 vaccines 1217
- esophagus
 disorders 858
 fat digestion within 122
- essential nutrients 1237
 biofortification of crops 1239–42
- estimated average requirement (EAR) 624, 1112, 1114
 United Kingdom 1118–19
 United States/Canada 1115–16
- estimated energy requirement (EER) 1117
- estimated values 1112
- estrogen
 changes in pregnancy 609, 609–10
 choline synthesis and 32, 410
 osteoporosis and 835
- ethanol *see* alcohol
- ethanolamides 128
- Ethiopia
 acute malnutrition 1184
 nutrition interventions 1189, 1197
- ethnic differences
 dietary intake assessment 1022
 insulin sensitivity 734, 734
- ethnography, food 1022
- E/T (essential amino acid:total nitrogen) ratio 73
- euglycemic–hyperinsulinemic clamp 736
- EURECCA consortium 1120–1
- European Association for the Study of Diabetes (EASD) 809, 811–12, 813
- European Food Information Council (EUFIC) 1125
- European Food Safety Authority (EFSA) 1121
 dietary guidelines 1125–6
 dietary reference intakes 777, 779, 780
 population nutrient intake goals 1119
- European Prospective Investigation of Cancer and Nutrition (EPIC) 107, 111
- European Union (EU)
 dietary guidelines 1125–6, 1127
 nutrient reference values 1114, 1120–1
- evidence-based approach, health benefits 1256, 1256–7
- exclusion diets, inflammatory bowel disease 859–61
- exercise
 associated hyponatremia 498
 behavior, changing 1057–70
 amount of physical activity 1063, 1063
 behavioral strategies 1058–60
 home based vs supervised 1061–2
 providing home equipment 1062
 reducing sedentary activities 1062–3
 short vs long bouts 1062
 social support 1063
 fluid replacement 501, 678, 678
 -induced food allergies 1225
 non-alcoholic steatohepatitis 903
 older adults 660
 performance
 adolescents 649
 carnitine supplements 397–8
 fluid imbalances and 496–7, 497
 iron deficiency 515
 pantothenic acid and 385
 physiological limitations 673–9, 674–5
 water and electrolyte needs 500, 500–1
 weight control benefits 718
see also athletes; physical activity
- experimental design
 health effects of bioactive components 1257–9
 systems biology 3–4
see also epidemiologic studies
- Expert Protein Analysis System (ExPASy) Server 8
- externality theory of obesity 1050
- external validity, cohort studies 1075
- extracellular fluid (ECF) 480, 481, 494, 494
 bioelectrical impedance analysis 1002
- eye disease 939–81, 940, 941
 lutein/zeaxanthin intake and 192–4
 vitamin A deficiency 158
 vitamin E intake and 223–4
see also age-related macular degeneration; cataracts; retinitis pigmentosa; visual function
- factor VII 234–5, 235, 236, 238
- factor IX 234–5, 235, 238
- factor X 234–5, 235, 236, 238
- false-discovery rate (FDR) 9
- famines *see* humanitarian crises
- Fanconi-Bickel syndrome 87
- FAO *see* Food and Agriculture Organization of the United Nations
- fast-food sector, global spread 1154–5
- fasting state, energy expenditure 61
- fat (dietary)
 breast milk 617–18
 energy value 63, 135
 infant formulas 628, 629, 630
 intake
 blood pressure and 724–5
 breast cancer risk 143, 845
 cardiovascular disease risk 751–61
 chronic kidney disease 881
 diabetes 812, 819, 821–2
 disease risk and 141–3, 144
 gene interactions 29–31
 immune function and 700–1
 insulin resistance and 737–8
 liver disease 895
 metabolic syndrome and 739–40
 non-alcoholic fatty liver disease 903
 obesity and 1046
 provitamin A absorption and 153
 vitamin E absorption and 220
 weight loss programs 762, 1061
 interactions with sweetness 1032
 malabsorption syndromes 220, 223
 orosensory experience 1032
 oxidation parameters 59, 60
 preferences
 childhood 1033
 obesity 1033–4
 recommended intakes 1142, 1143
 adolescents 640–1
 infants 625, 626
 role of UN agencies 1141–2
 sensory responses 1032
see also fatty acids; lipid(s)
- fat (tissue) *see* adipose tissue
- “fat burner”, carnitine as 398
- fat-free mass (FFM; lean body mass, LBM)
 basal/resting metabolic rate and 61
 ideal, athletes 670–1
 measurement methods 1001–7
- fat mass (FM)
 athletes, optimizing 670–2
 measurement methods 1001–7
 older adults 659
- fat replacers 814
- fat-rich foods
 childhood preferences 1033
 passive overconsumption 1046
 preferences of obese adults 1034
 satiating power 1036
 sensory response 1032
- fatty acid ethyl esters (FAEEs) 918

- fatty acids
 absorption 123
 β -oxidation 137–8
 biosynthesis 135–6, 136
 cellular roles 135
 chemistry 118–21, **119**, 120
 conjugated 760–1
 dietary requirements 139–41
 dietary sources 133–5, **134**
 disease risk and **141**, 141–3, 144
 cardiovascular disease 141–2, 751–61
 diabetes 819–21, 822
 essential 132–3
 deficiency 133, 139–40
 dietary sources 133, **134**
 in functional foods 135
 immune function and 700
 infant nutrition 140–1, 142, 626, 631
 interconversions 135–6, 136
 maternal nutrition 612
 free (FFA), insulin resistance and 737
 immune function and 700–1
 lipoprotein particles 125, 126
 long chain *see* long-chain fatty acids
 monounsaturated *see* monounsaturated fatty acids
 odd chain, biotin deficiency 366, 367
 polyunsaturated *see* polyunsaturated fatty acids
 recommended dietary intakes **1142**, **1143**
 role of UN agencies 1141–2
 saturated *see* saturated fatty acids
 short chain *see* short-chain fatty acids
 triene:tetraene ratio 139–40
 fatty acid synthase complex 380, **381**
- fatty liver
 alcoholic 918
 non-alcoholic *see* non-alcoholic fatty liver disease
- fatty streaks 747, 748
- F-box/LRR-repeat protein 5 (FBXL5) 510
- fecal bulk, dietary fiber intake and 105–6, **106**
- fed state, energy expenditure 61–2
- feed-forward autoregulation, epigenetic 15–16
- female athlete triad 672–3
- ferric (Fe^{3+}) iron 507
 absorption 510
- ferric reducing ability of plasma (FRAP) 424
- ferritin 508, 509
 absorption 510
 role in iron homeostasis 511
 serum 512–13
- ferroportin (FPN) 509, 510, 511
- ferrous (Fe^{2+}) iron 507
 absorption 510
- ferroxidase *see* ceruloplasmin
- fetal alcohol spectrum disorders (FASD) 531, 616–17, 929
- fetal alcohol syndrome (FAS) 929
- fetus
 choline supply to 408–9
 growth **609**, 610
 growth restriction
 epigenetic effects 18–19
 folate status and 331
 see also low birth weight
- macrosomia 616
- undernutrition
 epigenetic effects 18–19
 impact on adult health 612, 633
- fiber
 dietary 97–117
 adolescent nutrition 642–3
 adverse effects 112
 analysis in foods 100–2
 calcium bioavailability and 439
 cardiovascular disease and 109–10, 763–4
 composition 85, 98–100
 content of foods 92, **101**
 current intakes 112–13
 definition 98, 99–100
 disease and 93, 94, 106–12
 enteral formula feeds 987
 epigenetic influences 19
 food sources **99**
 global trends 1156
 insulin sensitivity and 738
 obesity, energy intake and 1047
 physiologic effects 102–6
 recommended intakes 90–1
 total 100
 type 2 diabetes and 107–8, 817
- functional 100
- hypothesis, chronic disease 98, 106–12
- soluble 101, **101**
- fibrillin, tomato **1246**
- fibroblast growth factor 23 (FGF23)
 increased synthesis 455
 phosphate regulation 450
 vitamin D regulation 202, 204
- fingerprinting, metabolic 39
- Finnish Diabetes Prevention Study (FDPS) 816, 817
- Fisheries Disappearance Data **1095**
- fish/fish oils
 age-related macular degeneration and 964–6, **965**
 blood pressure and 724–5
 cardiovascular disease and 141–2, 756–8
 diabetes mellitus 822
 disease risk and 139, 141–3
 insulin resistance and 737–8
 n-3:n-6 fatty acid ratio and 759
 proteomic studies 849–50
 retinitis pigmentosa 969
see also omega-3 (n-3) fatty acids
- flatus gas 106
- flavanols 420
- flavanones 420, 1242
- flavin adenine dinucleotide (FAD) 282, **282**
 formation and interconversions 284, 284–5
- flavin adenine dinucleotide (FAD) synthetase 284
- flavin mononucleotide (FMN) 282, **282**
 formation and interconversions 284, 284–5
- flavins, natural 281, 281, **282**
see also riboflavin
- flavoenzymes 282, **282**
 formations and interconversions 284, 284–5
- flavokinase 284, 284
- flavonoids 419–33
 absorption, metabolism and excretion 421–3, 422, 423
 biological effects 423–7
 blood pressure and 425, 726
 classification and distribution in foods 420, 420–1
see also anthocyanins
- flavonols 420
 biological effects 425, 427
- flavor enhancers 1033
- flavorings, allergenicity 1227
- Flexible Consumer Behavior Survey **1088**, 1099
- fluid
 compartments 480–1, 481, 494, 494
 intake
 enterally-fed patients 990
 during exercise 678, 678, 684
 following exercise 679–80, **680**
 overload 495, 498
 athletes **675**, 684
 replacement 501–2
see also water
- fluoride 596–7
 bone health and 596–7, **835**
 dietary guidance **589**, 597
 pregnancy and lactation **611**
 infant nutrition **625**
- fluorosis, dental 596
- flush response, nicotinic acid 300
- foam cells 747, 748
- folate 321–42
 absorption 323
 adolescent nutrition 642
 alcohol consumption and 330, 333
 analytical methods 335
 antagonists 332–3
 bioavailability 324–5
 biochemical functions 325, 325–7
 biofortification of crops 1237, 1239
 biosynthesis 1239
 chemistry 322, 322
 choline interactions 406–7, 407
 cytoplasmic metabolism 325, 325–7, **326**
 regulation 327–9
 deficiency
 alcoholism 922
 Crohn's disease 860
 severe clinical 330
 diabetes 823
 disease risk and 330–2
 age-related macular degeneration 960, **963**
 cancer 332, 847
 cardiovascular disease 331–2, 768
 cataracts 952
 colorectal cancer 332, 1077–8
 pregnancy complications 330–1
 DNA methylation and 16, 16–17, 335
 drug interactions 332–3

- excretion 324
 food sources 322–3
 genetic polymorphisms and 31–2, 329–30, 1258
 immune function and 697
 infant nutrition **625**
 kinetics *in vivo* 324
 maternal nutrition **611**, 613–14, **619**
 microRNA expression and 1259
 mitochondrial metabolism 327, 328, **328**
 regulation 329
 red blood cell 335, 352–3
 requirements 333–4, **334**
 serum 335
 status assessment 335–6
 storage 324
 transport 323–4
 vitamin B₁₂ interactions 346, 348–9
 folate receptors (FRα) 323–4
 folic acid
 chemistry 322, 322
 epigenetic regulation 17
 food fortification 322–3, 334–5
 safety 336
 supplements
 cardiovascular disease prevention 331–2
 chronic kidney disease 882
 cognitive impaired elderly 662–3
 colorectal cancer and 1077
 liver disease 901
 pregnancy 331, 334, 614
 zinc absorption and 524
 transport and metabolism 323
 folinic acid 333
 folylpolyglutamate synthetase 324, 1239
 food(s)
 allergenic 1226–7
 complexity 844–5
 composition databases 1072, **1095–6**, 1098
 craving 1034–5, 1050
 fortified *see* fortified foods
 functional *see* functional foods
 glycemic index (GI) 87–8, **88**
 individualistic adverse reactions 1222–35, **1223**
 photographs 1024
 portion sizes 1049–50
 processed *see* processed foods
 provision, weight loss programs 1061
 relationship to health 1083, 1084
 sodium content **478**
 sports 680–1, 681
 texture, palatability and 1048
 food addiction 1035–6, 1052
 food additives, idiosyncratic reactions 1231
 Food Allergen Labeling and Consumer Protection Act 2004 (FALCPA) 1226
 food allergens 1227
 breast milk 1226
 cross-reactions 1228
 effect of processing 1228–9
 impact of agricultural biotechnology 1229
 threshold doses 1228
 food allergies 1222–30
 cell-mediated 1229–30
 classification 1222–3, **1223**
 exercise-induced 1225
 future directions 1231–2
 IgE-mediated 1223–9
 foods commonly responsible 1226–7
 mechanism 1223, 1223–4
 persistence 1225–6
 prevalence 1225
 preventing sensitization 1226
 symptoms **1224**, 1224–5
 treatment 1228
 Food and Agriculture Organization of the United Nations (FAO) 1135–50
 assessment of food insecurity 1103, 1171
 cardiovascular disease prevention 770, **776**, 783, **785**
 diabetes prevention 785, **786**
 dietary guidelines 1122, 1123, 1125
 nutrient reference values **1114**, 1117–18
 public health applications of recommendations 1145–8
 recommended nutrient intakes 1136–45
 regional dietary guidelines **771–5**
 Food and Drug Administration (FDA)
 national surveys 1098, 1099, 1100
 rating of health claims 783, **784**
 Food and Nutrient Database System for Dietary Studies (FNDDS) **1095**, 1098
 FoodAPS *see* National Household Food Acquisition and Purchase Survey
 food assistance toolbox 1189
 food availability data system, US 1087–97, **1095**
 food balance sheets 1102
 food-based dietary guidelines (FBDGs) *see* dietary guidelines
 food biofortification *see* biofortification, food
 foodborne disease 1206–21
 at-risk populations 1215, **1215**
 causative agents 1208, **1208**
 clinical manifestations 1208–10, **1209**
 epidemiology 1211, **1212**
 food production practices and 1216–17
 historical aspects 1207, 1207
 new infectious agents 1215–16
 pathogenic mechanisms **1210**, 1210–11
 prevention 1217–18
 surveillance 1211–14, 1213
 vaccine prospects 1217
 food-choice approaches, preventing vitamin A deficiency 167
 food choices
 economics 1037
 taste and 1028, 1032–4
 see also food preferences
 food diaries 844, 1018
 food distribution, humanitarian crises 1189–90, **1190**
 food diversity score 1022
 Food Environment Atlas **1095**
 food ethnography 1022
 food fortification
 folic acid 322–3, 334–5
 humanitarian crises 1194, **1194–5**
 iodine 563–4
 iron 517
 vitamin A and provitamin A 168–9, 174–5
 vitamin B₁₂ 353–4
 vitamin D 210
 see also biofortification, food; fortified foods
 food frequency questionnaires (FFQ) 844, 1016–17
 fieldworker time required **1018**
 food preferences and 1036–7
 sources of error **1017**
 within- and between-subject variation 1020, **1020**
 food–gut–brain axis, across lifespan 1052–3
 food handling, safe 1218
 food idiosyncrasies 1231
 food industry
 food safety 1217–18
 use of nutritional monitoring data 1087
 food insecurity *see* food security/insecurity
 food intake
 habitual 1036–7
 monitoring in US 1097–8
 food intolerances 1230–1
 classification 1222–3, **1223**
 Food Label and Package Survey **1096**, 1098
 foodLETs 168
 food models 1024
 FoodNet **1096**, 1100, 1213, 1213–14
 food preferences
 habitual food intake and 1036–7
 nutrimetabolomic approach 52
 reward and 1035
 see also food choices
 food processing
 effect on allergenicity 1228–9
 safety 1217–18
 see also processed foods
 food production practices, changing 1216–17
 food rations *see* rations, food
 Food Relief Committees (FRC) **1190**
 food safety 1206–21
 historical aspects 1207, 1207
 practices 1217–18
 US surveys **1091**, **1096**, 1100
 see also foodborne disease
 Food Safety Modernization Act 2011 1218
 Food Safety Survey **1091**, 1100
 food security/insecurity 1165–81, 1176–7
 conceptual framework 1170, 1170
 definitions 1166, 1169, **1188**
 descriptive labels **1167**
 experience-based measurement 1172
 in food-rich countries/United States 1166–9
 consequences 1168–9
 measurement 1097, 1166–7
 prevalence 1167–8
 in humanitarian crises
 assessment 1186, 1187

- classification 1186, **1187**
 interventions **1188**, 1188–9, **1189**
 in poor countries 1169–72
 consequences 1172
 measurement 1171–2
 prevalence 1172, **1172**
 Food Standards Agency, UK 1125, **1126**
 food supplements *see* dietary supplements
 food supply data systems, US 1087–97,
 1095
 food systems, global changes 1153–4
 formate
 folate-mediated generation 328, 328
 metabolomic studies 51
 10-formyltetrahydrofolate (10-formylTHF) 325–6,
 328, 329
 10-formyltetrahydrofolate dehydrogenase (FDH)
 328, 329, 379–80
 10-formyltetrahydrofolate synthase 328
 fortified blended food (FBFs) 1190, 1194
 supplementary feeding programs 1195–6
 fortified foods
 assessment of intake 1018
 see also food fortification
 forward genetics 4–5
 fractures, osteoporotic 834–5
 frailty, older adults 661–2
 free radicals, cataract development 942
 French paradox 925
 fructooligosaccharides 84, 100, 106
 calcium absorption and 439
 fructose 84
 absorption 87
 energy balance and 93
 insulin sensitivity and 738–9
 intake in diabetes 812
 metabolism 88
 non-alcoholic fatty liver disease and 903
 fruit and vegetables
 biofortification *see* biofortification, food
 blood pressure and 726
 cardiovascular disease and 109, 767, 769
 dietary fiber **99**, **101**
 global intake 1156, 1237
 laxative effect **106**
 oral allergy syndrome 1225
 vitamin K-rich 242
 functional fiber 100
 functional foods
 assessment of intake 1018–19
 cardiovascular disease prevention 783, **784**
 defined 783
 essential fatty acids 135
 fursultiamine 272, 273
FUT2 gene 31

 gac fruit 167
 galactomannan polymers 99–100
 galactose 84
 absorption 87
 metabolism 88
 oligosaccharides 100, 106
 gallstones 254, 716

 gametes, nutritional epigenetics 19, 20
 gap junctions 157
 garlic 847, 1257
 Gas6 236–7, **238**
 gas chromatography–mass spectrometry (GC–MS),
 metabolomics 44, 44, 45
 gastric bypass surgery, zinc deficiency 527
 gastric emptying, decreased, liver disease 894
 gastric inhibitory peptide (GIP) 103–4
 gastroesophageal reflux disease (GERD) 858
 gastrointestinal illness 857–73
 gastrointestinal tract *see* gut
 gastrostomy 985, **986**
GC gene 33
 gelatin, allergenicity 1227
 gene(s)
 association studies 29
 biotin-mediated regulation 362
 choline-mediated regulation 410–11
 mapping 4–5
 Gene Expression Omnibus (GEO) **8**, 10
 Gene Ontology **29**
 GenePattern **11**
 gene promoters
 analysis 4
 epigenetic regulation 21
 General Population Trial, Linxian, China 845
 Gene Set Enrichment Analysis (GSEA) **11**
 genetically modified plants *see* transgenic plants
 genetics
 databases and resources **29**
 personalized nutrition and 1127
 genetic variations/polymorphisms
 health effects of food and 1257–8
 nutrient metabolism and 27–37, 29
 types 28
 genistein
 blood pressure and 726
 proteomic studies 849
 timing of exposure to 845
 GenMAPP **11**
 genome 38, 39
 genome-wide association studies (GWAS) 4–5, 28,
 1258
 genomically imprinted genes, epigenetic
 dysregulation 21
 genomics
 definition **2**
 methods 4–5
 nutritional *see* nutrigenomics
 regulatory space 6
 geographic differences, dietary intake assessment
 1022
 geranyl geranyl diphosphate reductase (GGDPR)
 1240
 geranyl geranyl pyrophosphate (GGPP)
 1244
 germanium **602**
 gestational diabetes mellitus (GDM) 616, 807,
 814–15
 achieving glycemic control 815
 etiology and diagnosis 814–15
 medical nutrition therapy **810**, 815

 ghrelin
 as appetite biomarker 1051
 chronic kidney disease 883
 food reward and 1035
Giardia 1210
 Gibbs–Donnan rule 480
 GISSI Prevention Study 757
 Gla *see* γ -carboxyglutamic acid
 Gla-rich protein (GRP) 237
 gliadin 1230
 glimepiride **820**
 glinides **820**
 glipizide **820**
 globalization, forces of 1152–5
 globin–heme ferroproteins 507
 glucagon 90
 glucagon-like peptide 1 (GLP-1), dietary fiber and
 103–4, 106, 1051
 glucagon-like peptide II (GLP-II), short bowel
 syndrome 865
 beta-glucans 102, 104, 108
 glucocorticoid receptors
 carnitine interaction 396
 epigenetic regulation 18
 glucocorticoids 90
glucokinase gene 362
 gluconeogenesis 89, 89
 regulation 89–90
 glucoraphanin 1237–8
 biofortification of crops 1245–7
 biosynthesis pathway 1245, 1247
 glucose 84
 absorption 87, 865, 866
 blood
 as appetite biomarker 1051
 homeostasis 735–6
 target **749**
 see also glycemic control
 intolerance *see* impaired glucose tolerance
 metabolism 88, 89, 89
 alcohol-related changes 918–19
 effects of dietary fiber 103–4
 effects of flavonoids 425
 parenteral nutrition solutions 993, **993**
 stoichiometry of oxidation **59**
 storage 90
 glucose-dependent insulinotropic polypeptide
 (GIP) 1052
 glucose-galactose malabsorption 87
 glucose-to-insulin ratio, fasting (FG insulin
 resistance) 736
 glucose transporters (GLUT) 88
 ascorbic acid recycling 250
 type 2 (GLUT2) 87, 88
 type 4 (GLUT 4), chromium actions 594
 type 5 (GLUT5) 87
 alpha-glucosidase inhibitors **820**
 glucosinolates (GSLs) 1245–7, 1247
 glucostatic theory 93
 glutamate 72, **72**, 73
 γ -carboxylation 233, 234
 postprandial utilization 76
 salts, umami taste 1031

- glutamate carboxypeptidase II (GCPII) 323
- glutamine
- functions 71, **71**
 - immune function 701–2
 - inflammatory bowel disease 860
 - parenteral nutrition solutions 993, 996
 - postprandial utilization 76
- γ -glutamyl carboxylase (GGCX) 233, 234
- γ -glutamyl hydrolase 324
- glutathione (GSH)
- immune function 701
 - liver disease 897–8
 - synthesis from amino acids 72, 76
- glutathione peroxidases (GPx1–7) 578–9
- assays 571
 - gene polymorphisms 572, **577**, 579
- glutathione reductase assay, erythrocyte 287
- glutathione *S*-transferase (GST)
- genotype, vitamin C interaction 32–3, 250
 - Π isoform 194
- gluten-free diet 859
- gluten-free foods 1229
- gluten-sensitive enteropathy *see* celiac disease
- glyburide **820**
- glycation end products 813
- glycemic carbohydrates 85–6
- glycemic control
- atherosclerosis and **749**
 - gestational diabetes 815
 - to reduce diabetic complications 821
 - type 1 diabetes 809–14
 - type 2 diabetes 819–21, **820**
- glycemic index (GI) 87–8, **88**
- age-related macular degeneration and 967
 - cancer risk and 94
 - carbohydrate availability and 764
 - cardiovascular disease and 762–3
 - diabetes management 812–13
 - diabetes prevention studies 740
 - effects of fiber 103
 - energy balance and 93
 - insulin sensitivity and 739
 - type 2 diabetes and 94, 107
- glycemic load (GL) **88**
- cardiovascular disease and 762–3
 - diabetes management 812–13
- glycemic response 87–8
- glycinamide ribonucleotide formyltransferase (GARFT) 325–6
- glycine
- functions **72**
 - metabolomic studies 50
 - methylation to sarcosine 329
 - mitochondrial cleavage system 312, 327, 328
 - synthesis 72
- glycine *N*-methyltransferase (GNMT) 16, 20, 327, 329, 347
- glycogen 90
- muscle 90, 673, **674**
- glycolysis 88, 89, 89
- regulation 89–90
- glycyrrhizin, liver disease 899
- goals, setting, weight-loss programs 1059
- goiter 554–5, 559, 560
- measurement 561
- goitrogens 556
- golden rice 169, 195
- gout 254
- grains, cereal *see* cereal grains
- grape-seed polyphenols, liver disease 899
- gravimetric analysis, dietary fiber 101, 101
- green tea 420, 425, 847
- liver disease 899
- growth
- adolescence 638
 - fetus **609**, 610
 - pregnant adolescents 647
 - stunted, prevalence 1174, **1175**
 - zinc deficiency 528, 530
- growth charts 643, 1086
- growth hormone
- chronic kidney disease 883
 - deficiency 713
 - short bowel syndrome 865
- GST* gene polymorphisms, vitamin C interactions 32–3
- guanosine triphosphate (GTP)–cyclohydrolase 1 (GCH-1) transgene 1239, **1240**
- guar gum 102, 103, 108
- guideline daily amounts (GDAs) 1120
- guidelines, dietary *see* dietary guidelines
- Guidelines for Healthy Eating, Canada 1124–5, **1125**
- guiding values **1112**
- Guillain–Barré syndrome 1210
- L-gulonate 250
- gut
- amino acid synthesis 53, 76
 - amino acid utilization 75, 75–6
 - disorders 857–73
 - disturbances, athletes **675**
 - effects of flavonoids 424–5
 - fluid losses 501–2
 - integrity, acute pancreatitis 866, 867, 868
 - peptide hormones 1051–2
- gut-associated immune system 692, 703
- gut microbiome
- amino acid synthesis 53, 76
 - blood pressure and 51
 - cancer risk and 850
 - dietary fiber and 104–5, 106
 - effect on metabolic profiles 49, 53–4
 - flavonoid metabolism 423
 - inflammatory bowel disease and 870
 - liver disease and 905
- GWAS Central **29**
- H19* gene, epigenetic regulation 17
- Haber–Weiss–Fenton reactions 507
- habitual food intake 1036–7
- Haiti **1184**
- Hallervorden–Spatz syndrome 384
- haplotypes 1258
- haptocorrin (R-protein) 350–1
- haptoglobin
- 2-2 genotype, vitamin E supplements 224
 - fish oil intake and 849–50
- Harris-Benedict equation 984
- Hartnup disease 297, 298
- hazard analysis and critical control point (HACCP) approach 1217–18
- HCS* gene defects 368
- HDL *see* high-density lipoprotein
- health, relationships to food 1083, 1084
- Health and Diet Survey (HDS) **1088**, 1099
- Health and Nutrition Tracking System (HNNTS) 1187
- health claims 783, **784**
- health effects of bioactive components 1255–67
- biomarkers and long-term intervention 1261–2
 - dietary modifiers and biological responses 1257
 - epigenomic studies 1258–9
 - evidence-based approach 1256–7
 - example of omega-3 fatty acids 1262–4
 - experimental designs 1257–9
 - genetic polymorphisms and 1257–8
 - molecular targets 1259–61
 - transcriptomic studies 1259
- Health Objectives for the Nation (2010 and 2020) 1086
- Health Professionals Follow-up Study
- age-related macular degeneration **957**, **958**, 963–4, **965**, 966
 - alcohol consumption 925–7
 - coronary heart disease 756
 - prostate cancer 192
- Healthy Eating Index (HEI) 1130
- age-related macular degeneration and 967
 - cataracts and 966–7
- Healthy People* 1086, **1086**
- HEALTHY study 817
- heart failure
- carnitine therapy **400**
 - obesity and 715–16
- heat production 60
- heavy metal poisoning 1208, **1212**
- hedonic motivations to eat 1034–5
- hedonic preference scale 1029
- hedonic responses 1047
- fat and sweetness combined 1032
 - measuring 1029
 - taste sensations 1029, 1031
- Helicobacter pylori*, vitamin C status and 252
- helper T-lymphocytes 691–2, 692
- hematological effects, vitamin A 159
- heme 507, 509
- absorption 510
 - content of foods 513
- heme enzymes 507, 509
- hemochromatosis 511, 517
- liver disease 902
 - vitamin C supplements 256
- hemodialysis (HD) 880
- anabolic interventions 883
 - dietary composition 881
 - nutritional support during 883

- hemoglobin 507, 508, 508–9
 synthesis in infants 512
 thresholds for anemia **512**
 values in pregnancy 516
- hemojuvelin (HJV) 511
- hemolytic uremic syndrome (HUS) 1215
- hemopexin 509
- hemopoietic system, copper deficiency 547
- hemosiderin 508, 509
- hepatic encephalopathy (HE) 895–6, 904
- hepatitis A 1209–10
 vaccination 1217
- hepatitis C, retinoid therapy 172
- hepcidin 511
- hephaestin 542
- HER-2/neu 852
- herbal supplements
 diabetes 822–3
 liver disease 899–900
- herpes simplex virus, vitamin C actions 252
- hesperetin/hesperidin 420
 absorption and metabolism 421, 422, 423
- HFE protein 511
- high-density lipoprotein (HDL) **125**, 127–8
 cardioprotective effects 748
- high-density lipoprotein-cholesterol (HDL-C)
 alcohol consumption and 918
 dietary fat intake and 30, 141–2, 751–4
 goals **749**
trans fatty acids and 760–1
- high-density phenotyping methods 2, 4–8
see also omics technologies
- high-fat foods *see* fat-rich foods
- high-fructose corn syrup (HFCS) 84, 93
- high intake 1120
- high-performance liquid chromatography (HPLC)
 retinoids and carotenoids 151
 thiamin 264
 vitamin K 231
- hip fractures 834
- hippurate, metabolomic studies 50, 51
- histamine
 fish (scombroid) poisoning 1210, **1212**
 in food allergies 1223–4
- histidine **78**
- histone deacetylase (HDAC)
 dietary interactions 847
 inhibitors 19, 1259
- histone H4, K12-biotinylated (H4K12bio) 362
- histones
 biotinylation 361–2, 363
 post-translational modifications 5, 15
 analytical methods 22
 cancer risk and 847
 nutritional influences 18–19, 1259
- HIV infection/AIDS
 carnitine therapy **400**
 foodborne illness 1215, 1216
 humanitarian crises 1191, 1192, 1193, 1197
 selenium status and 574
 vitamin A supplements and 159, 169, **170**,
 174
- holocarboxylase synthetase (HCS) 361–2
 deficiency 367, 368
- HOMA-IR (homeostasis modeling assessment–
 insulin resistance) 735–6
- home fortification, vitamin A 168
- homocysteine (Hcy)
 choline interactions 406–7, 407
 elevated levels 346
 age-related macular degeneration and 960
 alcohol-induced 922
 B₁₂ deficiency 347–8, 348, 349
 cardiovascular disease risk 768
 cognitive decline/dementia and 662–3
 DNA methylation and 17
 folate deficiency 335
 MTHFR genotype 330
 type 2 diabetes and 823
 vascular disease risk 331–2
- metabolism 16, 312, 326–7, 327–8, 345–6
 MTHFR genotype and 330
- vitamin B₆ interaction 312, 313, 315–16
- homogentisate phytyltransferase (HPT; VTE2)
 1240, 1241, **1241**
- homogentisic acid (HGA) 1240
- hormones
 changes during pregnancy **609**, 609–10
 immune function during malnutrition and 703
- hospitalized patients 982–99
 enteral nutrition 985–92
 malnutrition 982–3, **983**
 nutrient intake goals 984–5
 nutritional assessment 983–4, **984**
 parenteral nutrition 992–5
- hot environments
 fluid imbalances 495–6, 497
 fluid replacement 501
 water and electrolyte needs 500, 500–1
- Household Food Security Survey Module, US
 1167
- HUGO Gene Nomenclature Committee **29**
- human chorionic gonadotrophin (hCG) 609,
609
- human epidermal growth factor receptor 2
 (HER-2/neu) 852
- Human Gene Compendium **29**
- human immunodeficiency virus infection *see* HIV
 infection/AIDS
- humanitarian action 1183
- Humanitarian Charter **1199**
- humanitarian crises 1182–205
 acute malnutrition 1183–5
 causes 1185
 prevalence 1183–5, **1184**
 preventing and treating moderate 1195–6
 treating severe 1196–7
 best practices 1199
 capacity development 1199
 classification 1186, **1187**
 decision-making framework 1186–7
 general interventions 1188–91
 cash and vouchers 1191
 food distribution 1189–90
- food security and livelihoods 1188–9
 public health strategies 1191
- micronutrient deficiency diseases 1185, 1193–5
- nutritional assessment 1185–7
 adults and adolescents 1186
 children 1185–6
 interpretation 1186–7
 populations 1186
 nutritional surveillance 1187
 policy development 1197–9
 supplementary feeding programs 1195–6
 targeted interventions 1191–3
 age-group specific 1192–3
 chronic illness and disability 1193
 safety-net programs 1191–2
 therapeutic feeding programs 1196–7
- Human Metabolome Database (HMDB) **8**, 39
- human milk *see* breast milk
- Human Phenotype Ontology Website **29**
- human placental lactogen (hPL) 609, **609**
- Human Variome Project **29**
- humoral immunity 691
- hunger 1165–81, 1176–7
 biological basis 1052
 consequences 1168–9
 definition 1044, 1166
 food-rich countries/United States 1166–9
 poor countries 1169–72
- hydatidiform mole, vitamin A supplements 172
- hydration status
 assessment 498–9, **499**
 normal variations 494
 older adults 660–1
see also dehydration; water balance
- hydrodensitometry (HD; underwater weighing,
 UWW) 1000, 1002–3, **1008**
 air-displacement plethysmography vs 1004
- hydrogen peroxidase 556, 558
- hydrolyzed enteral formula feeds 987, **988**
- 2-hydroxyacyl-CoA lyase 268, 269
- 3-hydroxyacyl dehydratase **381**
- hydroxyapatite 435, 451
- 4'-hydroxyazobenzene-2-carboxylic acid 364
- hydroxycinnamates 420
- hydroxycobalamin (hydroxy-Cbl) 353
- 3-hydroxyisovaleric acid, urinary 366
- hydroxymethylglutaryl coenzyme A (HMG CoA)
 reductase 121, 137
 inhibitors *see* statins
- hydroxyphenyl pyruvate dioxygenase (HPPD)
 1240, **1241**
- hydroxyproline 70
- 3-hydroxypropionic acid, urinary 366
- 25-hydroxyvitamin D₃ (25-(OH)D₃)
 gene interactions 33
 metabolism 201–2, 202
 serum levels 207, 209
- 25-hydroxyvitamin D₃ (25-(OH)D₃)-1 α -
 hydroxylase 202, 202–4
- 25-hydroxyvitamin D₃ (25-(OH)D₃)-24R-
 hydroxylase 202, 202–4
- hyperammonemia, carnitine actions 396–7

- hypercalcemia 442
hypercalciuria 442
hypercatabolic state, liver disease 894
hypercholesterolemia, adolescents **645**, 645–6
hyperglycemia, parenteral nutrition-associated 995
Hyperglycemia and Adverse Pregnancy Outcomes (HAPO) study 814, 815
hyperhomocysteinemia *see* homocysteine, elevated levels
hyperinsulinemia 732–3
 adverse effects on health 736, 736–7
 cardiovascular disease risk 763
hyperkalemia 488
 liver disease 901
hyperlipidemia *see* dyslipidemia
hypermetabolic state, liver disease 893, 894
hyponatremia 482
hyperphagia, intestinal failure/short bowel syndrome 865
hyperphosphatemia 455–7
hypertension 721–31
 age-related risk 722
 alcohol and 926
 calcium intake and 441, 727
 defined 721, **722**
 developing countries 1159–60
 dietary and lifestyle factors 723–7
 dietary and lifestyle modifications **788**, 788–9
 dietary fiber intake and 109
 epidemiology 723
 gene–diet interaction 34
 health hazards 721–2, **722**
 integrated dietary approach to prevent 727–8
 magnesium status and 466–7
 mild **722**, 722–3
 obesity and 715, 723–4
 pregnancy-induced, calcium supplements 614
 protein intake and 765
 resistant 482–3
 sodium/salt intake and 51, 482–3, 725, **727**
 see also blood pressure
hyperthermia 497
hyperthyroidism
 carnitine therapy **400**
 iodine-induced (IIH) 564–5
hypertriglyceridemia
 alcohol-related 918
 chronic kidney disease 878
hypocalcemia, liver disease 901
hypoglycemia
 alcohol-induced 919
 athletes **674**
hypokalemia 487, 488
 liver disease 901
hypomagnesemia 465–8, 469
 liver disease 902
hyponatremia 481, 494, 498
 athletes **675**, 684
 liver disease 901
hypophosphatemia 455
 liver disease 902
hypothyroidism
 congenital (cretinism) 559–60, 560
 obesity 713
 subclinical 564
 transient newborn 563
hypovitaminosis A *see* vitamin A, deficiency
hypovolemia 497–8
 hypertonic 494, 495
 isotonic 494, 495
 see also dehydration
hypoxia-inducible factor (HIF) 510, 511, 597–8
IDEAL imaging technique 1005
IDO *see* indoleamine-2,3-dioxygenase
IgE-mediated food allergy *see* food allergies, IgE-mediated
IGF2 gene, epigenetic regulation 18
ileocolonic anastomosis 862
immediate hypersensitivity reactions, food *see* food allergies, IgE-mediated
immune function 688–708, 1261
 assessing effect of nutrition on 695, **696**
 athletes 672
 biotin deficiency 366–7
 boron status and 592
 breastfeeding and 702–3
 B vitamins and 697–8
 copper deficiency 547–8
 dietary amino acids and 701–2
 dietary fat and 700–1
 factors influencing 693
 iron deficiency 515, 699–700
 micronutrient status and 696–700
 obesity and 695–6
 optimal 703–4
 probiotics, prebiotics and 702
 protein–energy malnutrition 696
 role of nutrients 694–5
 selenium status and 573, 700
 vitamin A and 159, 696–7
 vitamin C and 252–3, 698
 vitamin D and 207, 698–9
 vitamin E and 223, 699
 zinc deficiency 528–30, **530**, 699
immune system 689–93, **690**
 acquired 689–91, **690**, **690**
 gut-associated 692, 703
 in health and disease 692–3
 innate 689, **690**, **690**
 NAD biosynthesis and 298
immunoglobulins 691
 riboflavin transport 283
immunonutrition 1261
immunotherapy, food allergies 1228
impaired glucose tolerance
 chromium and 593, 594
 diabetes prevention 816
implementation sciences 1177
inborn errors of metabolism 28
 carbohydrate metabolism 90
incretins 103–4, 714–15
India, nutrition-related chronic diseases 1159–60
indicator amino acid oxidation (IAAO) model 76, 77
individual nutrient level (INL) **1112**, **1114**, 1117, 1145
indoleamine-2,3-dioxygenase (IDO) 298, 300, 301–2
Infant Feeding Practices Survey (IFPS) **1090**, 1098, 1100
infant formula
 bovine milk vs 631–2
 carnitine supplements 397
 choline 409
 composition 628–30, **629**, **630**
 humanitarian crises 1192, 1196
 human milk vs 628–30
 hypoallergenic 1226, 1227
 type 1 diabetes and 808
 weaning or follow-on 627–8
infants 624–36
 0–6 months 617, **625**, 628
 7–12 months **625**, 627–8
 choline supply 408–9
 complementary feeding 630–1
 essential fatty acids 140–1, 142, 626, 631
 fat and fatty acid intake recommendations **1143**
 food allergies 1225
 prevention 1226
 formula vs bovine milk feeding 631–2
 humanitarian crises 1192, 1197
 human milk vs artificial formula feeding 628–30
 iron nutrition 512, 516, 627, 631
 long-chain polyunsaturated fatty acids 632–3, 971–2
 nutrient requirements **625**, 625–7
 pantothenic acid requirements 382, **382**
 protein requirements **1140**
 type 1 diabetes and 808
 unresolved issues 633
 US national surveys 1100
 vitamin A supplements **170**
 vitamin C requirements **255**, 255–6
 vitamin D requirements 208–9, 627
 vitamin E requirements **218**, 219
 vitamin K requirements 242, 627
 see also breastfeeding; neonates; preterm infants
infections
 athletes 672, 698
 breastfeeding and 703
 impact on nutrient status 693, 693–4, **694**
 iron status and 518, 699–700
 role of nutrients in immune response 694–5
 vitamin A status and 159, 697
 vitamin C supplements and 252–3, 698
 see also foodborne disease
inflammation 1261
atherogenesis 746–8, 747, 750
boron status and 592
dietary fiber intake and 107–8
flavonoid intake and 426–7
iron kinetics and 511–12
n-3:n-6 fatty acid ratio and 759

- proteomic studies 849–50
 vitamin B₆ status and 316
 vitamin K status and 240
 zinc deficiency and 530
- inflammatory bowel disease (IBD) 859–61, 870
 dietary fat composition and 142–3
- influenza, selenium status and 574
- information bias 1074
- injuries, athletes 672–3
- inpatients *see* hospitalized patients
- insulin 90, 1052
 actions 734–5
 chromodulin interaction 594
 food reward and 1035
 mimetic actions of vanadium 601
 preparations **810**
 sarcopenia of aging and 660
 secretion, fiber intake and 103–4
 sensitivity 732
 assessment 735–6
 carbohydrate intake and 93–4, 738–9
 determinants 733–4, 734
 dietary interventions maximizing 737–9
 therapy
 type 1 diabetes 809–11
 weight gain 714
- insulin receptors 735
- insulin receptor substrate-1 (IRS-1) 735
- insulin resistance 732–44
 assessment 735–6
 chronic kidney disease 878
 dietary interventions 737–9
 magnesium deficiency 467, 739
 management 740
 mechanisms of health effects 736, 736–7, **737**,
 741
 metabolomic approach 7, 53
 molecular mechanisms 735
 pregnancy 610
 prevalence and risk factors 733–4
 syndrome *see* metabolic syndrome
 vitamin K and 240
- Integrated Food Security Phase Classification (IPC)
 1187
- intensive care unit (ICU) patients
 malnutrition 982–3
 nutrient intake goals 984–5
 parenteral nutrition 992, 993–5, 996
 see also hospitalized patients
- Inter-Agency Standing Committee (IASC)
 Nutrition Cluster 1198, 1199
- interferon- γ (IFN- γ) 691
- INTERHEART study 789
- interleukin-1 (IL-1), liver disease 894
- interleukin-1 receptor-associated kinase-4 (IRAK-4)
 460
- interleukin-2 (IL-2) 691
 copper deficiency 548
- interleukin-4 (IL-4) 691
- interleukin-12 (IL-12) 691
- INTERMAP study 51–2, 483, 724
- intermediate-density lipoprotein (IDL) **125**, 126–7
- internally displaced persons (IDPs) 1183
 food security interventions 1189
- International Association of Diabetes and
 Pregnancy Study Groups (IADPSG) 814
- International Committee of the Red Cross (ICRC)
 1191
- International Conference on Nutrition (ICN)
 1146
- international correlation studies 1072–3
- International HapMap Project **29**, 1258
- internet-based diaries, weight loss programs 1059
- internet-based interventions, weight loss programs
 1064–5
- INTERSALT study 51, 483, 487, 723
- interstitial fluid (ISF) 480, 481, 494, 494
- interviewer bias 1074
- interviewers
 observation of dietary intake 1022–3
 training 1013
- interviews, dietary
 24-hour food recall 1014–15
 dietary history 1015
 food frequency questionnaires 1016
 modes of administration 1023
 practical aspects 1013
 time taken **1018**
- intestinal failure 861–6
 causes **861**, 861, 862
 management 861–6, 863
 nutrient losses **862**
- intestinal lymphoma 858–9
- intestinal transplantation 865, 870
- intestine
 amino acid synthesis 53, 76
 amino acid utilization 75–6
 fat digestion 123
- intracellular fluid (ICF) 480, 481, 494, 494
 bioelectrical impedance analysis 1002
- intradialytic parenteral nutrition (IDPN) 883
- intravenous glucose tolerance test, frequently
 sampled (FSIGTT) 736
- intrinsic factor (IF) 351
- inulin 84, 100
 calcium absorption and 439
- in vitro fertilization, epigenetic changes after 19
- iodate 555
- iodine 554–67
 absorption 555–6, 557
 deficiency 556
 goitrogens causing 556
 iodine clearance 556, 557
 prevalence **560**, 560–1
 prophylaxis and treatment 563–4
 selenium deficiency and 556, 572
 deficiency disorders (IDD) 558–61, **559**, 560
 dietary sources 555
 ecology 555
 excess and toxicity 564–5
 excretion 556, 557, 558
 infant nutrition **625**
 maternal nutrition **611**, 616, 618, **619**
 metabolism 556–8, 558
- physiologic function 558–61, 559
 requirements 561, **561**
 status assessment 561–3, **562**
 urinary (UI) 561, 562–3
- iodothyronine deiodinases (DIO) 578
- ionomics
 definition **2**
 methods 7
 regulatory space 6
- ion suppression 43–4
- iron 506–20
 absorption 509–10
 calcium intake and 443
 homeostasis 510–11
 pregnancy 516
 vitamin A actions 158
 vitamin C and 254, 256
- African iron overload 517
- bioavailability 513–14
 biological functions 507–8
 deficiency 515–17
 adolescence 637–8, 641–2
 celiac disease 859
 in early life 516
 features 515
 immune function 515, 699–700
 iodine deficiency and 556
 liver disease 902
 pregnancy 516–17, 615
 prevention 517, 518
 treatment 517
- dietary sources 513
 distribution 508–9
 fortification of foods 517
 homeostasis 510–11
 infant nutrition 512, 516, **625**, 631
 intracellular homeostasis 510
 manganese interaction 588
 maternal nutrition 516–17, 615, **619**
 metabolism 508, 509
 forward genetics approach 5
 homeostasis 510–11
 inborn disorders 511
 influence of inflammation 511–12
 overload 517–18, 902
 oxidation states 507
 requirements **514**, 514–15
 pregnancy and lactation **611**, 615
 serum 512–13
 status assessment **512**, 512–13
 supplements 516–17, 615
 women of reproductive age 512
 zinc interaction 524
- iron-responsive elements (IREs) 510
- iron-responsive proteins (IRP1 and IRP2) 510
- iron–sulfur clusters (ISCs) 507, 508
 aconitase 510
- irritable bowel syndrome (IBS), dietary fiber intake
 110–11
- isoflavones 420
 blood pressure and 726
 see also soy isoflavones

- isoleucine **78**
isotope tracer studies, protein and amino acid metabolism 74–5, **75**, 76
ispaghula husk 110–11
ISX transcription factor 152–3
- Japanese Americans 1073
jaundice 1209–10
jejunocolonic anastomosis 862
jejunostomy 985, **986**
Joint FAO/WHO Food Standards Programme *see* Codex Alimentarius Commission
joule **59**
Jovanovic diet 815
junk food 639
- Kashin-Beck disease 572
Keap1 (Kelch domain-containing partner) 848, 851–2
Kempner rice diet 482
Kenya **1184**
Keshan disease 572, 574
Keutel syndrome 239
kidney
 magnesium homeostasis 461–2, 462
 physiology 874–6, 875
 regulation of ions and fluid 476
 sodium regulation 479–80
 vitamin D metabolism 202, 202–4
kidney disease 874–88
 see also chronic kidney disease
kidney stones
 calcium intake and 442
 high-dose vitamin C and 256
 magnesium status and 468
kidney transplantation 880
knowledge, nutrition, US surveys 1099–100
Korsakoff's psychosis 271, 920–1
kwashiorkor 1173
- labeling, nutrition *see* nutrition labeling
lactase deficiency 86, 1230–1
lactation 617–20
 biotin requirements **369**, 369–70
 calcium requirements **437**, 438
 humanitarian crises 1192, 1195
 iron and 516–17
 maternal nutrient requirements **611**, 618–20
 pantothenic acid requirements 382
 physiology 617
 protein requirements **1140**
 see also breast milk; milk
lactoferrin 509–10, 700
lacto-ovo-vegetarian **648**
lactose 84
 in breast milk 617
 intolerance 28, 86–7, 1230–1
lacto-vegetarian **648**
lauric acid **119**
laxative effect, dietary fiber 105–6
LCYB gene 1245, **1246**
LDL *see* low-density lipoprotein
- lead **602**
lean body mass *see* fat-free mass
lecithin 408
 allergenicity 1227
 see also phosphatidylcholine
lecithin cholesterol acyltransferase (LCAT) 121, 128
lecithin retinol acyltransferase (LRAT) 152, 155
leguminous seeds **99**, 99–100, 103, 106
Leigh's disease 269
Lens Opacities Case-Control Study (LOCCS) **943**, 952, **953**
leptin 1052
 deficiency 713
 food reward and 1035
 sweet taste and 1030
lettuce 1237
 calcium biofortification **1242**
 folate biofortification 1239, **1240**
 vitamin E biofortification **1241**
leucine
 functions 70
 postprandial utilization 74, 75, 76
 requirements 77–8, **78**
leucoanthocyanidin dioxygenase/anthocyanidin synthase (LDOX/ANS) 1242
leucovorin 333
leukemia, retinoic acid therapy 172
leukotrienes
 biosynthesis 138, 139
 food allergy 1224
licorice extract, liver disease 899
life, origin of 475–6
lifestyle factors/modifications
 behavioral approaches in obesity 1057–70
 cardiovascular disease 786–9, **788**
 hypertension 723–7, **727**, **788**, 788–9
 type 2 diabetes prevention 815–17
 see also alcohol; physical activity; smoking
lignin 98
liking foods, vs wanting foods 1047
linamarin 556
LINE-1 methylation, nutritional influences 17
linkage analysis 4
linoleic acid (LA) 754
 chemistry **119**, 120
 conjugated (CLA) 760–1
 deficiency 139
 dietary intake
 age-related macular degeneration **965**, 966
 cardiovascular disease and 754–5, 756, 758–9
 dry eye syndrome 970
 immune function and 700
 dietary sources 133
 essential nature 132, 133
 infant nutrition 631, 632, **1143**
 maternal intake 612
 metabolism 136, 136, 754, 755
linoleic acid:α-linolenic acid ratio, dietary 133, 140
 cardiovascular disease and 754–5, 756, 759–60
 disease risk and 143
- α-linolenic acid (ALA) 754
 age-related macular degeneration and 964–6
 cardiovascular disease and 755–6, 758
 chemistry **119**
 deficiency 132, 139
 dietary sources 133
 essential nature 132–3
 immune function and 700
 infant requirements **1143**
 maternal intake 612
 metabolism 136, 754, 755
γ-linolenic acid **119**, 136
 dry eye syndrome 970
lipase
 gastric 122
 hepatic 126
 lingual 122
 pancreatic (triglyceride) 123, 152
lipid(s) 118–31
 absorption 122, 123–5
 biosynthesis 135–8
 blood
 alcohol-related changes 918
 carbohydrate intake and 94, 761–2
 cardiovascular disease risk 749–50
 carotenoid levels and 189
 fatty acid intake and 141–2, 751–4
 nicotinic acid/niacin and 300, 301
 pantothenic acid and 384–5
 trans fatty acids and 760–1
 see also dyslipidemia
 cellular roles 135
 chemistry 118–22
 dietary intake *see* fat (dietary), intake
 dietary sources 133–5
 digestion 122, 122–3
 emulsions, parenteral nutrition 993–4, 996
 mediators, novel 143–4
 metabolism 125–8, 132–48
 alcohol effects 916, 917–18
 biotin deficiency 367
 choline function 411
 effects of dietary fiber 104
 flavonoids and 425–6
 gene–diet interactions 29–31
 liver disease 893
 transcriptome analysis 5
 peroxidation, vitamin E actions 215, 216
 transport 124, 125–8
 see also fat (dietary); fatty acids; phospholipids; triacylglycerols
lipid-based nutrient supplements (LNS) 1190, 1195, 1196
lipoic acid 369
lipoprotein(a) (Lp(a)) 127
lipoprotein lipase 126
lipoproteins **125**, 125–8
 atherogenesis 746, 747
 carotenoid transport 189
 vitamin E transport 220–1, 221
 vitamin K transport 232
lipoxygenase (LOX) 138

- liquid chromatography–mass spectrometry (LC–MS), metabolomics 44, 44, 45
- Listeria (monocytogenes)* 1210, 1211
- surveillance 1214
- temporal trends 1213, 1213–14
- lithium **602**
- livelihood
- assessment, humanitarian crises 1187
 - protection, humanitarian crises 1188–9, **1189**
 - security 1171
- liver 889–90
- biopsy, vitamin A assessment 164–5, 165
 - biotin uptake 364–5
 - carbohydrate metabolism 88
 - choline function 411
 - fatty *see* non-alcoholic fatty liver disease
 - glycogen 90
 - vitamin A storage 154
 - vitamin B₆ metabolism 310
 - vitamin D metabolism 202, 202–4
- liver cancer 851
- liver disease 889–911
- alcoholic *see* alcoholic liver disease
 - causes of malnutrition **892**, 892–3, 893
 - choline deficiency 410, 412
 - complementary and alternative medicine 896–900
 - cytokine–nutrient interactions 893–4, **894**
 - nutritional assessment 890–2, **891**, 891
 - nutritional support 894–6, **895**
 - parenteral nutrition-associated 995
 - potential nutritional toxicities 900–2
 - prevalence of malnutrition 890–2, **891**
- liver transplantation 904–5
- livestock interventions, complex emergencies 1188, **1188**, **1189**
- long-chain fatty acids (polyenes)
- beta-oxidation 138
 - biosynthesis 135–6, 136
 - insulin resistance and 737
 - transport into mitochondria 395, 395–6
 - see also* polyunsaturated fatty acids; *specific fatty acids*
- long-chain polyunsaturated fatty acids (LCPUFA) 754
- blood pressure and 724–5
 - cognitive decline in elderly and 663
 - dietary sources 133
 - infant nutrition 632–3, 971–2
 - maternal intake 612
 - visual function and 971–2
 - see also* omega-3 fatty acids; omega-6 fatty acids
- Look-AHEAD study 819, 821
- loss-adjusted food availability (LAFA) data 1087–97
- low birth weight
- adult blood pressure and 723
 - impact on adult health 612, 633
 - insulin sensitivity and 734
 - see also* fetus
- low-calorie diets 1060–1
- see also* weight-losing diets
- low-carbohydrate diets 762, 1061
- low-density lipoprotein (LDL) **125**, 127
- modification, atherogenesis 746, 747
 - oxidized (OxLDL) 746, 747, 748
 - small dense particles 751
- low-density lipoprotein-cholesterol (LDL-C)
- alcohol effects 918
 - cardiovascular disease risk 749–50
 - cholesterol intake and 761
 - dietary and lifestyle modifications and 787–8, **788**
 - fatty acid intake and 141, 751–4
 - goals **749**
 - trans* fatty acids and 760–1
- low-density lipoprotein (LDL) receptors 121, 126, 127
- gene polymorphism 1258
- lower reference nutrient intake (LRNL; LRNI) **1112**, **1114**, 1120
- lower threshold intake (LTL; LTI) **1113**, **1114**
- low-fat diets 762, 1061
- metabolic syndrome 739–40
- low-protein diet, maternal, fetal epigenetic effects 18
- LPA* gene 127
- lung cancer
- β-carotene intake and 190–2, 193, 1076
 - boron status and 592
 - gene–diet interaction 1258
- lupus erythematosus, pantothenic acid and 386
- lutein 186, **186**
- age-related macular degeneration and 192–4, 959–60, **961–2**, 966
 - cataracts and 194, 946–52, **950–1**
 - chemistry 187
 - cleavage 190
 - retinitis pigmentosa and 969
 - uptake in tissues 189, **189**
 - visual function and 971
- lycopene 185, **186**
- biofortification of crops 1243–5, **1246**, 1249
 - biosynthesis 1244, 1244
 - cataracts and 949, **951**
 - chemistry 150, 151, 187
 - health benefits 1243–4
 - prostate cancer risk 192
 - uptake in tissues **189**, 195
- lycopene b-cyclase (*LCYB*) gene 1245, **1246**
- lycopenodermia 190
- lycopenoids 195
- lymphocyte counts, liver disease **891**
- lymphocytes 689–92
- lymphoma, intestinal 859–60
- lysine 76, **78**
- lysine:arginine (Lys:Arg) ratio 765
- lysyl oxidase (LO) 542, 548
- macronutrients
- population intake goals 1118, **1119**
 - role in atherosclerosis 751–65
 - weight-losing diets 762, 1061
 - see also* carbohydrates; fat; protein
- macrophages, atherogenesis 746, 747, 748
- macrosomia, fetal 616
- macular degeneration, age-related *see* age-related macular degeneration
- macular pigment (MP) 959, 971
- magnesium (Mg) 459–74
- absorption 461, 461, 462–3
 - cardiovascular disease and 465–6, 767
 - chemistry and functions 460–1
 - concentration in body 459–60, **460**
 - deficiency 459, 465–8, 469
 - alcohol-related 922–3
 - diabetes and 467, 469, 823
 - excess 469
 - food sources **464**, 464–5
 - homeostasis 461–2, 462
 - insulin sensitivity and 467, 739
 - osteoporosis and 468, **835**
 - requirements **463**, 463–4
 - infants **625**
 - pregnancy and lactation **611**
 - serum concentrations 460, 469
 - status assessment 469–70
 - supplementation 468–9
 - alcoholics 923
 - sweat 500
 - therapy 461
 - tolerance test 470
 - transport 463
- magnetic resonance imaging (MRI), body composition analysis 1001, 1005–7, **1006**, **1008**
- mailed questionnaires 1023
- malabsorption
- alcohol-related 915, **916**
 - infection-related 693
- malaria
- iron status and 518, 700
 - pantothenic acid inhibitors 386
 - vitamin A supplements 171–2
- male reproductive dysfunction, carnitine therapy **400**
- malic semialdehyde 393
- malnutrition
- alcohol-associated 914–15, **916**
 - alcoholic liver disease 890–2, **891**, 892, 915
 - chronic kidney disease 876
 - coupled with overnutrition 1159, 1176
 - definition **59**
 - global acute (GAM) 1185
 - hospitalized patients 982–3, **983**
 - liver disease 890–3
 - liver transplantation and 904
 - moderate acute (MAM) 1185
 - preventing and treating 1195–6
 - older adults 658–9
 - diagnosis 657, 658
 - risk assessment 655–8, 657
 - protein 78
 - severe acute (SAM) 1185
 - treating 1196–7, **1197**

- UNICEF conceptual framework 1173, 1174, 1185
see also humanitarian crises; protein–energy malnutrition; undernutrition
- malonyl-CoA 361
- malonyl transferase **381**
- maltose 84
- malvidin 420, 1242
- MAM* genes 1245
- mammary cancer, genistein exposure and 845
- management strategies, food-related 1171–2
- manganese 587–8
 dietary guidance 588, **589**
 essentiality 586, 587
 infant nutrition **625**
- mannitol, in sugar-free products 813
- MAP-kinase, insulin signaling 736, 736
- maple syrup urine disease 269
- marginal structure models 1078–9
- market-driven fortification, vitamin A 168
- mass media, globalization 1154
- mass spectrometry (MS), metabolomics 41, **42**, 42–4, 44, 45
- mast cells, food allergy 1223–4
- maternal nutrition 608–23
 humanitarian crises 1192
 US national surveys 1100
see also lactation; pregnancy
- matriptase 511
- matrix Gla protein (MGP) 236, **238**, 239
- maturity-onset diabetes of the young (MODY) 823–4
- Mauritia vinifera* 167
- McDonald's 1154–5
- meal plans, structured, weight-loss programs 1061
- mean cell hemoglobin (MCH) 512–13
- mean cell volume (MCV) 512–13
- measles, vitamin A supplements 171
- measurement error, dietary assessment 1020–1, **1021**
- MEDE (MEtabolomics to characterize Dietary Exposure) study 49
- media
 mass, globalization 1154
 weight loss interventions 1064–5
- medical nutrition therapy (MNT) **810**, 825, 826
 gestational diabetes 815
 prevention of type 2 diabetes 815–17
 to reduce diabetic complications 821–2
 type 1 diabetes 809–11
 type 2 diabetes 819–21
- Mediterranean diet
 Alzheimer's disease and 663
 cardiovascular disease prevention 779–81
- megaloblastic anemia
 diagnosis of cause 352–3
 folate deficiency 330
 thiamin-responsive 266, 267, 272
 vitamin B₁₂ deficiency **347**, 349
- megestrol acetate, chronic kidney disease 877, 883
- meglitinides **820**
- meibomian gland dysfunction 970
- membranes, role of choline 410
- menadione (vitamin K₃) 231, 231
 toxicity 242
- menaquinone-4 (MK-4) 231, 231
 bone health and 238–9
 emerging functions 240
 tissue stores and biosynthesis 233
- menaquinones (MKs) (vitamin K₂) 231, 231
 absorption/bioavailability 232
 bone health and 237–8
 cardiovascular health and 239–40
 catabolism and turnover 233
 emerging functions 240–1
 food sources 242
 tissue stores 233
 transport and cellular uptake 232
- menarche, age at 638
- Mendelian randomization 31
- Menkes' disease 546
- menstrual blood loss 512
- meta-analyses 1076–7
- metabolic fingerprinting 39
- metabolic food disorders 1230–1
- metabolic syndrome 732–44
 alcohol consumption and 917
 definition **715**, 733, **733**, 749, **750**
 dietary fiber intake and 107–8
 dietary interventions 739–40
 magnesium status and 467
 management 740
 non-alcoholic steatohepatitis 902
 obesity 715, 733
 prevalence and risk factors 733–4
see also insulin resistance
- metabolism
 effects of dietary fiber 103–4
 phase I/II enzymes 851
- metabolites
 definition 38–9
 removal by kidney 875
- metabolizable energy intake 63
- metabolome 38–9, 39
 investigation process 39–40, 41
 normalization with diet 47–8
 stability of human 47–8
- metabolomics (metabonomics) 38–57
 analytical technologies 7, 40–4, **42**
 cancer studies 850
 definition **2**, 38
 as dietary assessment tool 48–50
 epidemiological scale 50–2
 future directions 54
 growth of research 39, 40
 host–food–microbial interactions 48, 49
 importance of gut microbiota 53–4
 as predictive tool 52
 regulatory space 6
 response to nutritional challenges 52–3
 statistical analyses 44–5, 46
 targeted 40
 untargeted (global) 40
- metabonomics *see* metabolomics
- metal-binding transcription factor 1 (MTF-1) 525, 526
- metal fume fever 533
- metallothionein (MT)
 concentrations 532
 copper interaction 544, 545
 zinc binding 523, 525, 526, 530
- metastable epialleles 20–1, 22
- metformin 816, **820**
- 5,10-methylenetetrahydrofolate cyclohydrolase (MTHFC) 325, 326
- methionine **72**, **78**
 choline interactions 406–7, 407
 immune function 701
 load test 313
 metabolism 325, 326–7, 345–7, 346
 liver disease 898, 898
- methionine adenosyltransferase 16
- methionine synthase 16, 407
 cobalamin dependence 344, 345–7
 folate dependence 324, 326–7
 gene defects 351
- methionine synthase reductase (MTRR) 330, 346
- methotrexate (MTX) 333
- methylated DNA immunoprecipitation (MeDIP) 22–3
- methylation reactions 16, 325, 326–7
 choline-mediated 406–7
 regulation 327–9
- 2-methylcitric acid 345, 347
 urinary 366
- methyl-CpG binding protein 2 (MeCP2) 22
- 3-methylcrotonyl-CoA carboxylase (MCC) 361, 362, 366
- MethylC-seq 23
- methyl donors
 dietary, epigenetic influences 16–18, 20–1
 transmethylation pathway 16
- 5,10-methylenetetrahydrofolate
 (5,10-methyleneTHF) 326, 327
- 5,10-methylenetetrahydrofolate dehydrogenase (MTHFD)
 folate metabolism 325, 326, 327, 329
 gene polymorphisms, choline status and 32, 410
- methylenetetrahydrofolate reductase (MTHFR) 326
 gene polymorphisms *see* *MTHFR* gene
 polymorphisms
 regulation 327–9
- N-methylglycine 349
- N^ε-methylhistidine 70
- methylmalonic acid (MMA) 345, 345
 serum 347, 348, 349
- methylmalonic aciduria 345, 351
- methylmalonyl-CoA 344–5, 345
- L-methylmalonyl CoA mutase 344–5, 345
- methyl-nicotinamide (MN) 301
- N-methylnicotinate 51
- ω-methylpantothenate 383

- 5-methyltetrahydrofolate (5-methylTHF, MTHF) 326
 B₁₂ deficiency 347, 348–9
 cellular storage 324
 choline interactions 406–7, 407
 epigenetic regulation 16, 17
 SAM-mediated regulation 327–9
 transport 323
 methylthioalkylmalate synthase (MAM) 1245
 methyltransferase reactions 16
 micelles 123–4
 microarrays 9, 22, 848
 microbiomics 850
see also gut microbiome
 micronutrients
 adolescent requirements 641–3
 binding by dietary fiber 103
 cardiovascular disease and 765–70
 deficiencies
 chronic kidney disease 877, 881–2
 chronic pancreatitis 869
 Crohn's disease 860
 deficiency diseases (MDD), humanitarian crises 1185, 1193–5, **1194–5**
 diabetes and 822–3
 dietary intake assessment 1018
 immune function and 696–700
 insulin sensitivity and 739
 supplements, humanitarian crises 1195
see also minerals; trace elements; vitamin(s); *specific nutrients*
 microorganisms, foodborne 1208
 microRNAs 1259
 microsomal ethanol oxidizing system (MEOS) 913
 microsomal triacylglycerol transfer protein (MTP) 126, 152
 mid-upper-arm circumference (MUAC) 1185–6
 miglitol **820**
 migrant studies 1073
 milk
 allergens 1227
 allergies 1225, 1226, 1228
 bone health and 441
 bovine *see* cow's milk
 composition 617–18
 human *see* breast milk
 riboflavin secretion 285–6
 vitamin A fortification 168
 vitamin D fortification 209, 210
see also lactation
 Millennium Development Goals (MDGs) 1176, 1197–8
 milling and fortification units (MFUs) 1194, **1194–5**
 minerals
 adolescent requirements 641–2
 alcohol effects 922–3
 binding by dietary fiber 103
 deficiencies, chronic kidney disease 877
 food labeling 1148
 imbalances, liver disease 901–2
 infant formulas **629, 630**
 infant nutrition **625**, 626–7
 metabolism, liver disease 894
 parenteral nutrition **993**, 994
 requirements
 setting international standards 1144–5
 short bowel syndrome **862**
see also electrolyte(s); trace elements; *specific minerals*
 Mini Nutritional Assessment (MNA®) 655–7, 656, 657
 mitochondria
 choline function 407, 410
 fatty acid oxidation 137, 138
 folate metabolism 327, **327**, 328, 329
 long-chain fatty acid transport 395, 395–6
 thiamin diphosphate-dependent enzymes 268, 269
 thiamin diphosphate uptake 267
 mitoferrin 509
 mitral valve prolapse, idiopathic (IMVP) 466
 mobile devices/phones
 recording food intake 1014, 1023
 weight loss programs 1059, 1065
 models, food 1024
 molecular nutrition 1259
 molybdenum 590–1
 dietary guidance **589**, 591
 essentiality 586, 590
 infant nutrition **625**
Momordica cochinchinensis 167
 monitoring, nutrition *see* nutrition monitoring
 monocyte chemoattractant protein-1 (MCP-1) 746, 747, 748
 monodehydro-L-ascorbic acid free radical (AFR) 249, 249, 250
 moniodotyrosine (MIT) 556, 558
 monomethylarsonic acid 596
 monomethylarsonous acid 596
 monosaccharides 84
 absorption 87
 metabolism 88–90, 89
 monosodium glutamate (MSG) 1031
 idiosyncratic reactions **1212**, 1231
 monosodium glutamate symptom complex 1231
 monounsaturated fatty acids (MUFA) 119, **119**, 120
 blood pressure and 724
 cardiovascular disease and 753–4
 cognitive decline in elderly and 663
 foods and oils **134**
 insulin resistance and 738
 recommended dietary intakes **1142**, **1143**
 mortality risk
 alcoholic liver disease 891, 892, 924
 alcohol-related 923–4
 chronic kidney disease 876
 vitamin A status and 158
 motor development, iron deficiency and 516
 mouth, fat digestion 122
 Mozambique 1198
 MTHF *see* 5-methyltetrahydrofolate
MTHFD1 gene 325
 polymorphisms, choline status and 32, 410
MTHFR gene polymorphisms 31–2, 329–30
 birth defects and 331
 cancer risk and 332, 1077, 1078, 1258
 cardiovascular disease risk and 1258
 choline status and 410
 DNA methylation and 17
MTRR gene polymorphism 330, 331
 MUFA *see* monounsaturated fatty acids
 multiple carboxylase deficiency (MCD) 368
 multiple sclerosis (MS) 301
 multivitamin supplements
 age-related macular degeneration and 966
 assessment of intake 1018–19
 cataract prevention 955
 liver disease 901
 muscle, skeletal
 acid–base disturbances, athletes **674**
 alcohol and 928
 glycogen 90, 673, **674**
 vitamin B₆ content 310
 mushrooms, poisonous 1208, **1212**
 mustard, golden 169
 myocardial infarction (MI)
 fatty acid intake after 756–8
 gene–caffeine interaction 33–4
 magnesium therapy 461
 pathogenesis 748
see also coronary heart disease
 myoglobin 507, 508–9
 MyPyramid 1123–4
 MyPyramid Equivalents Database (MPED) 1087, **1095**
 myristic acid **119**
 n-3 fatty acids *see* omega-3 fatty acids
 n-6 fatty acids *see* omega-6 fatty acids
 NAD (nicotinamide adenine dinucleotide) 294
 boron binding 591
 disease and 300–3
 metabolism 296, 297–8
 physiological functions 296, 297–300
 reduced (NADH) 299
 salvage pathway 296, 297–8
 tissue and blood levels 294–5
 utilizing proteins 298–300
 NAD-dependent deacetylases (sirtuins) 299
 NADP(H) 299
NADSYN1 gene 33
 naringenin 420, 421
 naringin 421, 423
 nasoduodenal (ND) tube feeding **986**
 nasoenteral (NE) tubes 985, **986**
 nasogastric (NG) feeding **986**
 nasojejunal (NJ) tube feeding **986**, 987
 nateglinide **820**
 National Academy of Sciences (NAS), symposium on nutrition monitoring 1085
 National Cancer Institute (NCI) 1085, 1101
 National Center for Health Statistics (NCSH) **1094**, 1100, 1101

- National Diabetes Education Program (NDEP) 824–5
- National Health and Nutrition Examination Survey (NHANES) 1085, **1088**, 1097
 automated data collection 1102
 biomarkers 1102
 data linkages 1098
 expert support 1103
 Flexible Consumer Behavior Survey **1088**, 1099
 health status monitoring 1100
 nutrition-related behaviors 1099, 1100
 statistical analysis tools 1101
 uses of data 1086, 1087
- National Health Interview Survey (NHIS) **1088**, 1100
- National Household Food Acquisition and Purchase Survey (FoodAPS) **1093**, 1097, 1099
- National Human Genome Research Institute (NHGRI) **29**
- National Immunization Survey (NIS) **1089**, 1100
- National Nutrient Database for Standard Reference (NND SR) **1095**, 1098
- National Nutrition Monitoring and Related Research Act 1990 1083–4
- National Nutrition Monitoring and Related Research Program (NNMRRP) 1082–5, 1166
 data availability 1101
 history and recent activities 1083–5
 measurement areas 1083
 population subgroup coverage 1101
- National Research Council (NRC), 1085
- National Survey of Family Growth (NSFG) **1090**, 1100–1
- National Vital Statistics System (NVSS) **1094**
- National Weight Control Registry 1063, **1065**, 1065–6
- natural disasters 1183
- natural killer (NK) cells, zinc deficiency 528–9
- needle catheter jejunostomy (NCJ) **986**
- neonates
 iron status 512
 transient hypothyroidism 563
 vitamin A supplements **170**
 vitamin K deficiency bleeding 241
see also infants; preterm infants
- network
 analysis 9–10
 defined **2**
- neural tube defects (NTDs)
 choline status and 411–12
 folate status and 331, 334–5, 336, 614
- neurocysticercosis 1210
- neurodegeneration with brain-iron accumulation-1 384
- neurodegenerative disease
 flavonoid intake and 427
 niacin and 301–2
 vitamin E and 224
- neurodevelopment
 iron deficiency and 516
 long-chain polyunsaturated fatty acids and 632–3
see also brain development
- neurological disorders
 B₁₂ deficiency 349–50
 biotin imbalances 367–8
 choline supplements 412
 copper deficiency 548
 foodborne infections **1209**, 1210
- neurotoxic shellfish poisoning **1212**
- neutral detergent fiber technique 100
- New York City Health and Nutrition Examination Survey (NYC HANES) 1101–2
- New Zealand (NZ)
 dietary guidelines 1125, **1126**
 nutrient reference values **1114**, 1121
- next-generation sequencing (shotgun sequencing)
 bisulfite-treated genomic DNA (MethylC-seq) 23
 definition **2**
 epigenetic studies 22
NFKB1 gene polymorphism, dietary fat interaction 30
- NHANES *see* National Health and Nutrition Examination Survey
- niacin 293–306
 age-related macular degeneration and 960
 assessment of status 294–5
 cataracts and 952, **953–4**
 deficiency 293–4, 297
 alcoholism 921–2
 disease and 300–3
 food sources **295**
 requirements **295**, 295–7
 infants **625**
 pregnancy and lactation **611**
 responsive genetic disorders 297
 structure and nomenclature 294, 294
 therapeutic use 294, 300, 768–9
 toxicity, liver disease 901
- niacinamide *see* nicotinamide
- niacin equivalents (NE) 295
- niacin number 295
- nickel 597–8
 dietary guidance **589**, 598
- nicotinamide (niacinamide) 294, 294
 NAD salvage from 296, 297–8
 serum levels 300
- nicotinamide adenine dinucleotide *see* NAD
- nicotinamide adenine dinucleotide phosphate (NADP) 299
- nicotinamide adenine mononucleotide adenylyl transferases (NMNAT) 301
- nicotinamide mononucleotide phosphoribosyltransferase (NMNAT) 296, 297–8
- nicotinamide phosphoribosyltransferase (NAMPT) 296, 297–8
- nicotinamide riboside 294, 296, 298
- nicotinamide riboside kinase 296, 298
- nicotinic acid 294, 294
 diabetes 823
 NAD biosynthesis from 296, 298
 serum levels 300
 therapeutic use 294, 300, 768–9
- nicotinic acid G-protein coupled receptors (GPR109a and GPR109b) 300, 301
- nicotinic acid phosphoribosyltransferase (NPT) 298
- A.C. Nielsen Company 1097
- Niemann-Pick C1-like 1 (NPC1L1) 125, 220
- night blindness 158
 liver disease 900
 during pregnancy 150, 169
see also vitamin A, deficiency
- nitrate
 blood pressure and 727
 as ergogenic aid 681
- nitric oxide (NO)
 amino acid contribution **72**
 hypertension and 727
- nitrogen
 balance, protein requirements 77, 1139
 postprandial utilization 73–6, 74, **75**
 preformed amino acid, need for 72–3
 requirements 76, 76–7
 urinary
 metabolomics studies 48
 nutrient ratio calculations 60
- NNMRRP *see* National Nutrition Monitoring and Related Research Program
- non-alcoholic fatty liver disease (NAFLD; fatty liver) 902
 choline deficiency 412
 mechanisms of development 903
- non-alcoholic steatohepatitis (NASH)
 obesity and 902–3
 vitamin E therapy 897, 903
- non-communicable diseases, nutrition-related *see* chronic disease
- non-starch polysaccharides (NSP) 85, 98–9
 distribution in grain 98, 99
 food sources **99**
 isolated and purified 99–100
 method, dietary fiber analysis 100–2, 101
 values in foods **101**
see also fiber, dietary
- Nordic Nutrition Recommendations 1120
- normative requirements 1118
- norovirus (Norwalk-like agent) infections 1209, **1212**, 1213
- Nrf2 (nuclear factor E2 p45-related factor 2) 848, 849, 851–2
- nuclear magnetic resonance (NMR) spectroscopy, metabolomics 41–2, **42**, **43**
- nucleosomes 15, 361
- nucleotide biosynthesis 325, 325–6
- Nurses' Health Study (NHS)
 age-related macular degeneration **957**, **958**, 963–4, **965**, 967
 calcium intake 441
 cardiovascular disease risk 755–6, 763, 781
 cataracts **943–4**, **947**, 949, **950–1**, **953**, 955
 whole-grain consumption 107, 108, 109
- Nutrient Data Laboratory (NDL) 1099

- nutrient intake values (NIV) **1113, 1114**, 1117–18, 1145
- nutrient reference values 1110–21
 Australia and New Zealand 1121
 definition 1110–11
 dietary guidelines vs 1121–2
 differences across countries 1113–15
 European Union 1120–1
 food labeling 1148
 future directions 1126–8
 harmonization 1126, 1145
 methods for using 1115, *1115*
 population intake goals 1118, **1119**
 public health applications 1145–8
 role of United Nations agencies in setting 1136–45
 similarities across countries 1111–13
 terminology 1111, **1112–13, 1114**
 United Kingdom 1118–20
 United States and Canada 1115–17
 various countries 1115–21
 WHO/FAO/UN University 1117–18
- nutrients
 absorption sites 864
 availability, US data system 1087–97, **1095**
 energy values 63
 essential 1237
 biofortification of crops 1239–42
 estimating consumption in US 1097–8
 intake goals, hospital patients 984–5
 oxidation
 parameters **59, 60**
 stoichiometry **59**
 recommended intakes, setting international standards 1136–45
 role in immune function 694–5
- nutrigenetics 28
 cancer risk 846–7
- nutrigenomics 14, 28, 34
see also omics technologies
- nutrimetabonomics 52–3
- nutritional assessment
 adolescents 643
 alcoholic patients 914–15
 chronic kidney disease 878–80, **880**
 in complex emergencies 1185–6
 hospitalized patients 983–4, **984**
 liver disease 890–2, **891, 891**
 older adults 654–8, *656, 657*
- nutritional epidemiology 1071–81
- nutritional epigenetics *see* epigenetics, nutritional
- nutritionally vulnerable groups
 supplementary feeding programs 1195
 targeting, in humanitarian crises 1191–3
- Nutritional Prevention of Cancer (NPC) trial 575, 576
- nutritional supplements *see* dietary supplements
- Nutrition Information in Crisis Situations (NICS) 1187
- nutrition labeling 1147–8
 allergenic foods 1226–7
 terminology 783
- nutrition monitoring
 defined 1082
 humanitarian crises 1187
 other countries 1102–3
 socio-ecologic model 1083, *1083*
 United States 1082–109
 behavioral and economic aspects 1102
 biomarkers 1102
 components 1083, *1084*, 1087–101
 federally sponsored surveys and activities **1088–94**
 food supply measures and technical databases **1095–6**
 history and recent activities 1083–5
 population subgroup coverage 1101
 public health implications 1103
 purposes and uses of data 1085–7, **1086**
 state and local monitoring 1101–2
 use of technology 1102
see also National Nutrition Monitoring and Related Research Program
- nutrition programs for older Americans **1092**
- nutrition-related non-communicable diseases (NR-NCDs) *see* chronic disease
- nutrition support, specialized 982–99
 acute pancreatitis 866–9
 intestinal failure/short bowel syndrome 861–2, *863, 865*
 intradialytic 883
 liver disease 894–6, **895**
 liver transplant recipients 905
see also enteral nutrition; parenteral nutrition
- nutrition surveys, two-stage 30-cluster 1186
- nuts, dietary fiber **101**
- obesity
 abdominal *see* abdominal fat
 adolescence 638, **643, 643–5, 644**
 alcohol consumption and 915–17, *917*
 behavioral treatment *see* behavioral weight-loss programs
 carbohydrate intake 92–3
 cardiovascular disease and 714–16, 783–5
 carnitine supplements 398
 childhood 711, 785
 behavioral strategies 1062–3
 developing countries 1157
 chronic kidney disease 876
 co-morbidities 714–17, **718**
 with concurrent undernutrition 1159, 1176
 definition and measurement **59, 709–10, 710**
 developing countries 65, 710–11, 1156–9, *1157, 1158*
 dietary fat intake and 141
 dietary fiber intake and 108–9
 energy expenditure 65
 energy intake and eating behavior 1043–56
 epidemiology 709–11
 etiology 711–14, **714**
 externality theory 1050
 food insecurity and 1168
 gene–diet interactions 30
 genetics 712–13
 global dynamics 1156–9
 as a health risk 709–20
 hypertension risk 715, 723–4
 immune function and 695–6
 insulin resistance and 733
 magnesium status and 468
 metabolic syndrome 733, 735
 mortality 717–18
 non-alcoholic steatohepatitis 902–3
 non-nutritional influences 1047–50
 nutritional influences 1044–7
 older adults 659
 physiological influences 1051–2
 pregnancy 616
 weight gain 610, **610**
 prevalence 710–11, 1156–7, *1157*
 prevention 718
 psychological influences 1050–1
 psychosocial issues 717
 surgery *see* bariatric surgery
 sweet taste responses 1029–30
 taste and food choices 1033–4
 time trends 710–11, 1157–8, *1158*
 vitamin C status and 254
 workplace and 1052
- obesogenic environment 712, 1043
- observation, dietary intake assessment 1022–3
- obstructive sleep apnea (OSA) 716, 786–7
- oceans, ancient 475–6, **476**
- ocular disease *see* eye disease
- oils
 iodized 564
 recommended dietary intakes 1141–2
 vitamin A fortification 168
 vitamin K-rich 242
see also fat (dietary); vegetable oils
- older adults
 bone health and nutrition 838–40
 carnitine supplements 399
 cognitive decline and Alzheimer's disease 662–3
 dietary intake assessment 657–8, 1023
 effects of nutritional deficiencies 661–4
 foodborne illness 1215
 frailty 661–2
 humanitarian crises 1192–3
 hydration disorders 660–1
 magnesium supplements 469
 malnutrition 658–9
 nutritional assessment 654–8, *656, 657*
 in humanitarian crises 1186
 nutritional status 654–61
 obesity 659
 osteoporosis 663–4
 physical activity guidelines 786, **787**
 postprandial amino acid utilization 75
 protein requirements 77
 taste and food choices 1033
 vitamin A intakes 162, 163
 vitamin B₁₂ deficiency 352, 353–4
 vitamin E supplements 223–4, 699
see also aging

- oleic acid **119**, *120*, *136*
oleoylethanolamide **128**
oligosaccharides **84**, **100**
omega-3 (n-3) fatty acids *754*
 chemistry **119**
 dietary requirements *139–40*
 dietary sources **133**, **134**
 eicosanoid synthesis from *138–9*, *139*, *754*, *755*
 enteral formulas **987**
 essential nature *132–3*
 gene interactions *30–1*, *1263*
 health benefits *141–3*, *144*
 age-related macular degeneration *964–6*, **965**
 blood pressure *724–5*
 cardiovascular disease *141–2*, *755–8*, *1263*
 cataracts *952–5*
 cognitive decline in elderly **663**
 diabetes mellitus **822**, **1263**
 dry eye syndrome *969–70*
 immune function **701**
 inflammatory bowel disease **861**
 retinitis pigmentosa *968–9*
 strength of evidence *1262–4*
 infant nutrition *626*, *632–3*
 metabolism **136**, *136*, *754*, *755*
 polyenoic **142**
 recommended dietary intakes **1142**, **1143**
 soybeans enriched with *1248*
 see also docosahexaenoic acid; eicosapentaenoic acid; α -linolenic acid
- omega-3 index **758**
omega-3:omega-6 (n-3:n-6) ratio
 age-related macular degeneration and *966*
 cardiovascular disease and *759–60*
 dry eye syndrome **970**
omega-6 (n-6) fatty acids *754*
 chemistry *119–21*
 dietary requirements *139–40*
 dietary sources **133**, **134**
 eicosanoid synthesis from *138–9*, *139*, *754*, *755*
 essential nature *132–3*
 health effects *141–2*, *144*
 age-related macular degeneration *966*
 cardiovascular disease *141–2*, *758–9*
 dry eye syndrome **970**
 immune function **701**
 infant nutrition *626*, *632–3*
 metabolism **136**, *136*, *754*, *755*
 recommended dietary intakes **1142**, **1143**
omega-9 (n-9) fatty acids
 dietary intake and disease risk *141–2*, *144*
 interconversions **136**, *136*
omics technologies *2–3*
 cost considerations *7–8*
 data analysis tools **11**
 databases **8**, **10**
 definitions **2**
 growth in use *40*
 identifying significant changes *8–10*
 integrating data types *10–11*
 methods *4–7*
 validation of results **7**
 see also genomics; metabolomics; proteomics
- OMNIHEART study *724*
one-carbon metabolism
 folate-mediated reactions *325*, *325–7*
 gaps in knowledge **336**
 nutritional epigenetics *16–18*, *19–20*
 regulation *327–9*
 vitamin B₆-dependent reactions *312*, *312*
- Online Mendelian Inheritance in Man® (OMIM®)
29
- opiates, endogenous *1034–6*
oral allergy syndrome **1225**
oral antidiabetic medications **820**
oral glucose tolerance test (oGTT)
 gestational diabetes *814–15*
 metabolomics study *52–3*
oral hypoglycemic agents **714**
oral rehydration solutions **502**
 intestinal failure **865**, **866**
organic cation transporter 2 (OCTN2) *394*, *395*
organic cation transporter 3 (OCTN3) *394*
Ornish diet *762*, *1061*
oropharyngeal cancer, alcohol and **928**
oropharyngeal effects, dietary fiber **102**
orosensory experience, dietary fat **1032**
orthogonal partial least squares discriminant analysis (OPLS-DA) *46–7*
osmolality
 plasma *495*, *498*, **499**
 urine **499**
osteoarthritis, obesity and **716**
osteocalcin (OC) *236*, **238**
 endocrine function **240**
 undercarboxylated (ucOC) *236*, *237*
osteomalacia *207–8*, *455*
osteopenia, definition **834**, **834**
osteoporosis *663–4*, *833–42*
 calcium intake and *440–1*, **835**, *838–40*
 celiac disease **859**
 definition **834**, **834**
 epidemiology *834–5*
 experimental studies *837–8*
 human studies *838–40*
 magnesium status and *468*, **835**
 nutritional risk factors **835**, **835**
 pathophysiology *835–7*
 strontium therapy **600**
 vitamin A intake and *174*, **835**
 vitamin D and *207–8*, **835**, **838**, **839**
 vitamin K status and *237–9*, **835**
- OutbreakNet **1096**
overconsumption, passive *1046*
overfeeding studies, energy expenditure **65**
overfeeding syndrome **994**, **995**
overnutrition
 concurrent with undernutrition *1159*, *1176*
 definition **59**
overweight
 adolescents **646**
 with concurrent undernutrition *1159*
 definition **59**, **710**
 developing countries *1156–9*, *1157*, *1158*
 hypertension risk *715*, *723–4*, **727**
 insulin resistance and **733**
 older adults **659**
 pregnancy weight gain **610**, **610**
 prevalence and time trends *710–11*
 see also body mass index (BMI); obesity
- oxalic acid/oxalate
 calcium interaction **439**, **442**
 dietary restriction, Crohn's disease **860**
 vitamin C catabolism **251**
oxandrolone, liver disease **891**, **895**
oxidative burst **695**
oxidative stress
 carnitine actions **397**
 dementia pathogenesis **662**
 liver disease **893**
 vitamin E and *215–16*, *224*
 zinc deficiency *528*, *529*
 see also antioxidants
- oxoacyl reductase **381**
3-oxoacyl synthetase **381**
oxoglutarate dehydrogenase complex **268**, **269**
oxygen consumption (VO₂) **59**, **60**
oxygen radical absorbance capacity (ORAC) assay **424**
oxythiamin **273**
P2Y receptors **300**
P³G Observatory **29**
p53 signaling, zinc deficiency *528*, *529*
packaged foods, nutrition labeling *1147–8*
palatability
 energy intake, obesity and *1047–8*
 satiety and **1036**
Paleolithic diet **477**
palm fruit derivatives **167**
palmitic acid (palmitate)
 biosynthesis **135**
 chemistry **119**
 stoichiometry of oxidation **59**
palmitoleic acid **119**
palmitoyl-L-carnitine **392**
pancreatic disorders *866–70*
pancreatic enzyme supplements **869**
pancreatic (triglyceride) lipase *123*, *152*
pancreatic lipase-related proteins (PLRPs) *152*
pancreatitis
 acute *866–9*, *867*, *868*
 chronic *869–70*
PANK2 gene mutations **384**
pantetheinase **376**
pantetheine **376**
 cholesterol-lowering effect *384–5*
panthenol **386**
pantothenate kinase-associated neurodegenerative disease **384**
pantothenic acid *375–90*
 absorption **376**
 cellular regulation and functions *378–81*
 cellular uptake and efflux *376–8*
 chemistry and nomenclature *376*, *377*

- deficiency 382–4, **383**
 dietary sources 381–2
 excretion 378
 health claims 384–6
 requirements 382, **382**
 infants **625**
 pregnancy and lactation **611**
 status determination 384
 toxicity 384
- pantothenic acid kinase (PanK) 378, 378–9, 380
- paralytic shellfish poisoning 1210, **1212**
- parasites 1208
- parathyroid hormone (PTH)
 calcium regulation 435, 837
 hyperphosphatemia 456
 magnesium and 462
 osteoporosis pathophysiology 836–7
 phosphate regulation 450
 vitamin D regulation 202, 204
- parenteral nutrition (PN) 992–5
 acute pancreatitis 866–7, 869
 administration 993–4
 clinical monitoring 994
 complications 865, **994**, 994–5
 formulations, composition **993**
 indications 992
 inflammatory bowel disease 861
 intestinal failure/short bowel syndrome 861–2,
 863, 865
 intradialytic (IDPN) 883
 liver disease 896
- paresthesias, foodborne illness 1210
- Parkinson's disease, niacin interaction 301
- partial least squares (PLS) analysis 46–7
- partially hydrogenated vegetable oil (PHVO)
 1142, 1144
- passive overconsumption 1046
- pathway
 defined **2**
 mapping 9
- Pdx1* gene, epigenetic regulation 18–19
- peanut allergy 1225–6, 1227, 1228
- pectin 103, 105, **106**, 108
- Pediatric Nutrition Surveillance System (PedNSS)
1093, 1100
- pelargonidin 420, 1242
- pellagra 293–4
 symptoms 297
- pemetrexed 333
- PEMT *see* phosphatidylethanolamine
 N-methyltransferase
- PEMT* gene polymorphisms 32, 409–10, 412
- pentadecanoic acid, serum 48
- peonidin 1242
- peptide YY (PYY) 104, 106, 1035, 1051–2
- peptidylglycine α -amidating monooxygenase
 (PAM) 251–2, 542, 548, 549
- percutaneous endoscopic gastrostomy (PEG) **986**
- percutaneous endoscopic jejunostomy (PEJ) **986**
- performance, exercise *see* exercise, performance
- periconceptual studies, nutritional epigenetics
 16–17, 20–1
- periostin 237
- peripheral vascular disease 749
 carnitine therapy **400**
- peritoneal dialysis (PD) 880, 881
 nutritional support during 883
- pernicious anemia 343, 352
 clinical manifestations 349, 350
 diagnosis 353
 metabolic abnormalities 347
 treatment 353
- peroxisome proliferator-activated receptor- α
 (PPAR α) 380
- peroxisome proliferator-activated receptor-gamma
 (PPAR γ) 30
- peroxisome proliferator-activated receptors (PPARs)
 133, 144
- peroxisomes
 fatty acid oxidation 138
 thiamin diphosphate-dependent enzymes 268,
 269
- personal digital assistants (PDAs), self-monitoring
 1059
- personalized nutrition 1127
- petunidin 420, 1242
- pharmaceutical companies, use of nutritional
 monitoring data 1087
- Pharmacogenomics Knowledge Base **29**
- pharmaco-metabonomics 52
- pharmaconutrition strategies 996
- phase I/II enzymes 851
- phase III transporters 851
- phenylacetylglutamine 50
- phenylalanine 75, 76, **78**
- phenylketonuria (PKU) 28
- phenylthiocarbamide 1030
- PHEX* gene mutations 455
- phosphate, inorganic (P)
 extracellular fluid (ECF) 447, 448, 449–51
 bone mineralization and 451
 regulation 450–1, 451
 serum concentrations 449, **449**, 454
- phosphate (PO₄³⁻) 447
 balance, kidney disease 875, 875
 tubular maximum (TmP) 450, 451
- phosphatidylcholine (PtdCho) 405–6, 406
 digestion and absorption 407
 functions 410, 411
 plasma 409
 synthesis 406
- phosphatidylethanolamine N-methyltransferase
 (PEMT) 406, 407, 411
 gene polymorphisms 32, 409–10, 412
- phosphatidylinositol 121
- phosphatidylinositol 3-kinase (PI 3-kinase), insulin
 action 735, 736
- phosphatonins 450
- phosphocholine, hepatic 409
- phosphocreatine **675**
- phospholipase A₂ 123, 138
- phospholipase B 152
- phospholipids
 absorption 124
 biosynthesis and remodeling 396
 cellular roles 135
 chemistry 121
 choline-containing 405–6
 digestion 123
 lipoprotein particles 125, **125**
- phospholipid transfer protein 128
- 4'-phosphopantetheine
 chemical structure 376, 377
 functions 380–1
 metabolism 378, 379
- 4'-phosphopantetheinyl transferase 379–80
- 4'-phosphopantothenic acid 378, 378, 379
- phosphorus (P) 447–58
 bioavailability 448
 deficiency 455
 dietary intakes **448**, 448–9, **449**
 distribution in body 447–8
 endogenous fecal 452–3
 excess 455–7
 extracellular fluid 449–51
 intestinal absorption 451–2, 453
 metabolism 449–53
 osteoporosis and **835**
 requirements 453–4, **454**, 454
 infants **625**
 pregnancy and lactation **611**
 urinary excretion 453
see also phosphate, inorganic
- photographs, food 1024
- phyloquinone (vitamin K₁) 231, 231
 absorption/bioavailability 232
 analysis 231–2
 bone health and 237–9
 cardiovascular health and 239–40
 catabolism and turnover 232–3
 dietary intakes 242
 emerging functions 240
 food sources 242
 tissue stores 233
 transport and cellular uptake 232
- physical activity
 adolescents 648–9
 cardiovascular disease prevention 786, **787**
 cognitive decline in elderly and 663
 fluid and electrolyte balance 494, 495–6
 fluid replacement 501
 goals **749**, 1059
 insulin sensitivity and 734
 monitoring 1099
 obesity and 712
 older adults 660, 663, 664, 786, **787**
 osteoporosis and 440
 spontaneous (SPA) 62
 water and electrolyte needs 500, 500–1
 weight control benefits 718
see also exercise
- physical activity energy expenditure (PAEE) 60,
 62, **62**
 throughout lifespan 63–5
- physical activity level (PAL), energy requirements
 and 640, **640**

- physique, athletes 670–2
 phytanic acid 269
 phytate (phytic acid) 103, 439
 iron bioavailability and 513–14
 magnesium absorption and 462
 phosphorus bioavailability and 448
 zinc bioavailability and 522–3
 phytoene 1244
 phytoene desaturase **1246**
 phytonutrients, bioactive 1237
 biofortification of crops 1242–7
 phytosterols *see* plant sterols
 pioglitazone **820**
 PIVKAs (proteins induced by vitamin K absence or antagonism) 234
 pivoxil-containing prodrugs **400**
 placenta, vitamin A transport 156
 plant breeding strategies 1238, 1238–9
 plant polysaccharides 98
 plant protein, vs animal protein 727, 765
 plant sterols 122, 135
 absorption 125
 LDL-cholesterol reduction 788, **788**
 plasma
 metabolome *see* serum/plasma metabolome
 osmolality 495, 498, **499**
 space 480, 481, 494
 plasma proteins
 hospitalized patients 983
 liver disease 890, 894
 see also albumin, serum
 plasma volume
 during pregnancy 610
 regulation 495
Plasmodium falciparum, pantothenic acid requirements 386
 platelet function, flavonoids and 425
 plethysmography, air-displacement *see* air-displacement plethysmography
 polaprezinc, liver disease 899
 policy development
 humanitarian crises 1197–9
 nutrition monitoring data for 1085–6
 pollen allergies 1225, 1226, 1228
 poly(rC)-binding protein 1 (PCBP1) 509
 polycystic ovarian syndrome (PCOS)
 calcium intake and 442
 obesity and 717
 polyenoic n-3 fatty acids 142
 polymerase chain reaction (PCR), bisulfite modification with 22
 polymeric enteral formulas 987, **988**
 polymorphisms *see* genetic variations/
 polymorphisms
 polyols *see* sugar alcohols
 poly(ADP-ribose) polymerases (PARPs) 299
 polysaccharides 84–5
 digestion 86, 87
 energy value 88
 non-starch *see* non-starch polysaccharides
 polyunsaturated fatty acids (PUFA)
 cardiovascular disease and 754–60
 chemistry 119, **119**, 120
 cognitive decline in elderly and 663
 disease risk and **141**, 141–3
 foods and oils **134**
 functions 133
 gene interactions 30
 immune function 700, 701
 infant nutrition 626
 maternal nutrition 612
 recommended dietary intakes **1142**, **1143**
 see also long-chain polyunsaturated fatty acids;
 omega-3 fatty acids; omega-6 fatty acids;
 specific fatty acids
 Pooling Project of Prospective Studies of Diet and Cancer 1077
 pooling studies 1076–7, 1078
 population reference intake level (PRL; PRI) **1113**, **1114**
 portal hypertension 904
 portion sizes 1049–50
 porto-systemic encephalopathy (PSE) 896
 postnatal studies, nutritional epigenetics 20
 postprandial state, nitrogen and amino acid utilization 73–6, 74, 75
 potassium 484–8
 adolescent nutrition 642
 ancient seas 476, **476**
 balance 485, 485
 blood pressure and 486–7, 726
 cardiovascular disease and 766–7
 dietary intake 476–7
 dietary sources 485–6, **486**
 distribution in body 485
 functions 485
 homeostasis 476–7
 infant nutrition **625**
 liver disease 901
 recommendations 486
 severe imbalances 487–8
 supplementation 488
 sweat 500
 urinary 48
 potato
 calcium biofortification **1242**
 vitamin E biofortification **1241**
 poverty
 food insecurity and 1167–8
 obesity and 1158–9
PPAR α gene polymorphisms, dietary fat interaction 30–1
PPAR γ gene polymorphisms, dietary fat interaction 30
 Prader-Willi syndrome 713
 pre-albumin, serum, chronic kidney disease 878–9, **879**
 prebiotics 100, 106, 850
 immune function and 702
 PREDIMED study 781, 817
 pre-eclampsia 616
 prevention 614
 pregnancy 608–17
 adolescents 646–8
 alcohol consumption 616–17, 929
 biotin requirements 367, 369, **369**
 calcium requirements **437**, 438, 614
 choline requirements 408
 complications
 folate status and 330–1, 614
 overweight/obesity 616
 zinc deficiency 530–1
 folic acid supplements 331, 334, 614
 gestational diabetes *see* gestational diabetes mellitus
 humanitarian crises 1192, 1195
 iron and 516–17, 615
 nutrient intake recommendations **611**, 611–16
 nutritional epigenetic studies 16–19, 20–1
 physiological changes **609**, 609–10
 protein requirements **1140**
 riboflavin-binding proteins 283
 vitamin A supplementation **170**, 613
 weight gain 610, **610**
 adolescents 647, **647**
 gestational diabetes 815
 pregnancy-induced hypertension (PIH), calcium supplements 614
 Pregnancy Nutrition Surveillance System (PNSS) **1093**, 1100
 Pregnancy Risk Assessment Monitoring System (PRAMS) **1090**, 1100
 pre-hypertension **722**, 722–3
 Preiss-Handler pathway 296, 298
 premenstrual syndrome, calcium intake and 442
 PREMIER study 728
 prenatal studies
 fatty acid intake 142
 nutritional epigenetics 16–19, 20–1
 preterm infants
 carnitine supplements 397
 essential fatty acid requirements 140–1
 vitamin A supplements 171
 vitamin K supplements 241
 PRIDE study 1066
 principal components analysis (PCA) 11
 metabolomics 46, 46
 prion protein PrP^C 545
 prions 1208
 probiotics 850, 1218
 immune function and 702
 problem solving, weight loss programs 1060
 processed foods
 foodborne illness 1211
 globalization 1154, 1156
 iodized salt 563
 salt content 725
 vitamin content 264, 381
 see also food processing
 procyanidin B1 **420**
 procyanidins 420
 absorption and metabolism 421, 422–3, 423
 biological effects 427
 progesterone 610
 projection to latent structures (PLS) analysis 46–7
 prolactin 617

- proline-rich Gla proteins (PRPG) 237
propionate, dietary fiber intake and 105
propionyl-CoA 344–5, 345, 361
propionyl-CoA carboxylase (PCC) 361, 362, 367
 deficiency 368
 lymphocyte 366
propionyl-L-carnitine 394
 supplements 397, 398
propylthiocarbamide (PTC) 1028
6-*n*-propylthiouracil (PROP) 1028, 1030
prostaglandins 133
 biosynthesis 138–9, 139
prostate cancer
 boron status and 592
 calcium intake and 443
 fatty acid intake and 143
 lycopene intake and 192
protease-activated receptors (PARs) 236
proteasome 70
protectins 143–4
protein 69–82
 adolescent nutrition 641, **641**
 in breast milk 617
 catabolism, during infections 694
 deficiency 1173
 degradation 70–1
 dietary intake
 athletes 672, 679–80, **680**
 calcium excretion and 436
 cardiovascular disease and 764–5
 chronic kidney disease 876, 880–1, **881**
 excessive 78
 liver disease **895**, 895–6, 904
 magnesium absorption and 463
 obesity and 1045
 older adults 660
 osteoporosis and **835**
 type 1 diabetes 811–12
 energy value 63
 hydrolysates, allergenicity 1227
 infant formulas 628, **629**, **630**
 infant nutrition **625**, 626, 631
 malnutrition 78
 maternal nutrition **611**, 612–13
 oxidation parameters **59**, 60
 plant vs animal 765
 postprandial utilization 73–6, 74, **75**
 requirements 76, 76–7, 79, **1140**
 hospitalized patients 984–5
 setting international standards 1137, 1139–41
 stoichiometry of oxidation **59**
 see also plasma proteins
protein C (PC) 234–5, 235, 236, **238**
protein digestibility corrected amino acid score (PDCAAS) method 1141
protein–energy malnutrition (PEM) 78
 alcoholic liver disease 891, 891–2
 chronic pancreatitis 869
 hospitalized patients 982–3, **983**
 immune function and 696
 older adults 657, 658–9
 vitamin A supplements 171
 see also malnutrition; undernutrition
protein-energy wasting (PEW) 876, 877
 assessment 878–80
 prevention 880–4, 884
protein kinase C (PKC) 376
protein S 234–5, 235, 236, **238**
protein Z 234–5, 235, **238**
proteome 6, 38, 39
proteomics
 cancer risk studies 848–50
 definition **2**
 methods 6–7
 regulatory space 6
prothrombin 234–5, 235, **238**
proton-coupled folate transporter (PCFT) 323
proton (¹H) NMR spectroscopy 41–2, 43
provitamin A 151, 185
 in clinical medicine and therapeutics 170–2
 factors affecting bioavailability 153
 food fortification 168–9
 intestinal absorption 151–4
 metabolism 154–6
 systemic bioconversion 153–4
 units of measurement 160
 vitamin A equivalence *see* retinol activity
 equivalents; retinol equivalents
 see also β-carotene; carotenoids; vitamin A
pseudohyperkalemia 488
pseudoxanthoma elasticum 239
PSY-1 gene **1246**
psychological influences
 eating behavior 1050–1
 see also stress
psychosocial factors, obesity 717
pteridine 1239
pteroyl-L-glutamic acid *see* folic acid
puberty
 age of onset 638
 assessment of stage 643
public health
 applications, nutrient recommendations 1145–8
 strategies, humanitarian crises 1191
public nutrition approach 1183
public policy making, nutrition monitoring data
 for 1085–6
PUFA *see* polyunsaturated fatty acids
pulmonary aspiration, enterally-fed patients 990, **991**
pulsed-field gel electrophoresis (PFGE) 1214
PulseNet 1214
purine biosynthesis 325, 325–6
 regulation 329
pyridine-3-carboxamide *see* nicotinamide
pyridine-3-carboxylic acid *see* nicotinic acid
pyridoxal (PL)
 chemistry 308, 308
 disposition *in vivo* 309, 310
pyridoxal 5′-phosphate (PLP) 308
 deficiency 313–14
 alcoholism 922
 disposition *in vivo* 309, 310
 metabolism and coenzyme role 310–12, 311, 312
 plasma 312–13, 314–15
pyridoxal kinase 310
pyridoxamine (PM)
 chemistry 308, 308
 disposition *in vivo* 309, 310
pyridoxamine 5′-phosphate (PMP) 308
 disposition *in vivo* 309, 310
4-pyridoxic acid (4-PA) 308, 308, 311
 urinary 313
pyridoxine (PN)
 chemistry 308, 308
 disposition *in vivo* 309, 310
 therapeutic use 314
 toxicity 314
 see also vitamin B₆
pyridoxine 5′-phosphate (PNP) 308
 disposition *in vivo* 309, 310
pyridoxine-β-D-glucoside (PNG) 308, 308
pyridoxine (pyridoxamine) phosphate oxidase assay 287
pyrithiamin 273
pyruvate carboxylase (PC) 361, 362, 366
 deficiency 368–9
pyruvate decarboxylase 269
pyruvate dehydrogenase complex 268, 269
quantitative insulin sensitivity check index (QUICKI) 736
quantitative magnetic resonance (QMR) 1001, 1007, **1008**
quantitative trait loci (QTL) mapping 4
quercetin 420
 absorption and metabolism 421, 422, 422, 423
 biological effects 425, 427
 proteomic study 849
quinone reductase 233–4, 234
radiation proctitis, vitamin A supplements 172
raffinose 84
randomized controlled trials 1075–6
random measurement error 1020, 1021, **1021**
raspberries 49
rations, food
 humanitarian crises 1189–90
 supplementary feeding programs 1195
Reactome **29**
ready-to-use therapeutic food (RUTF) 1194, 1196
recall bias 1074
recommendation **1113**
recommended daily amount (RDA) 1119
recommended daily intake (RDI) 1117
recommended dietary allowance (RDA) 624–625, **1113**, **1114**, 1116
recommended intake **1113**
recommended nutrient intakes (RNI) 1144–5
red palm oil 167
reduced folate carrier (RFC) 266, 267, 323, 330
reductionist experiments 1–2
red wine 924, 926–7

- refeeding
 energy expenditure during 65–6
 hypophosphatemia 455
 refeeding syndrome **994**, 995
 reference daily intake (RDI) 1117
 reference intake range for macronutrients (RI) **1113**
 reference nutrient intake (RNI) **1113**, **1114**, 1119–20
 reference values, nutrient *see* nutrient reference values
 Refsum's disease 269
 refugees 1183
 food fortification program **1194–5**
 food security interventions 1189
 relapse prevention, weight loss programs 1060
 relative dose response (RDR), vitamin A status 166
 renal failure
 enteral feeding 987, **988**
 hyperphosphatemia 456
 magnesium excess 469
see also chronic kidney disease; end-stage renal disease
 renal function, age-related decline 836
 renal replacement therapy (RRT) 875, 880
 renin 875
 repaglinide **820**
 research uses, nutritional monitoring data **1086**, 1087
 resistant carbohydrate 764
 resistant starch (RS) 85, 99, 764
 satiety and 1047
 resolvins 143–4
 respiratory infections
 vitamin C supplements and 252–3, 698
 zinc deficiency 699
 respiratory quotient (RQ) **59**, 60, 63
 respiratory reactions, food allergies 1224
 resting energy expenditure (REE), hospital patients 984
 resting metabolic rate (RMR) 60, 61
 restrained eating behavior 1050
 restriction endonucleases, methylation-sensitive 22–3
 resveratrol 849
 11-*cis* retinal 150, 150, 157
 retinal (all-*trans* retinal)
 analysis 151
 chemistry 150, 150
 functions 157
 retinaldehyde dehydrogenase type 2 (RALDH-2) 154
 retinal dehydrogenase (RALDH) 155
 retinal pigment epithelium (RPE) 956
 retinitis pigmentosa (RP) 171, 941, 967–9
 lutein and 969
 omega-3 fatty acids and 968–9
 vitamin A supplements 171, 968
 vitamin E supplements 968
 9-*cis*-retinoic acid 154, 157
 13-*cis*-retinoic acid 157
 all-*trans*-retinoic acid (ATRA, or retinoic acid, RA) 150, 150, 151
 functions 157
 metabolism 154, 155
 therapeutic use 172
 retinoic acid receptors (RARs) 154, 157
 retinoic acid syndrome 173
 retinoids 150–1
 adverse and toxic effects 172–4
 analytical methods 151
 functions 157–8
 metabolism 154, 155
 therapeutic uses 172
 retinoid X receptors (RXRs) 154, 157
 retinol (all-*trans* retinol)
 absorption 152
 alcohol interactions 919
 analysis 151
 breast milk levels 166
 chemistry 150, 150
 function 157
 metabolism 154, 155
 serum levels 165, 166
 toxicity in pregnancy 613
 transport 154–6
 retinol activity equivalents (RAE) 160, 162, **186**, 188
 retinol binding protein (RBP) 151, 154–6, 697
 retinol dehydrogenase (RoDH) 155
 retinol equivalents (RE) 160, 162, **186**, 188
 retinyl esters 150, 151
 digestion and absorption 152
 metabolism 154, 155
 retinyl palmitate 150, 150, 151
 supplements 171, 172
 reverse cholesterol transport 127–8, 748
 reverse epidemiology phenomenon 876
 reward, food liking and 1035
RFC gene 330, 331
 rheumatoid arthritis, pantothenic acid and 385
 riboflavin 280–92
 absorption 282–3
 assessing status 287
 catabolism, excretion and secretion 285–7
 cataracts and 952, **953–4**
 chemistry 281, **281**, **282**
 coenzyme formations and interconversions 284, 284–5
 coenzyme forms **282**, **282**
 deficiency 287–8
 alcoholism 921
 infant nutrition **625**
 maternal nutrition **611**, **619**
 NAD biosynthesis 296, 298
 requirements 287
 transport 283
 uptake by cells 283–4
 riboflavin 5'-phosphate *see* flavin mononucleotide
 riboflavin-binding proteins, pregnancy-specific 283
 riboflavin kinase (flavokinase) 284, 284
 riboflavin transporters, human (hRFTs) 283
 rickets 200, 207–8
 phosphorus deficiency 455
 vitamin D-dependent, type II (VDDR-II) 205
 rigid spine muscular dystrophy (RSMD) 578
 Roadmap Epigenomics Mapping Consortium, NIH 21
 Roche European American Cataract Trial (REACT) 955
Ros1 gene 1243, **1243**
 roseoflavin 281, **282**
 rosiglitazone **820**
 rotavirus infections 1209
 R-protein (haptocorrin) 350–1
 rubidium **602**
 rutin 421, 422, 423
 safe intake 1120
 safety-net programs, humanitarian crises 1191–2
 SAH *see* S-adenosylhomocysteine
 salmon, smoked 49
Salmonella infections (salmonellosis) 1215–16
 clinical features 1209
 epidemiology 1211, **1212**
 food production-related risks 1216
 pathogenesis of disease 1211
 surveillance 1213, 1213, 1214
 temporal trends 1207
 vaccines 1217
Salmonella serotype Enteritidis 1215–16
Salmonella serotype Newport 1216
Salmonella serotype Typhi 1207, 1209, 1217
Salmonella serotype Typhimurium 1216
 salt (sodium chloride) 477–8, 483–4
 depletion, athletes **675**
 importance of chloride 483
 intake 477, 483–4
 adolescents 642
 athletes 678–9
 cardiovascular disease and 766
 hypertension and 51, 482–3, 725, **727**
 recommendations 484, 500, 725
 sodium homeostasis and 479–80, 480
 strategies to reduce 484
 iodized 555, 563–4
 sensitivity 482–3
 vitamin A fortification 168
see also sodium
 salt taste 1028, 1030–1
 preferences, food choices and 1032–4
 SAM *see* S-adenosylmethionine
 sarcopenia 659–60
 sarcosine 327, 329
 sarcosine dehydrogenase 16, 328
 satiation 1036, 1044
 satiety
 cascade 1044, 1045
 defined 1044
 dietary fiber and 1047
 palatability and 1036
 protein-induced 1045
 role of carbohydrates 93, 1045–6

- sensory-specific 1048
 understanding mechanisms of 1053
 saturated fatty acids (SFA) 119, **119**, 120
 blood pressure and 724
 cardiovascular disease and 751–3
 foods and oils **134**
 insulin resistance and 737–8
 recommended dietary intakes **1142**, **1143**
 savoriness of foods 1031
 scales, food weighing 1024
 scavenger receptor (SR)-B1 127
 carotenoid absorption 152, 189
 vitamin E uptake 222
 scavenger receptors 127
 atherogenesis 748
 Schiff-base formation 310–11, **311**
 Schilling test 353
 Schonfield equations 61
 school meals 1097–8
 School Nutrition Dietary Assessment Survey (SNDA) **1092**, 1097–8
 scombroid poisoning 1210, **1212**
 scurvy 251, 254
 sea buckthorn oil, dry eye syndrome 970
 seas, ancient 475–6, **476**
 seaweed 555
 SECIS-binding protein 2 (SBP2) **577**, 578
 SECIS element 576, 578
 sedentary lifestyle 712, 1062–3
 selection bias 1074
 selenate 572
 selenide 572
 selenite 572
 selenium 568–85
 -containing proteins *see* selenoproteins
 deficiency 568
 diseases 572
 iodine deficiency and 556, 572
 dietary intake 569, 570
 ecology 569
 human health and 573–6
 immune function and 573, 700
 infant nutrition **625**
 maternal nutrition **611**, **619**
 metabolism 572–4, 573
 requirements 571
 status assessment 569–71
 tissue distribution 569
 toxicity 568, 571–2
 Selenium and Vitamin E Cancer Prevention Trial (SELECT) 575, 576
 selenium-binding protein 1 (SBP1) 577–8
 selenocysteine (Sec; Se-Cys) 70, 569
 absorption 572
 -containing proteins 576–7
 selenomethionine 70, 569, 572
 selenoprotein 15 (Sep15) **577**, 579
 selenoprotein N (SepN; SelN) **577**, 578
 selenoprotein P (SEPP1; SepP) 571, 572–3, **577**
 selenoproteins 576–9
 implicated in disease **577**
 thyroid hormone function and 578
 selenoprotein S (SepS; SelS) **577**, 579
 selenosis 571–2
 self-monitoring, behavioral treatment of obesity 1059
 sensory-specific satiety 1048
 sensory variety, energy intake and 1048
 sentinel acute pancreatitis event (SAPE) hypothesis 866
 sepsis, foodborne disease 1209
 serial transverse enteroplasty (STEP) 864, **864**
 serine, synthesis 72
 serine hydroxymethyltransferase (SHMT) 312, **312**
 cytoplasmic (cSHMT) 325, 329
 mitochondrial 328
 serotonin, food cravings and 1034
 serum/plasma metabolome
 dietary assessment 49
 effects of dietary interventions 47–8
 sesame seed allergy 1226
 shaping, behavior 1059
 Shiga toxin 1211
Shigella 1211, **1212**
Shigella dysenteriae 1209
Shigella flexneri 1209
 short bowel syndrome 861–6
 causes **861**, 862
 management 861–6, **863**, **864**
 nutrient losses **862**, **864**
 vitamin and mineral requirements **862**
 short-chain fatty acids (SCFAs)
 absorption 124
 physiological effects 106
 production by gut microflora 53, 105
 short-read sequencing *see* next-generation sequencing
 sequencing
 shotgun sequencing *see* next-generation sequencing
 Significance Analysis of Microarrays (SAM) **11**
 SILAC (stable isotope labeling with amino acids in cell culture) 849
 silicon 598–600
 silymarin, liver disease 899
 Simplified Nutrition Assessment Questionnaire (SNAQ) 655
 single nucleotide polymorphisms (SNPs) 28–9, 1257–8
 sirtuins 299
 sitagliptin **820**
 skeletal health *see* bone health
 skin
 protective effects of carotenoids 193, 194
 vitamin D₃ production 201, **201**, 202
 skinfold thickness measurements 1001–2, **1008**
 chronic kidney disease 880
 older adults 655
 SLAMENGI mnemonic 187–8
SLC6A19 gene 297
SLC19A1 gene 266
SLC19A2 gene 266, 267, 272
SLC19A3 gene 266, 267
SLC23A1 gene 250
SLC25A19 transporter 267, 272
SLC30A8 gene 818
 sleep duration
 cardiovascular disease risk and 786, 787
 obesity and 712
 Slim-Fast™ 1061
 small intestine
 disorders 858–66
 effects of dietary fiber 102–3
 fat digestion 123
 smoking
 alcohol interaction 925, 928
 β-carotene and lung cancer 190–1
 cardiovascular disease risk 750
 carotenoid levels and 189–90
 cataracts and 949
 vitamin C requirements and 255
 vitamin E and C interactions 215–16
 smooth muscle cells, atherosclerosis 747, 748
 snacking 1048–9, 1156
 social facilitation, energy intake 1048
 social support, weight loss programs 1064
 socio-ecologic model for nutrition and health monitoring 1083, **1083**
 socioeconomic status (SES), obesity and 1158–9
 sodium 477–83
 absorption 866, **866**
 ancient seas 476, **476**
 body fluid compartments 480–1
 content of foods **478**
 deficiency 477–8, 498
 dietary intake 476–7
 athletes 678–9
 calcium retention and 436
 cardiovascular disease and 766
 liver disease 904
 recommendations 477, 500–1
 distribution in body 478, 478–9
 homeostasis 479–80
 hypertension and 482–3
 infant nutrition **625**, 631
 liver disease 901
 perturbations, clinical 481–2
 renal excretion 476, 479–80, **480**
 sweat 500–1
 see also salt
 sodium and Ca²⁺/Mg²⁺- dependent vitamin C transporter (SVCT2) 250–1
 sodium chloride *see* salt
 sodium-dependent boron transporter (NaBC1) 591, 593
 sodium-dependent multivitamin transporter (SMVT) 364–5, 376
 sodium-dependent vitamin C transporter (SVCT1) 250
 sodium/glucose co-transporter (SGLT1) 87
 sodium/iodide symporter (NIS) 555, 556, 558, 558
 sodium molybdate 590
 soft drinks
 added sugars 85, 86, 92–3
 energy density and intake 1046–7
 global trends 1154, 1155, 1156
 see also sugar-sweetened beverages

- Somalia **1184**
- sorbitol, in sugar-free products 813
- sour taste 1028, 1031–2
- South Asians 1160
- soy-based infant formulas 628, **630**
- soybean allergy 1226, 1227, 1228
- soybean oil 1153, 1247
- stearidonic acid (SDA)-enriched 1247
- soybeans, genetically modified 1247–8
- soy isoflavones
- blood pressure and 726
- metabolomic studies 850
- proteomic studies 849
- soy protein, cardiovascular disease and 765
- Special Supplemental Nutrition Program for Women Infants and Children (WIC) **1091**, 1097, 1100
- specific dynamic action *see* thermic effect of feeding
- Sphere Project 1198, **1199**
- sphingolipids 240
- sphingomyelin (SM) 405–6
- spices, allergic reactions 1227
- splanchnic bed, amino acid utilization **75**, 75–6
- spontaneous physical activity (SPA) 62
- sports beverages 501
- sports foods and supplements 681–3, 681, **682–3**
- sports nutrition 669–87
- adolescents 648–9
- current controversies 681–4
- goals 669–81
- see also* athletes
- sports performance *see* exercise, performance
- Sprinkles™ 1194
- squalene 137
- stable isotope labeling with amino acids in cell culture (SILAC) 849
- stachyose 84
- standards, dietary 1110–21
- see also* nutrient reference values
- Staphylococcus aureus* food poisoning 1208, 1210, **1212**
- starch 84–5
- digestion 86, 99
- granules 99
- resistant *see* resistant starch
- retrograded 85
- State and Local Area Integrated Telephone Survey (SLAITS) **1089**, 1100
- statins 788
- diet and lifestyle interventions with 787–8
- mechanism of action 137
- niacin interactions 768–9
- vitamin E interaction 220
- statistical analysis
- metabolomics 44–5, 46
- systems biology 8–9, 11–12
- US nutrition monitoring data 1101
- stearic acid **119**, 120, 751
- stearidonic acid (SDA) 758
- enhanced soybeans 1248
- stem cells, cancer 848
- STEP (serial transverse enteroplasty) 864, 864
- steroid hormones 135
- sterol esters, absorption 125
- sterol regulatory element-binding proteins (SREBP) 5
- STfR/log ferritin ratio 513
- stimulus control, weight loss programs 1059
- stoichiometry, nutrient oxidation **59**
- stomach
- effects of dietary fiber 102
- fat digestion 122
- STOP Regain trial 1066
- strength training 786
- streptavidin-binding assays, biotin 363
- stress
- eating behavior and 1051
- hypertension and 723
- obesity and 712
- stroke 748
- alcohol and 926–7
- carbohydrate intake and 763
- hypertension and 722
- salt intake and 484
- strontium 600
- study designs, epidemiologic 1072–7
- stunting, prevalence 1174, **1175**
- subacute combined degeneration 350
- subacute necrotizing encephalomyelopathy 269
- subjective global assessment (SGA)
- chronic kidney disease 879
- hospitalized patients 983–4
- liver disease 890, 891
- sucrase–maltase deficiency 86
- sucrose 84
- insulin sensitivity and 738–9
- intake in diabetes 812
- Sudan
- Darfur emergency **1184**, 1185, **1190**
- southern 1183
- sudden infant death syndrome (SIDS) 158
- sugar alcohols (polyols) 84
- energy value 88
- recommended intake 91
- sugars 84
- added *see* added sugars
- current intakes 92
- energy value 88
- intake in diabetes 812
- vitamin A fortification 168
- sugar-sweetened beverages 91, 92–3, 94
- global trends 1155, 1156
- see also* soft drinks
- sulbutamine 272, 273
- sulfite-induced asthma 1231
- sulfite oxidase 590
- sulfites 273
- sulfonamides 333
- sulfonylureas **820**
- sulforaphane 1238
- animal studies 852
- biofortification of crops 1245–7
- epigenetic studies 19, 847
- transcriptomic studies 848
- sulfur amino acids, immune function 701
- sulfur intake, inflammatory bowel disease 860
- sunburn, protective effects of carotenoids 194
- sunlight
- vitamin D₃ production 201, 201, 202
- vitamin D deficiency and 208
- supermarkets, globalization 1153–4
- supermarket study method 50
- superoxide dismutase (SOD)
- copper-zinc (SOD1; CuZnSOD) 534, 541–2, 544, 550
- extracellular (EC-SOD) 542
- manganese (MnSOD; SOD2) 587, 849
- zinc requirement 522, 534
- supplementary feeding programs (SFPs) 1195–6
- supplements, dietary *see* dietary supplements
- surrogates, dietary assessment 1022
- sweating
- fluid losses 495–6, 498, 678
- rates in different sports **500**
- water and sodium needs 500, 500–1
- sweeteners
- caloric 84, 1156
- high intensity 814
- sweet foods 1029–30
- childhood preferences 1029, 1033
- preferences of obese adults 1034
- satiating power 1036
- sweet taste 1028, 1029–30
- interactions with fats 1032
- preferences, food choices and 1032–4
- synbiotics 850
- systematic measurement error 1020–1, **1021**
- systemic inflammatory response syndrome (SIRS), acute pancreatitis 866, 867, 868, 869
- systemic lupus erythematosus (SLE), pantothenic acid and 386
- systems biology 1–13
- analytical approach 3, 3–10
- computer infrastructure 10
- data analysis tools **11**
- data integration 10–11
- definitions 1–2, 2
- experimental design 3–4
- future directions 10–12
- high-density phenotyping platforms 4–8
- identifying system changes 8–10
- public databases 10
- reductionism vs 1–2
- tools 2–3
- see also* omics
- Taenia solium* 1210
- Tangier disease 127–8
- tannins 420
- tartrazine 1231
- taste 1027–42
- chronic disease risk and 1028, 1028
- food choices and 1028, 1032–4
- childhood 1033
- elderly 1033
- obesity 1033–4

- hedonic responses *see* hedonic responses
intensity scalings 1029
measuring responses 1028–9
neurobiology 1034–6
sensations 1027–8, 1029–32
- taurine 50–1, **72**
- technological innovations 1152–3
see also mobile devices/phones
- TEE *see* total energy expenditure
- telephone
interventions, weight loss programs 1064
interviews 1023
- television viewing 1062–3, 1154
- temperature, core 496
- Ten-Year Comprehensive Plan, US nutrition
monitoring 1084, 1103
- teratogenic effects
alcohol 616–17, 929
biotin deficiency 367
vitamin A and retinoids 173–4, 613
zinc deficiency 527, 530–1
see also birth defects
- testosterone 659
- tetrahydrofolate (THF) 322, 322
biosynthesis 1239
thymidylate biosynthesis 326
- tetranorbiotin 360, 360
- tetrathiomolybdate 590
- thalassemia, vitamin C supplements 256
- theaflavins 420
- thearubigens 420
- therapeutic feeding centers (TFCs) 1196
- therapeutic feeding programs (TFPs) 1196–7
- Therapeutic Lifestyle Changes (TLC) diet 777, 782, 787–8
- thermic effect of feeding (TEF) 60, 61–2
- thermogenesis
facultative 62
obligatory 61–2
- THF *see* tetrahydrofolate
- thiamin 261–79
alcohol and 920–1
analysis 264
antagonists 273–4
assessment of status 270
cataracts and 952, **953–4**
chemistry 262, 263–4
deficiency 263, 270–2
alcoholism 920–1
chronic kidney disease 882
distinct types 272
subclinical 271
derivatives 261–2, 262
discovery 262–3
excretion 266
homeostasis 265–7
infant nutrition **625**
intestinal absorption 265
maternal nutrition **611, 619**
NAD biosynthesis 296
precursors and lipid-soluble compounds 272, 272–3
requirements 264–5
subclinical thiamin deficiency 271
supplements 264–5
alcoholism 921
tissue distribution/content 265–6, 267–8
toxicity 265
transport 265–7
transport proteins 266–7
thiaminases 273–4
thiamin diphosphatases 267
thiamin diphosphate (ThDP; thiamin pyrophosphate) 261–2
analysis 270
chemistry 262, 263–4
cofactor role 268, 268–70
mechanism of action 263, 269–70
non-cofactor roles 270
synthesis 267
tissue content and metabolism 267
transport 266, 267
thiamin monophosphate (ThMP) 262, 262, 263–4
tissue content and metabolism 267
transport 266
thiamin-responsive megaloblastic anemia 266, 267, 272
thiamin transporter 1 (ThTR1) 266, 272
thiamin transporter 2 (ThTR2) 266–7, 272
thiamin triphosphatase 267–8
thiamin triphosphate (ThTP) 262, 262
functions 270
tissue content and metabolism 267–8
thiazolidinediones **820**
thiochrome 262, 263
thioctic acid 369
thioester hydrolase **381**
thioesters 381
thirst
guiding fluid intake of athletes 684
older adults 661
three-factor eating inventory (TFEI) 1050
threonine **78**
intestinal synthesis 76
postprandial utilization 75, 76
thrifty genotype 612, 818
thrifty phenotype 612, 818
thrombin 235, 236
thromboxanes, biosynthesis 138, 139
thymidylate biosynthesis 325, 326
regulation 329
thymidylate synthase (TS) 326
thyroglobulin (Tg) 556, 558
serum 561, 563
thyroid gland
iodine metabolism 556, 558
iodine uptake 556, 557
size assessment 561
thyroid hormones 556–8, 559
biosynthesis 556, 558
functions 558–61
selenoproteins and 578
serum 563
thyroid-stimulating hormone (TSH) 558, 563, 564
thyroperoxidase (TPO) 556, 558
thyrotoxicosis, weight loss 713
thyroxine (T4) 556–8, 558, 559
- tin
beneficial bioactivity **602**
zinc interaction 524
tissue factor, atherosclerosis 747, 748
- T-lymphocytes 689, 691–2
- α -tocopherol 215, 1239–40
antioxidant activity 215–17, 218, 1240
chemistry 215
food sources 217, **217**
metabolism 222–3
plasma kinetics 222
recommended intakes 217–19, **218**
safety and upper limits 219–20
transport 220–1
see also vitamin E
- α -tocopherol transfer protein (α -TTP) 221, 221–2
genetic defects 223
- tocopherol cyclase (VTE1) 1240, **1241**
- γ -tocopherol 217
metabolism 222, 223
plasma kinetics 222
transport 221
- γ -tocopherol methyltransferase (γ -TMT; VTE4) 1240, 1241, **1241**
- tocopherols 215, 1239–40
biosynthesis 1240
- tocotrienols 215, 222–3
- Tolerable Upper Intake Level (UL) 625
- tomato
anthocyanin biofortification 1242–3, **1243**
calcium biofortification **1242**
carotenoid biofortification **1246**
carotenoid biosynthesis 1244–5
consumption, prostate cancer and 192
folate biofortification 1239, **1240**
- tooth development, fluoride and 596
- total body water 480, 481, 494, **499**
- total cholesterol:high-density lipoprotein-cholesterol (TC:HDL-C) ratio, fatty acid intake and 751
- total dietary fiber (TDF)
definition 100
method of dietary fiber analysis 101, 101–2
- Total Diet Study **1096, 1098**
- total energy expenditure (TEE) 1117
components 60–2
energy requirements and 62–3, 1137
measurement 63
throughout life cycle 63, 63–5, **64**
- toxins, foodborne 1208, **1210, 1210–11, 1212**
- Toxoplasma (gondii)* 1210, 1213
- trace elements 586–607
beneficial bioactive 591–5
chronic kidney disease 877, 882
essential 587–91
infant formulas **629, 630**
liver disease 902

- other nutritionally bioactive 595–601, **602**
 parenteral nutrition **993**, 994
 setting international standards 1144
see also minerals
- training, emergency nutrition 1199
 training low strategy, athletes 681–3
 transcobalamin 351
 transcription factors, zinc-finger domains 526
 transcriptomics
 bioactive compounds and 1259
 cancer risk studies 848
 definition **2**
 methods 5
- trans* fatty acids (TFA) 137, 1248
 cardiovascular disease and 760–1
 diabetes mellitus 822
 recommended dietary intakes **1142**, 1142–4, **1143**
- transferrin (TFN) 509
 carbohydrate deficient (CDT) 915
 saturation 512–13
 serum, chronic kidney disease 879, **879**
- transferrin receptors (TFRs) 509, 511
 serum 512–13
- transgenic plants 1238
 allergenicity of novel proteins 1229
 anthocyanin-enriched 1243, **1243**
 calcium-enriched 1242, **1242**
 carotenoid/provitamin A-enriched 168–9, 195, 1245, **1246**
 folate-enriched 1239, **1240**
 polyunsaturated fatty acid-enriched 128, 1248
 soybeans 1247–8
 vitamin E-enriched 1241, **1241**
 see also biofortification, food
- transketolase 268, 269
 activity assay, erythrocyte 270
- transmembrane Gla (TMG) proteins 237, **238**
- transmethylolation pathway 16
 see also methylation reactions
- transmissible spongiform encephalopathies (TSEs) 1208
- transsulfuration pathway 312, 327, 346–7
- transthyretin (TTR) 154, 237
 nutritional status assessment 658
- tree nut allergy 1226
- trehalose 84
- triacylglycerols (triglycerides)
 absorption 123–4
 chemistry 121
 chylomicrons 125, 126
 digestion 122–3
 foods and oils **134**
 glucose metabolites involved in synthesis 90
 lipoprotein particles **125**, 126–7
 serum
 acute pancreatitis 869
 alcohol consumption and 918
 chronic kidney disease 878
 goals **749**
 parenterally-fed patients 994
 see also hypertriglyceridemia
 transesterified 128
- triiodothyronine (T3) 556–8, 558, 559
- trimethylamine (TMA) 393, 412, 413
- trimethylamine N-oxide (TMAO)
 heart disease and 412–13
 metabolomic studies 50
- trimethylamine oxide, carnitine catabolism 393
- trimethylglycine *see* betaine
- ε-N-trimethyllysine 392, 392–3
- TRPML1 protein 509
- tryptophan **78**, 300
 IDO-mediated depletion 300, 302–3
 load test 313
 NAD biosynthesis 296, 298
 niacin equivalents 295
- tryptophan dioxygenase (TDO) 298
- t-tests, multiple 9
- tube enterostomy 985, **986**
- tuberculosis (TB)
 humanitarian crises 1193
 vitamin A supplements 172
- tubular maximum for phosphate (TmP) 450, 451
- tumor necrosis factor (TNF), liver disease 893, 894
- twenty-four-hour (24-hour) food recall 844, 1014–15
 automated self-administered (ASA24™) 1102
 combined with other methods 1017–18
 fieldworker time required **1018**
 modes of administration 1023–4
 sources of error **1017**
 within- and between-subject variation 1020, **1020**
- two-dimensional polyacrylamide gel electrophoresis (2D PAGE) 6–7
- typhoid fever 1209
 temporal trends 1207, 1207
 vaccine 1217
- tyrosinase 542
- tyrosine 72, **78**
- UbiA prenyltransferase domain-containing protein 1 (UBIAD1) 233
- ubiquitin–proteasome pathway 70
- UCSC Genome Bioinformatics **29**
- Uganda **1184**, 1185
- ulcerative colitis 142–3, 860–1
- ultrasonography, thyroid 561
- ultraviolet light, vitamin D₃ production 201, 201, 202
- umami taste 1028, 1031
- underfeeding studies, energy expenditure 65
- undernutrition 1173–7
 chronic, adults 1186
 concurrent with obesity 1159, 1176
 consequences 1174–5
 definition **59**
 immune system impairment 688–9
 infection and 693, 693–4, 694
 maternal 608–9, 612
 measurement 1174
 nature of the problem 1173
 prevalence 1174
 recent policy developments 1176
- UNICEF conceptual framework 1173, 1174
 see also malnutrition
- underwater weighing (UWW) *see* hydrodensitometry
- underweight
 adults 1186
 definition **710**
- United Kingdom
 dietary guidelines 1125, **1126**
 nutrient reference values **1114**, 1118–20
 nutrition monitoring 1103
- United Kingdom Prospective Diabetes Study (UKPDS) 819
- United Nations agencies
 dietary standards 1135–50
 humanitarian crises 1198
- United Nations Children's Fund (UNICEF)
 conceptual framework for malnutrition 1173, 1174, 1185
 humanitarian crises 1198
- United Nations High Commissioner for Refugees (UNHCR) 1190
- United Nations (UN) University, nutrient reference values **1114**, 1117–18
- United States
 dietary guidelines 1123–4
 food insecurity and hunger 1166–9
 nutrient reference values **1114**, 1115–17, **1119**
 nutrition monitoring program 1082–109
- upper intake levels (UL) 1117
- upper level (UL) 1118, 1145
- upper nutrient level (UNL) **1113**, **1114**, 1117, 1145
- upper tolerable nutrient intake level (UL) **1113**, **1114**, 1126–7
- urbanization 1152
- urea nitrogen 72
- urinary metabolome
 dietary assessment 49
 effects of dietary interventions 47–8
 epidemiologic studies 50–2
- urine
 osmolality **499**
 specific gravity **499**
- urticaria, chronic 1231
- US Department of Agriculture (USDA)
 food composition database 1098
 food insecurity measurement 1167
 food supply and nutrient availability estimates 1087–8, **1095**
 surveys of nutrition assistance programs **1091–2**, 1097–8
- US Department of Health and Human Services (USDHHS), physical activity recommendations 786
- USH2A* gene 967
- vaccenic acid 760–1
- vaccines, foodborne infections 1217
- valine **78**
- valproic acid, carnitine therapy with **400**
- vanadium **589**, 601
- vascular adhesion protein-1 (VAP-1) 541

- vascular disease *see* cardiovascular disease
- vegans **648**
- cardiovascular disease and 782
 - carnitine intake 392, 394
 - n-3:n-6 fatty acid ratio 759
- vegetable oils (edible)
- allergenicity 1227
 - fatty acid composition 133, **134**
 - genetically modified 128, 1247
 - global trends 1153, 1155
 - partially hydrogenated (PHVO) 1142, 1144
 - vitamin K-rich 242
- vegetables *see* fruit and vegetables
- vegetarians
- adolescents 648
 - cardiovascular disease risk 765, 781–2
 - categories **648**, 781
 - dietary pattern 781–2
- very-low-calorie diets (VLCDs) 1060–1
- very-low-density lipoprotein (VLDL) **125**, 126–7
- Veterans Health Administration (VA) studies of alcoholic hepatitis 890–2, 892
- Vibrio cholerae* **1212**, 1217
- Vibrio* infections 1213, 1214
- Vibrio parahaemolyticus* 1209, **1212**
- Vibrio vulnificus* 1209
- virus infections
- foodborne 1208, 1209–10, **1212**
 - selenium status and 573
 - vitamin C function 252
- visceral fat *see* abdominal fat
- visual function 940, 940, 970–2
- docosahexaenoic acid (DHA) and 971–2
 - essential fatty acids and 140–1, 142, 632
 - lutein and 971
 - phytonutrients and 970
 - vitamin A 157
 - see also* eye disease
- vitamin(s)
- adolescent nutrition 642
 - B group *see* B vitamins
 - cardiovascular disease and 767–70
 - deficiencies
 - chronic kidney disease 877, 881–2
 - chronic pancreatitis 869
 - Crohn's disease 860
 - liver disease 900–1
 - diabetes 822
 - food labeling 1148
 - infant formulas **629**, **630**
 - infant nutrition **625**, 626–7
 - insulin sensitivity and 739
 - parenteral nutrition **993**, 994
 - requirements
 - chronic kidney disease 881–2
 - setting international standards 1144–5
 - short bowel syndrome **862**
 - see also* multivitamin supplements; *specific vitamins*
- vitamin A 149–84
- adverse and toxic effects 172–4
 - alcohol interactions 919
 - analytical methods 151
 - bone health and 174, **835**
 - breast milk 156, 618
 - chemistry 150, 150–1
 - deficiency 150, 158–60
 - causes 159
 - diagnosis 163–7, **164**
 - epidemiology 160
 - iodine deficiency and 556
 - liver disease 900
 - manifestations 158–9, 697
 - preventive interventions 167–70
 - dietary intakes 162–3
 - dietary requirements 160–1, **161**
 - excretion 156
 - food fortification 168–9, 174–5
 - food sources 161, 162–3
 - functions and actions 156–8
 - immune function and 159, 696–7
 - infant nutrition **625**
 - international units (IU) 160
 - intestinal absorption 151–4, 152
 - maternal nutrition **611**, 613, **619**
 - metabolism 154–6
 - nomenclature 150–1
 - nutriture (status)
 - causes of variation 159
 - diagnostic assessment 163–7, **164**
 - effects of variations 158–9
 - recommended intakes 160–1
 - storage 154
 - supplementation 169–72, 174
 - humanitarian crises 1195
 - preventive 169–70, **170**
 - retinitis pigmentosa 171, 968
 - therapeutic 170–2, **171**
 - tolerable upper levels 173, **173**
 - usage 162–3
 - toxicity 173–4
 - assessment 166–7
 - liver disease 900
 - transplacental transport 156
 - transport 154–6
 - see also* provitamin A; retinol
- vitamin B₁ *see* thiamin
- vitamin B₂ *see* riboflavin
- vitamin B₃ 294, 294
- see also* niacin
- vitamin B₅ *see* pantothenic acid
- vitamin B₆ 307–20
- age-related macular degeneration and 960, **963**
 - assessment of status 312–13
 - bioavailability 309
 - cardiovascular disease and 315–16, 768
 - chemistry 307–8, 308
 - deficiency 313–14, 922
 - disposition 309, 309–10
 - food sources 308–9
 - in health and disease 315–16
 - immune function and 697–8
 - infant nutrition **625**
 - marginal status 314
 - maternal nutrition **611**, 613, **619**
 - metabolism and coenzyme function 310–12, 311, 312
 - NAD biosynthesis 296, 298
 - requirements 314–15, **315**
 - chronic kidney disease 882
 - toxicity 314
- vitamin B₁₂ (cobalamin, Cbl) 343–58
- absorption 350–1
 - age-related macular degeneration and 960, **963**
 - cardiovascular disease and 768
 - cataracts and 952, **954**
 - chemical structure 344, 344
 - deficiency 31, 347–54
 - causes 350–2, **351**
 - clinical manifestations 349–50
 - clinical spectrum 350
 - Crohn's disease 860
 - diagnosis 352–3
 - metabolic abnormalities **347**, 347–9, 348
 - treatment 353
 - dependent enzyme reactions 344–7
 - diabetes 823
 - genetic interactions 31
 - immune function and 697
 - infant nutrition **625**
 - intracellular metabolism 351
 - maternal nutrition **611**, 618, **619**
 - nickel interaction 598
 - serum levels 352
 - vegetarianism and 782
- vitamin C 248–60
- age-related macular degeneration and 956, **957**, 959, 966
 - biochemical functions 251–2
 - cataracts and 942–6, **943–5**
 - chemistry 249, 249–50
 - deficiency 254
 - dietary requirements 254–6, **255**
 - genetic interactions 32–3
 - infant nutrition **625**
 - marginal status 254
 - maternal nutrition **611**, **619**
 - metabolism 250–1, 251
 - NAD biosynthesis 296, 298
 - physiological functions 252–4
 - species comparisons 248–9
 - supplements 252–4
 - cardiovascular disease prevention 253, 769–70
 - chronic kidney disease 882
 - immune function and 252–3, 698
 - liver disease 901
 - vitamin E interaction 215–16, 216, 254
- vitamin D 199–213
- adolescent nutrition 642
 - alcohol and 920
 - athletes 673
 - blood pressure and 727
 - bone health and 207–8, 835, **835**, 838, 839
 - cardiovascular disease and 767–8
 - chemistry 200–1, 201

- deficiency 200, 208
 Alzheimer's disease 663
 Crohn's disease 860
 diseases 207, 207–8
 liver disease 900
 serum 25(OH)D levels 209
 treatment 209
- endocrine system 201–2
 newly recognized functions 206, 207
 regulation 202, 204
see also 1 α ,25-dihydroxyvitamin D₃
- food fortification 210
 genetic interactions 33
 historical review 200
 human disease related to 206–8
 immune function and 207, 698–9
 infant nutrition 208–9, **625**, 627
 insulin sensitivity and 739
 maternal nutrition **611**, 613, **619**
 metabolism 202–3
 nutritional aspects 208–9
 phosphorus absorption and 452
 recommended intakes 208–9, 210
 safety 209
 sarcopenia of aging and 660
 sufficiency 209, 210
 supplementation 208
 chronic kidney disease 882
 liver disease 900
 maternal 613, 618
 older adults 664
 toxicity 209
 type 1 diabetes and 808
- vitamin D₂ 200
 supplementation 208
- vitamin D₃ (cholecalciferol) 200
 metabolites 201–2, 202
 supplementation 208
 ultraviolet-induced synthesis 201, 201
- vitamin D₃-25-hydroxylase 202, 202–4
- vitamin D binding protein (DBP) 202
- vitamin D-dependent rickets type II (VDDR-II) 205
- vitamin D receptor (VDR) 204–6
 gene polymorphisms, health effects 846, 1258
 ligand interaction 202, 203, 204
 mechanisms of action 204–6, 205
- vitamin E 214–29
 age-related macular degeneration and 223–4, 956–9, **958**, 966
 alcohol interactions 919–20
 antioxidant activity 215–17, 216
 biliary excretion 222
 biofortification of crops 1237, 1239–41, **1241**, 1249
 biological activities 220–3
 cataracts and 946, **947–8**
 content of foods 217, **217**
 deficiency 223
 definition and forms 215
 determinants of biologic activity 221
- immune function and 223, 699
 intestinal absorption 220
 metabolism 222–3
 plasma kinetics 222
 recommended intakes 217–19, **218**
 infants **625**
 pregnancy and lactation **611**
 safety and upper limits 219–20
- supplements
 alcoholism 919–20
 cardiovascular protection 224, 769–70
 chronic disease protection 223–4
 chronic kidney disease 882
 liver disease 896–7, 900, 903
 retinitis pigmentosa 968
 transport 220–1, 221
 vitamin C interaction 215–16, 216, 254
 vitamin K interaction 241
- vitamin K 230–47
 absorption/bioavailability 232
 alcohol and 920
 antagonists 230
 bone health and 237–9, **835**
 catabolism and turnover 232–3
 chemistry and nomenclature 231, 231–2
 cycle 233–4, 234
 deficiency 241
 Crohn's disease 860
 liver disease 900–1
 dependent carboxylation 233–4
 dietary intakes 242
 emerging functions 240–1
 food sources 242
 functions 233–7
 human health and 237–40
 infant nutrition 242, **625**, 627
 requirements 241–2
 supplements
 chronic kidney disease 882
 liver disease 900–1
 toxicity 242
 transport and cellular uptake 232
- vitamin K₁ *see* phyloquinone
 vitamin K₂ *see* menaquinones
 vitamin K 2,3-epoxide 233, 234
 vitamin K₃ *see* menadione
 vitamin K deficiency bleeding (VKDB) 241
 vitamin K-dependent blood coagulation proteins 234–6, 235, **238**
 vitamin K-dependent proteins (VKDP) 234–7, **238**
 vitamin K hydroquinone 233–4, 234
 vitamin K oxidoreductase (VKOR) 233, 234
 vitamin K quinone 233, 234
- vomiting
 enterally-fed patients **991**
 fluid replacement 501–2
 foodborne illness 1208–9, **1209**
- voucher schemes, humanitarian crises 1191, 1194
- vulnerable groups, nutritionally *see* nutritionally vulnerable groups
- waist circumference (WC)
 body composition analysis 1001
 chronic kidney disease 880
 metabolic syndrome **715**, **733**, **750**
- waist-hip ratio 1001
- Wallerian degeneration (*Wld^d*) mouse 301
- wanting foods
 neurobiology 1034–5
 vs liking foods 1047
- warfarin 230
 bone health and 239
 cardiovascular health and 240
 mechanism of action 233–4, 234
 vitamin K intake and 241
- warm environments
 fluid imbalances 495–6, 497
 water and electrolyte needs 500, 500–1
- wars and conflicts 1183
- wasting, definition **59**
- water
 biological functions 494
 infant requirements 627
 intake values 1117
 intoxication *see* fluid, overload
 needs 500, 500–1
 total body 480, 481, 494, **499**
see also fluid; hypovolemia
- water balance 493–505
 disturbances
 illness and disease 497–8
 physiological effects 495–7, 497
 during exercise 678, 678
 following exercise 679–80, **680**
 kidney function 875, 875
 normal variations 494
 physiology 494–5, 495
see also hydration status
- watermelon, lycopene b-cyclase (*LCYB*) gene 1245
- weaning 627
- WebQTL **8**
- weighed dietary records *see* dietary records, weighed
- weight, body
 athletes, optimizing 670–2
 basal metabolic rate prediction 61, **61**
 blood pressure and 723–4
 measurement, older adults 655
- weight-for-height, children 1185
- weight gain
 food insecurity and 1168
 infant 630
 medical conditions causing 713–14
 pregnancy 610, **610**
 adolescents 647, **647**
 gestational diabetes 815
- weight-losing diets 718
 behavioral programs 1060–1
 diabetes prevention 825–6
 high-protein 764
 low-carbohydrate vs low-fat 762, 1061
 non-alcoholic steatohepatitis 903

- weight loss
 Alzheimer's disease 662
 athletes 671–2
 behavioral programs *see* behavioral weight-loss programs
 cardioprotective effects 762
 carnitine supplements for 398
 goal setting 1059
 health benefits 1058
 metabolic syndrome 740
 obese older adults 659
 type 2 diabetes
 prevention 714, 816, 825–6
 therapy 714, 819
 unintentional, older adults 655, 658
 Weight Loss Maintenance Trial 1066
 weight maintenance
 behavioral programs **1065**, 1065–6
 amount of exercise *1063*, 1063–4
 history 1058, *1058*
 relapse prevention 1060
 cardiovascular disease prevention 762
 obesity prevention 718
 weight-making sports 671, 672
 Weight Watchers diet 1061
 Wernicke–Korsakoff syndrome 261, 271, 272, 920–1
 genetic factors 269, 271
 rodent model 273
 Wernicke's encephalopathy 271, 921
 Western diet, modern 476–7
 wheat allergy 1226
 wheat grain, non-starch polysaccharides *99*
 WHO *see* World Health Organization
 whole grains 91, 94
 cardiovascular disease and 763–4
 consumption 92
 disease risk and 93, 94, 107, 108
 insulin sensitivity and 738
 metabolomic study 49
 recommended intake 91–2, 92
 Wilson disease 534, 546, 549, 902
 women
 calcium requirements **437**, 438
 humanitarian crises 1192
 iron status 512
 maternal nutrition 608–23
 nutrient requirements **611**
see also lactation; pregnancy
 Women Infants and Children, Special Supplemental Nutrition Program for (WIC) **1091**, 1097, 1100
 Women's Antioxidant and Folic Acid Cardiovascular Study 960
 Women's Health Study (WHS)
 alcohol consumption 917
 eye disease **947**, **951**, **958**
 vitamin E 220, **958**
 Women's Intervention Nutrition Study (WINS) 845
 workplace, obesity and 1052
 World Food Programme (WFP) 1190, **1190**, 1194, 1198
 World Health Organization (WHO) 1135–50
 cardiovascular disease prevention 770, **776**, 783, **785**
 child growth standards 1185
 diabetes prevention 785, **786**
 Diabetes Programme 825
 dietary guidelines 1122, 1125
 Global Strategy on Diet, Physical Activity and Health 1147–8
 nutrient intake goals for populations 1118, **1119**
 nutrient reference values **1114**, 1117–18
 nutrition monitoring activities 1103
 physical activity recommendations 786, **787**
 public health applications of nutrient recommendations 1145–8
 recommended nutrient intakes 1136–45
 wound healing, pantothenic acid and 385–6
 xanthophylls 185, **186**
 bioavailability and bioconversion 187–8
 xerophthalmia 158, 170–1
 X-linked inhibitor of apoptosis (XIAP) 543, *543*
Yersinia enterocolitica 1210, 1211
 at-risk populations 1215
 epidemiology **1212**
 surveillance 1213–14
Yersinia pseudotuberculosis 1210
 youth behaviors, US surveys 1099–100
 Youth Risk Behavior Surveillance System (YRBSS) **1089**, 1099
ySAMdc gene **1246**
 Zambia, refugee camp **1194**
 zeaxanthin 186, **186**
 age-related macular degeneration and 192–4, 959–60, **961–2**, 966
 cataracts and 194, 946–52, **950–1**
 chemistry *187*
 cleavage 190
 uptake in tissues 189, **189**
 meso-zeaxanthin *187*, 194
 zinc (Zn) 521–39
 absorption 522–4
 adolescent nutrition 642
 age-related macular degeneration and 960–4
 cataracts and 952
 chemistry 521–2
 copper interaction 524, 534, 545
 deficiency 526–31, 529, **530**
 alcoholic liver disease 899, 923
 chronic kidney disease 882
 Crohn's disease 860
 immune function 528–30, **530**, 699
 liver disease 894, 899, 902
 dietary sources 532–3
 excess and toxicity 533–5
 excretion 524
 homeostasis 524–5
 infant nutrition **625**
 maternal nutrition **611**, 615–16, **619**
 metabolism 522–5
 physiological function 525–6
 plasma 522, 532
 requirements **531**, 531–2
 status assessment 532
 supplements, liver disease 899
 tissue 522
 zinc finger domains 526
 zinc importer proteins (ZIPs) 523
 zinc oxide nanoparticles 534
 zinc protoporphyrin, red-cell 512–13
 zinc transporters (ZnTs) 523, 525, 532
 Zone diet 764, 1061
 Zrt/Irt-like proteins (Zips) 523, 525, 532
 zyklopen 542